

#### Regd. Office & Works:

Dakshin Simla, DAG No. 1288(P), JL-355, B.O. Changual, P.S. Kharagpur (Local), Kharagpur Midnapore -721301(WB)

Ph No.: +91 81001-08318

E-mail: info@svaksha.co.in

Web: www.svaksha.co.in

CIN No. U74900WB2014PLC202126

Date: 23.05.2025

To
The Joint Director,
Inspector General of Forests,
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office,
Kolkata IB – 198, Sector-III, Salt Lake City,
Kolkata - 700106.
(Mail id: iro.kolkata-mefcc@gov.in)

Subject: Submission of Six Monthly Compliance Report for period ending 31.03.2025 for Expansion of 200 KLPD Grain based Distillery Plant to 300 KLPD and 10 MW co-generation power plant by M/s Svaksha Distillery Limited located at Village Dakshin Simla, Police Station Kharagpur, Distt. West Medinipur, West Bengal.

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 31.03.2025 for the above said project in soft copy through e-mail for your perusal. Kindly, acknowledge the receipt of the same.

Thanking you Sincerely:

For M/s Svaksha Distillery Limited

(Authorized Signatory)

Name: Satayendra Singh Tomar

Contact No.: 9815015700

Designation: Executive Director

E-mail: ed@svaksha.co.in

#### CC:

• The Environmental Engineer, Regional Office, West Bengal Pollution Control Board

 The Member Secretary, West Bengal Pollution Control Board, Paribesh Bhawan, Kolkata

Ph No.: 0164-2240163

E: bcl@mittalgroup.co.in

## SIX MONTHLY COMPLIANCE REPORT

(Period ending 31.03.2025)

For

Expansion of 200 KLPD Grain based Distillery Plant to 300 KLPD and 10 MW co-generation power plant

## Project By: M/s Svaksha Distillery Limited

Located at Village Dakshin Simla, Police Station Kharagpur, West Medinipur, West Bengal

Prepared by:



#### **Eco Paryavaran Laboratories and Consultants Private Limited**

E-207, Industrial Area, Phase-VIIIB (Sector-74), Mohali (SAS Nagar), Punjab 160071

**Tele No.:** 0172-4616225 **email:** compliance@ecoparyavaran.org **M:** 098140-03103, 088720-43178

www.ecoparyavaran.org

#### **CONTENT**

S. No	Description	Page No.
1.	Data sheet	1
2.	Compliance of Environmental Clearance Conditions	4
	Annexure	
A-1(a)	Copy of Environment Clearance Letter dated 14 /11/2022	12
A-1(b)	Copy of Environment Clearance Letter dated 22/02/2017	22
A-2	Project photographs	27
A-3	Completion Certificate of 100 KLPD Ethanol Plant	32
A-4	Permission for ground water from Water Resources Investigation and Development Department, West Bengal	33
A-5	Copy of CSR receipts	34
A-6	Test reports	51
A-7	Form V for Financial Year 2023-2024	68
A-8	Copy of the advertisement regarding grant of EC	69
A-9	Copy of Consent to Establish obtained from Pollution Board	71
A-10	Hazardous Waste Record	76

## Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Kolkata

#### **DATA SHEET**

1.	Project Type	Expansion of Distillery Unit	
2.	Name of the Project	Grain based Distillery Plant to 300 KLPD and 10 MW	
		co-generation power plant by M/s Svaksha Distillery	
		Limited	
3.	Clearance letter (s) O.M. No.	Environment Clearance granted by MoEF&CC vide EC	
	& Date	Identification No. EC22A060WB159657 dated	
		14.11.2022; copy of the same is attached along as	
		Annexure 1(a).	
		Earlier EC has been granted by MoEF&CC vide File No.	
		J-11011/259/2015-IA.(II) (I) dated 22.02.2017; copy of	
		the same is attached along as <b>Annexure 1(b)</b> .	
4.	Location	Village Dakshin Simla,	
		Police Station Kharagpur	
a)	District(s)	West Medinipur	
b)	State (s)	West Bengal	
5.	Address for correspondence	M/s BCL Industries Ltd. (Formerly known as BCL	
		Industries and Infrastructure Ltd.)	
		Hazi Ratan Link Road,	
		Bathinda (151001), Punjab	
6.	Salient features		
a)	Of the Project	As per the Environmental Clearance letter, there is	
		expansion of Grain Based Distillery from 200 KLPD to	
		300 KLPD by installing a new 100 KLPD Fuel Ethanol	
1 \		Plant. Total plot area is 11.26 hectares.	
b)	Of the environment	As per the Environmental Clearance letter, the total	
		water requirement after expansion will be 1,672 m <sup>3</sup> /day	
		which will be met through ground water. Permission has	
		been obtained from Water Resources Investigation and Development Department, West Bengal for ground	
		water quantity of 1,750 m <sup>3</sup> /day.	
		Total 598 m <sup>3</sup> /day of condensates including spent lees	
		will be generated. Out of this, 340 m <sup>3</sup> /day will be	
		directly used in the process of slurry preparation.	
		Remaining condensates @ 258 m <sup>3</sup> /day will be treated in	
		condensate polishing unit and reused for cooling tower	
		makeup water.	
		Effluent from misc. stream will be 84 m <sup>3</sup> /day which will	
		be treated in ETP and treated water effluent will be	
		reused/recycled for industrial process. The plant will be	
		1 1	

		hand on Zee Limid Discharge Creaters and me
		based on Zero Liquid Discharge System and no
		effluent/treated water will be discharged outside of the
		project premises.
		The total power requirement after the expansion will be
		9,000 KVA and will be met from in-house co-generation
		power plant.  Existing project has 2 DG sets of conseity 1 000 KVA
		Existing project has 2 DG sets of capacity 1,000 KVA as a source of power backup in case of power failure.
7.	Breakup of the Project Area	as a source of power backup in case of power failure.
7.	a) Submergence forest area and	Not applicable
	non-forest area	Tvot applicable
	b) Others	Not applicable
8.	Break up of project affected	Not applicable
	population with enumeration of	The applicable
	those losing houses/ dwelling	
	units only, agricultural land	
	only both dwelling units and	
	agricultural land and landless	
	laborers/ land landless	
	laborers/ artisans.	
	a) SC/ST/ Adivasis	Not applicable
	b) Others	Not applicable
9.	Financial details	
a)	Project cost as originally planned	Rs. 50 Crores as per EC Letter for proposed expansion.
	and subsequent revised estimates	
	and the year of price reference.	
b)	Allocations made for	As per EC Letter, Rs. 6 Crores are earmarked towards
	environmental management plan	
	with item wise and year wise	per annum for implementation of environmental
	break up.	management plan.
c)	Benefit cost ratio/ Internal rate of	Will be calculated and submitted separately.
4	return and year of assessment.	
d)	Whether (c) includes the cost of	Yes, the cost benefit ratio will be worked out
	environmental management as	considering the cost of environment management.
	shown in (b) above.	D 102 20 10 000 / 1 1 1 2 2
e)	Actual expenditure incurred on	Rs. 102,28,10,000/- have been spent on the expansion of the project from 200 KLPD to 300 KLPD till 31.03.2025
6	the project so far.	
f)	Actual expenditure incurred on	Approx. Rs. 22.50 Crores have been spent on the
	the environmental management	Environment Management Plan of the existing unit and Ps. 20.87 Crores have been spent on Environmental.
	plans so far.	Rs. 20.87 Crores have been spent on Environmental Management Plan w.r.t expansion part of the project till
		31.03.2025.
10.	Forest lands requirement:	31.03.2023.
10.	rorest lands requirement.	

a)	The status of approval for	No forest area is involved.
	diversion of forest land for non-	
	forestry use.	
b)	The status of clear felling.	Not applicable
c)	The status of CA, any	
d)	Comments on the viability &	Not applicable
	sustainability of CA program in	
	the light of actual field experience	
	so far.	
11.	The status of clear felling in	Not applicable
	non-forest areas	
12.	Status of construction	Construction of the project has been completed
a)	Date of commencement (actual	Existing unit of capacity 200 KLPD is fully operational.
	and/ or planned).	Date of commencement w.r.t expansion of the industrial
		unit from 200 KLPD to 300 KLPD: June, 2023
b)	Date of completion (actual and/	June, 2024
	or planned).	Project photographs are enclosed as <b>Annexure 2</b> .
13.	Reasons for the delay if the	Not applicable
	project is yet to start:	

## Compliance Report on the conditions imposed on Environmental Clearance for the period ending 31.03.2025

### A. Specific Conditions

S. No.	Conditions	Reply
1.	As per OM dated 16 <sup>th</sup> June, 2021, project falls in	Agreed. Expansion of the project
	category B2 and the proposed capacity of 100	for increase in production is grain
	KLPD shall be only used for fuel ethanol	based distillery from 200 KLPD
	manufacturing as per self-certification in form of	to 300 KLPD is completed.
	an affidavit by the Project Proponent. Provided	Completion certificate is attached
	that subsequently if it is found that the ethanol,	as Annexure 3.
	produced based on the EC granted as per this	
	dispensation, is not being used completely for	
	EBP Programme, or if ethanol is not being	
	produced, or if the said distillery is not fulfilling	
	the requirements based on which the project has	
	been appraised as category B2 project, the EC	
	shall stand cancelled.	
2.	The Company shall comply with all the	Agreed. All the environmental
	environmental protection measures and	protection measures and
	safeguards proposed in the documents submitted	safeguards proposed are being
	to the Ministry. All the recommendations made in	implemented in true letter and
	the EIA/ EMP in respect of environmental	spirit.
	management, and risk mitigation measures	
	relating to the project shall be implemented.	
3.	The project proponent will treat and reuse the	Agreed. The treated water is
	treated water within the factory and no waste or	reused within project premises
	treated water shall be discharged outside the	and no wastewater or treated
	premises.	water is discharged outside of
		project premises.
4.	Total Fresh water requirement shall not exceed @	Agreed. Total Fresh water
	4 KL/KL and will be met from ground water. Prior	requirement will not exceed 4 KL
	permission shall be obtained from the concerned	of ethanol production. Permission
	regulatory authority/ CGWA in this regards, and	has been obtained from Water
	renewed from time to time. No ground water	Resources Investigation and
	recharge shall be permitted within the premises.	Development Department, West
	Industry shall construct a rain water storage pond	Bengal for ground water quantity
	of 60 days capacity and the accumulated water to	of 1,750 m <sup>3</sup> /day; copy of the same
	be used as fresh water thereby reducing fresh	is enclosed as <b>Annexure 4</b> .
	water consumption.	
5.	The spent wash shall be concentrated and dried to	Agreed. In the existing industrial
	form DDGS to be used as cattle feed. Brick	unit operational at production
	manufacturing unit will be installed within the	capacity of 200 KLPD, ESP is
	plant premises for utilization of fly ash. PP shall	already installed which is

1	''' 1 0 1 DD 1 11 1 11 TGD 0	001 1 1
	not utilize coal as fuel. PP shall install ESP for	sufficient for proposed expansion
	boilers proposed in 200 & 100 KLPD distilleries.	of 100 KLPD ethanol plant.
	PPP shall meet 10% of the total power	Further, the agro based captive
	requirement from solar power. Treated effluent	power plant is having boiler
	will be recycled/ reused for makeup water of	capacity of 75 MT per hr. and T.G
	cooling towers/ process etc. and no waste or	capacity of 10 MW per hr. There
	treated water shall be discharged outside the	is utilization of entire steam after
	premises. STP shall be installed to treat the	power generation in the process.
	sewage generated from factory premises.	Power requirement of existing
		200 KLPDA is approx. 5 MW and
		after expansion 100 KLPD
		Ethanol Plant will require 7.5 MW
		to 8 MW. Thus, surpluses power
		available will be 2 to 2.5 MW per
		-
		hr. Since, there is no policy of the
		State Government regarding
		selling of the surplus power
		available to West Bengal State
		Electricity Board. Thus, the solar
		plant will be installed as and when
		required.
		We have been granted EC in 2017
		for 200 KLPD but the plant
		achieved the granted production
		capacity in 2021 and latest
		technology was adopted in terms
		of water and energy conservation
		hence the power requirement for
		200 KLPD was only 5 MW which
		might increase to 7.5 to 8 MW.
		Copy of EC letter is attached as
		Annexure 1(b).
		Further, STP work is completed
		and in operation.
		Photographs of ESP are attached
		along as Annexure 2.
6	CO apparented from the manager shall be bettled/	
6.	CO <sub>2</sub> generated from the process shall be bottled/	2 No. of CO <sub>2</sub> plants (eco gases and
	made solid ice and utilized/ sold to authorized	big group) are already functional.
	vendors.	Photographs showing the same
		are attached as Annexure 2.
7.	PP shall allocate at least Rs. 50 Lakhs for	Agreed. Occupational Health
	Occupational Health Safety. Occupational Health	Centre work has been completed.
	Centre for surveillance of the worker's health shall	Rs. 50,46,877.30/- have been
	be set up. The health data shall be used in	

8.	deploying the duties of the workers. All workers & employees shall be provided with required safety kits/ mask for personal protection.  Training shall be imparted to all employees on safety and health aspect of chemicals handling. Safety and visual reality training shall be provided to employees.	spent on the same. Photographs are attached as <b>Annexure 2</b> .  Agreed. Independent team of 4 people are looking after the safety and health related matter and providing training time to time to the employees.
9.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	Agreed. Adequate fire-fighting system has been provided as per the norms. The photographs for the same is enclosed in <b>Annexure</b> 2.
10.	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	The sludge generated from ETP is non-hazardous in nature as the ETP is based on anaerobic and aerobic treatment system followed by tertiary treatment, as such, there is no generation of chemical sludge from the treatment facility.  Further, Hazardous waste such as Used Oil is Generated from servicing of DG Set covered under category 5.1 of the Hazardous and other Waste (Management and Transboundary Movement) Rules, 2016 It is reused as lubricant in the industrial premises, proper record of generation and reuse of this waste is being maintained, copy of the record is attached as Annexure 10.
11.	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waster; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other process. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high	Agreed. The same is being complied.

	pressure hoses for equipment clearing to reduce	
	wastewater generation.	
12.	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Photographs of the green area developed within project premises is enclosed as <b>Annexure 2</b> .
13.	The proposed budget of CER for not yet operational distillery 200 KLPD is Rs. 1.5 Crores in addition to the existing CER cost as mentioned in EC granted. For proposed distillery 100 KLPD CER will be Rs. 0.5 Crores. CER shall be utilized primarily for installation of solar light in adjoining villages, whereas CER budget mentioned in exiting EC shall be utilized in activities as committed before.	Agreed. For the existing operational industrial unit of 200 KLPD capacity, Rs. 1.34 Crores, have already been spent towards CER. Further, Rs. 1 Crore has been allocated for additional CER activities to be undertaken in the Village Dakshin Simpla. Out of which, Rs. 25 lakhs have already been disbursed in the name of Local District Authority. For expansion, Rs. 0.5 Crores will be utilized for CER as per EC granted. Out of which, Rs. 10.43455 lakhs have been spent till date. Complete expenditure details along with documentary proof are enclosed as <b>Annexure</b> 5.
14.	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. 15% of the total plant area (distillery 300 KLPD) will be reserved for parking.	Agreed. Adequate parking space has been provided in the existing industrial unit as well as for the proposed expansion also.
15.	Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind bearing walls/ curtains shall be provided around biomass storage area to prevent its suspension during night wind speed. All internal roads shall be paved. Industrial vacuum	Agreed. 2 Nos. of silo have been provided in the existing unit and 1 No. new silo is also functioning for proposed 100 KLPD.  There is adequate shed for storage of biomass. Also, wind bearing wall has been constructed around biomass storage area to prevent its suspension. All the internal roads of the project are already paved.

	cleaner shall be provided to sweep the internal	
	roads. The Air Pollution Control System shall be	
	interlocked with process plant/ machinery for	
	shutdown in case of operational failure of Air	
	Pollution Control Equipment.	
16.	Continuous online (24 × 7) monitoring system for	Agreed. In the existing unit,
	stack emissions. Effluent shall be installed for	online monitoring system for
	measurement of flue gas discharge and the	stack emissions of SOx, NOx &
	pollutants concentration, and the data to be	SPM has already been installed.
	transmitted to the CPCB and SPCB server. For	Further, OCMS is being
	online continuous monitoring of effluent, the unit	connected with CPCB server
	shall install web camera with night vision	through Forbes Marshal Server.
	capability and flow meters in the channel/ drain	Test reports are attached as
	carrying effluent within the premises.	Annexure 6.
17.	A separate Environmental Management Cell	Agreed. For existing plant,
	(having qualified person with Environmental	separate environmental
	Science/ Environmental Engineering/	management cell has been
	specialization in the project area) equipped with	constituted to monitor all the
	full-fledged laboratory facilities shall be set up to	functions. Also, full-fledged lab
	carry out the Environmental Management and	facilities have been provided for
	Monitoring functions.	analyses.
18.	PP shall sensitize and create awareness among the	Agreed. Environment
	people working within the project area as well as	Management Cell (EMC) is
	its surrounding area on the ban of Single Use	constituted to spread awareness
	Plastic in order to ensure the compliance of	within the unit as well as in the
	Notification published by MOEFCC on 12 <sup>th</sup>	nearby villages regarding Ban on
	August, 2021. A report along with photographs on	the single use plastic.
	the measures taken shall also be included in the	
	six-monthly compliance report being submitted to	
	concerned authority.	
	<u>-</u>	I .

#### **B.** General Conditions:

S.	Conditions	Reply
No.		
1.	No further expansion or modifications in the	Agreed. No further expansion or
	plant, other than mentioned in the EIA	modification will be done in the
	Notification, 2006 and its amendments, shall be	unit without prior approval of the
	carried out without prior approval of the Ministry	Ministry of Environment, Forest
	of Environment, Forest and climate Change/	and Climate Change.
	SEIAA, as applicable. In case of deviations or	
	alterations in the project proposal from those	
	submitted to this Ministry for clearance, a fresh	
	reference shall be made to the Ministry/ SEIAA,	
	as applicable, to assess the adequacy of conditions	

	imposed and to add additional environmental protection measures required, if any.	
2.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Agreed and same shall be complied. In the existing industrial unit of 200 KLPD Distillery also 100% LED light is used for energy conservation. Solar plant will be installed as and when required
3.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Agreed. The noise levels around the plant area are within the prescribed limit, as noise control measures are being provided such as acoustic hoods, silencers etc. on all noise generating sources.
4.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Agreed. Complete expenditure details along with documentary proof are enclosed as <b>Annexure</b> 5.
5.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forests and climate Change as well as the State Government along with the implementation schedule for the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.	Agreed. In the existing unit also adequate pollution control equipment has been provided i.e. ESP, Dryer, ETP, CPU, MEE. Also, adequate funds have been allocated for Environment Management Plan towards capital cost and recurring cost per year to implement the condition stipulated by the MoEF&CC for further expansion of the unit to 100 KLPD.
6.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom	Copy of clearance letter has already been submitted to all the concerned local bodies

		. 1. 1 0 1
	suggestions, representations, if any, were received	immediately after the grant of
	while processing the proposal.	Environment Clearance.
7.	The project proponent shall also submit six	Agreed.
	monthly reports on the status of compliance of the	Six monthly monitoring report is
	stipulated Environmental Clearance conditions	being submitted to submitted to
	including results of monitored data (both in hard	RO, MoEF&CC, Kolkata, Zonal
	copies as well as by e-mail) to the respective	Office and Regional Office of
	Regional Office of MoEF&CC, the respective	West Bengal Pollution Control
	Zonal Office of CPCB and SPCB. A copy of	Board through e-mail.
	Environmental clearance and six monthly	
	compliance status report shall be posted on the	
	website of the company.	
8.	The environmental statement for each financial	Agreed. Environment Statement
	year ending 31 <sup>st</sup> March in Form - V as is mandated	in Form-V for 100 KLPD has
	shall be submitted to the concerned State	been submitted to West Bengal
	Pollution Control Board as prescribed under the	Pollution Control Board for the
	Environment (Protection) Rules, 1986, as	Financial Year 2023-24.
	amended subsequently, shall also be put on the	Acknowledgement of
	website of the company along with the status of	submission of Form V
	compliance of environmental clearance	(F.Y.2023-24) is enclosed as
	conditions and shall also be sent to the respective	Annexure 7.
	Regional Offices of MoEF&CC by e-mail.	Annexure 7.
9.	The project proponent shall inform the public that	Agreed & accepted.
).	the project has been accorded environmental	Advertisement has been
	clearance by the Ministry and copies of the accord	published in the newspaper
	environmental clearance by the Ministry and	regarding grant of
		Environmental Clearance in
	copies of the clearance letter are available with the SPCB / Committee and may also be seen at	
	_	1 1
	Website of the Ministry and at	and Sangbad Pratidin dated
	https://parivesh.nic.in/. This shall be advertised	18.11.2022. Copy of the
	within seven days from the date of issue of the	advertisement is enclosed as
	clearance letter, at least in two local newspapers	Annexure 8.
	that are widely circulated in the region of which	
	one shall be in the vernacular language of the	
	locality concerned and a copy of the same shall be	
	forwarded to the concerned Regional Office of the	
	Ministry.	
10.	The project authorities shall inform the Regional	Agreed. For expansion, Consent
	Office as well as the Ministry, the date of financial	to Establish has been obtained
ĺ		
	closure and final approval of the project by the	from WBPCB; copy of the same
	closure and final approval of the project by the concerned authorities and the date of start of the	from WBPCB; copy of the same is enclosed as <b>Annexure 9</b> .
	concerned authorities and the date of start of the project.	is enclosed as Annexure 9.
11.	concerned authorities and the date of start of the	
11.	concerned authorities and the date of start of the project.	is enclosed as Annexure 9.

India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	

ENVIRONMENTAL CLEARANCE

Pro-Active and Responsive Facilitation by Interactive,

and Virtuous Environment Single-Window Hub)



#### Government of India Ministry of Environment, Forest and Climate Change (Impact Assessment Division)

To.

The Managing Director SVAKSHA DISTILLERY LIMITED

DLF Galleria, Unit No. 307, 3rd Floor, Action Area, 1B, New Town, Kolkota, Kolkata, West Bengal-700156

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/WB/IND2/58535/2015 dated 18 Nov 2021. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type** 

Category 4.

Project/Activity including 5. Schedule No.

6. Name of Project EC22A060WB159657

J-11011/259/2015 - IA II (I)

Expansion

5g(a)-Grain Based distilleries for Ethanol Blended Petrol

200 KLPD grain based distillery plant and 10 MW co-general located at village Dakshin Simia, i Station Kharagpur, District – West West Bengal 10 MW co-generation power plant to be located at village Dakshin Simla, Police

Name of Company/Organization 7.

Location of Project 8.


9. **TOR Date**  SVAKSHA DISTILLERY LIMITED

West Bengal 27 Jan 2016

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 14/11/2022

(e-signed) A N Singh Scientist E IA - (Industrial Projects - 2 sector)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

This has reference to your online proposal no. IA/WB/IND2/58535/2015, dated 18<sup>th</sup> November, 2021 for environmental clearance to the above mentioned project.

- 2. The Ministry of Environment, Forest and Climate Change has examined the Expansion of grain based Distillery from 200 KLPD to 300 KLPD by installing a new 100 KLPD Fuel Ethanol Plant by M/s. Svaksha Distillery Limited located at Mouza Dakshin Simla, JL No: 355, Police Station Kharagpur, District Paschim Medinipur, West Bengal.
- **3.** As per the MoEF&CC Notification S.O. 2339(E), dated 16<sup>th</sup> June, 2021, a special provision in the EIA Notification, 2006-(Schedule 5 (ga), Category B2) is made, wherein for all applications made for Grain based distilleries with Zero Liquid Discharge producing ethanol; solely to be used for Ethanol Blended Petrol Programme of the Government of India shall be considered under B2 Category and appraised at Central Level by Expert Appraisal Committee (EAC) with condition that the project proponent shall file a notarized affidavit that ethanol produced from proposed project shall be used completely for EBP Programme.
- **4.** Standard ToR and public Hearing conduction is not applicable as the project falls under category B2 as per OM dated 16<sup>th</sup> June, 2021. It was informed that no litigation is pending against the project.
- 5. Ministry has issued the Environmental Clearance earlier vide letter F. No. J-11011/259/2015-IA II (I) dated 22<sup>nd</sup> February, 2017 to the existing project of 200 KLPD grain based distillery and 10 MW of cogeneration of power in favour of M/s. Svaksha Distillery Ltd. PP has submitted IRO report dated 16.09.2022 against Action Taken Report (ATR) submitted by PP vide dated 16th September, 2022.

#### The details of products and capacity are as under: -

S. No.	Item	Unit	Existing Capacity	Proposed Additional Capacity	Total
1.	ENA/RS/ Impure spirit/ Country spirit/ Denatured spirit/ Fuel Ethanol (Absolute ethanol)	KL	200	100 (Fuel Ethanol Only)	300
2.	By-products				
	CO2	MT	140	70	210
	Fusel Oil	MT	2	1	3
	DDGS	MT	106	53	159

7. The promoters of the project are already having 11.26 hectares of land at Mouza - Dakshin Simla, JL No: 355, Police Station - Kharagpur, District - Paschim Medinipur (West Bengal). Out of the total land area of 11.26 hectares, the promoters have dedicated 7.72 hectares for the existing and proposed distillery plant and balance 3.54 hectares will be used for other industrial purposes. Industry has already developed green belt in an area of 2.55 hectares which is

more than 33 % of total land area. The estimated project cost is Rs. 50 crores for the proposed project. Total capital cost earmarked towards environmental pollution control measures is Rs. 6.00 crores and recurring cost (operation and maintenance) will be about Rs. 1.50 crores. Total employment generation will be 100 persons as direct and indirect employment due to the proposed expansion. Industry proposes to allocate Rs. 50.00 Lakhs towards corporate environment responsibility.

- **8.** There are no national parks, wildlife sanctuaries, biosphere reserves, Tiger/Elephant reserves, Wildlife corridors etc. within 10 km distance from the project site.
- 9. Total water requirements after the proposed expansion will be 1672 m³/day. All the fresh water requirements for the existing as well as proposed project will be met from ground water. The industry has already got the permission from Water Resources Investigation and Development Department, West Bengal for the extraction of ground water @ 1750 m³/day. The industry will generate a total of 598 m³/day of condensates including spent lees from the proposed expansion. Out of this, 340 m³/day will be directly used in the process for slurry preparation. Remaining condensates @ 258 m³/day will be treated in condensate polishing unit and reused for cooling tower makeup water. Effluent from misc. streams will be 84 m³/day which will be treated in ETP and treated effluent will be reused/recycled for industrial process. The plant will be based on Zero Liquid discharge system and no effluent/treated water will be discharged outside factory premises.
- 11. Total power requirements after the proposed expansion will be around 9000 KVA and will be met from inhouse cogeneration power plant. Existing unit has 2x1000 KVA D G sets to be used as standby during power failure. Stack height to the D G sets has been provided as per norms. Existing unit has 1 x 75 TPH biomass/coal fired boiler. No additional boiler will be installed during the proposed expansion.

#### 12. Details of process emissions generation and its management:

The industry will install dryers for the handling of DWGS for controlling process odors from the factory.

- **13.** As per OM dated 16<sup>th</sup> June, 2021, PP has submitted self-certification in the form of affidavit declaring that the proposed capacity of 100 KLPD will be for manufacturing of fuel ethanol only.
- 14. During deliberation it was informed to EAC that PP has not submitted CCR. In this regard PP has informed that plant will be commissioned in January 2022. Therefore CCR has not been obtained. Also, PP informed that 200 KLPD capacity has not been achieved yet. EAC noted the information and recommended the proposal for grant of EC.
- **15.** During deliberations EAC sought the following information/commitments from PP:

- PP shall utilize fresh water @4.0 KL/KL of ethanol production.
- Entire project shall be ZLD and no single drop of water shall be discharged outside of plant premises.
- PP shall not utilize coal as fuel.
- 15% of the total plant area (distillery 300 KLPD) will be reserved for parking.
- PP shall meet 10% of the total power requirement from solar power.
- PP shall install ESP for boilers proposed in 200 & 100 KLPD distillery.
- Brick manufacturing unit will be installed within the plant premises for utilization of fly ash.
- PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety.
- Company to construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.
- The proposed budget of CER for not yet operational distillery 200 KLPD is Rs. 1.5 crore in addition to the existing CER as mentioned in EC granted. For proposed distillery 100 KLPD, CER will be Rs. 0.5 crores. CER shall be utilized primarily for installation of solar light in adjoining villages. Whereas CER budget mentioned in exiting EC shall be utilized in activities as committed before.

PP has submitted information/commitment as sought above.

- **16.** The proposal was considered by the EAC in its 45<sup>th</sup> meeting held on 29-30<sup>th</sup> November, 2021 in the Ministry, wherein the project proponent and their consultant M/s. Enviro Infra Solutions Pvt. Ltd., presented the case. The Committee **recommended** the project for grant of environmental clearance.
- 17. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with the EMP report prepared and submitted by the Consultant accredited by the QCI/NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.
- 18. The Committee noted that the EMP report is in compliance of the PFR. The Committee deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.
- 19. The environmental clearance granted to the project/activity is strictly under

the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

20. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for expansion of grain based Distillery from 200 KLPD to 300 KLPD by installing a new 100 KLPD Fuel Ethanol Plant by M/s. Svaksha Distillery Limited located at Mouza - Dakshin Simla, JL No: 355, Police Station - Kharagpur, District - Paschim Medinipur, West Bengal, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

#### A. Specific Condition:

- (i). As per OM dated 16<sup>th</sup> June, 2021, project falls in category B2 and the proposed capacity of 100 KLPD shall be only be used for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.
- (ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (iii). The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.
- (iv). Total Fresh water requirement shall not exceed @4.0 KL/KL and will be met from ground water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a rain water storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.

- The spent wash shall be concentrated and dried to form DDGS to be used (v). as cattle feed. Brick manufacturing unit will be installed within the plant premises for utilization of fly ash. PP shall not utilize coal as fuel. PP shall install ESP for boilers proposed in 200 & 100 KLPD distilleries. PP shall meet 10% of the total power requirement from solar power. Treated effluent will be recycled/reused for make up water of cooling towers/process etc. and no waste or treated water shall be discharged outside the premises. STP shall be installed to treat the sewage generated from factory premises.
- CO2 generated from the process shall be bottled/made solid ice and (vi). utilized/sold to authorized vendors.
- PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety. (vii). Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- Training shall be imparted to all employees on safety and health aspects of (viii). chemicals handling. Safety and visual reality training shall be provided to employees.
- The unit shall make the arrangement for protection of possible fire hazards (ix). during manufacturing process in material handling. Firefighting system shall be as per the norms.
- Process organic residue and spent carbon, if any, shall be sent to Cement (x). and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
- The company shall undertake waste minimization measures as below (a) (xi). Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- The green belt of at least 5-10 m width shall be developed in nearly 33% of (xii). the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- The proposed budget of CER for not yet operational distillery 200 KLPD is (xiii). Rs. 1.5 crore in addition to the existing CER cost as mentioned in EC granted. For proposed distillery 100 KLPD CER will be Rs. 0.5 crores. CER shall be utilized primarily for installation of solar light in adjoining villages, whereas CER budget mentioned in exiting EC shall be utilized in activities as committed before.

- (xiv). There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. 15% of the total plant area (distillery 300 KLPD) will be reserved for parking.
- (xv). Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.
- (xvi). Continuous online (24x7) monitoring system for stack emissions/effluent shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (xvii). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- (xviii). PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12<sup>th</sup> August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.

#### **B. General Condition:**

(i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter,

at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.
- 21. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.
- **22.** Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- **23.** Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- **24.** The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.
- **25.** This issues with the approval of the competent authority.

(A. N. Singh) Scientist-'E'

#### Copy to: -

- The Principal Secretary, Department of Environment & Forest, 5<sup>th</sup> Floor, Pranisampad Bhawan, Block LB-II, Salt Lake, Sector III, Bidhannagar, Kolkata – 700 106
- The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Kolkata IB – 198, Sector-III, Salt Lake City, Kolkata - 700106
- 3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi 32
- 4. The Member Secretary, West Bengal Pollution Control Board, Paribesh

# F. No. J-11011/259/2015-IA.II (I) Government of India Ministry of Environment, Forest and Climate Change (I.A. Division)

Indira Paryavaran Bhawan Aliganj, Jorbagh Road New Delhi – 110 003

E-mail: yogendra78@nic.in Telefax: 011-24695365

Dated: 22nd February, 2017

To,

The Managing Director M/s Svaksha Distillery Ltd. Dakshin Simla, Kharagpur, West Medinipur West Bengal

Sub: Setting up of grain based distillery unit (200 KLPD) at Village Dakshin Simla, Police Station Kharagpur, Tehsil Kharagpur-I, District West Medinipur, West Bengal by M/s Svaksha Distillery Ltd. - Environmental Clearance - reg.

Ref.: Your online proposal no. IA/WB/IND2/31343/2015 dated 30th August, 2016.

Sir,

This has reference to your online proposal no. IA/WB/IND2/31343/2015 dated 30th August, 2016 along with project documents including Form I, Terms of References, Pre-feasibility Report, EIA/EMP Report along with Public Hearing Report regarding above mentioned project.

2.0 The Ministry of Environment, Forests and Climate Change has examined the application. It is noted that proposal is for Setting up of grain based distillery unit (200 KLPD) at Village Dakshin Simla, Police Station Kharagpur, Tehsil Kharagpur-I, District West Medinipur, West Bengal by M/s Svaksha Distillery Ltd. Plot area for distillery plant is 8.40 ha, of which, area earmarked for greenbelt is 2.80 ha. Total cost of project is ₹ 197.50 Crores. Total capital cost and recurring cost per annum earmarked for EMP will be ₹ 17.80 crore and ₹ 3.45 crore respectively. It is reported that there is no National Parks/Wild Life Sanctuaries/Biosphere Reserves/RF within 10 km radius area of project site. Following product will be manufactured:

S.No.	Units / Product/By Product Phase	Proposed Quantity
1	Distillery plant	200 KLPD
_	(Rectified Spirit / ENA / Ethanol)	
2	Cogeneration Power Plant (Electricity)	10 MW
3	Bottling of country/ IMFL Liquor	16000 cases/day
	By Products	
1	DDGS (Dried Distillers Grains with Soluble)	100 MTPD
2	Fusel Oil	2 MTPD

Proposal no. IA/WB/IND2/31343/2015

4.7-h

Page 1 of 5

3	CO2	150 TPD
4	Corn oil	10 MTPD

3.0 Total power requirement will be 6 MW which will be sourced from own co-gen unit. Proposed unit will use 2 X 35 TPH Rice husk/ coal fired boiler but committee suggested to use Briqutte in place of Rice husk/ coal. PP agrees with the suggestion. Two DG sets of 500 KVA capacity will be used as a standby. ESP along with adequate stack height will be provided to biomass fired boiler to control particulate emission. Fresh water requirement from ground water will be 1760 m³/day. Spent wash generation will be 945 m³/day. Spent wash will be treated through decanter and concentrated in MEE to form DWGS. DWGS will be sent to dryer to form DDGS. Other wastewater will be treated in ETP. Used oil and spent oil will be sold to authorized recyclers. Fly ash generated from the project will be used in own brick manufacturers unit.

- 4.0Public Hearing / Public Consultation meeting was conducted on 8th July, 2016.
- 5.0 All Grain based distillery (>60 KLPD) are listed at SN 5(g) (ii) under category 'A' and appraised at central level.
- 6.0 The proposal was considered by the Expert Appraisal Committee (Industry) in its 14th EAC meeting held during 26th-27th October, 2016. Project Proponent and the EIA Consultant namely M/s Ace Engineers and Consultants have presented EIA/EMP report as per the TOR. EAC has found the EIA/EMP Report and additional information to be satisfactory and in full consonance with the presented TORs. The Committee recommended the proposal for environmental clearance.
- 7.0 Based on the information submitted by the project proponent, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of ElA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

#### A. SPECIFIC CONDITIONS:

- i) ESP along with stack of adequate height shall be provided to Briquette fired boiler to control particulate emission within 50mg/Nm<sup>3</sup>.
- ii) Total fresh water requirement of 1760 m³/day will be met from ground water and prior permission shall be obtained from the CGWA/SGWA.
- iii) Spent wash generation from grain based distillery shall not exceed 6 KI/KI of alcohol. Spent wash shall be treated through decanter and concentrated in multi-effect evaporator (MEE) to form DWGS. DWGS will be sent to dryer to form DOGS. The condensate, spentlees and utilities effluent shall be treated in the ETP comprising tertiary treatment. Treated effluent will be used for make up water of cooling towers and water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB and recycle/reuse.
- iv) Spent wash shall be stored in SS tank. The storage of spent wash shall not exceed 5 days capacity.
- v) No effluent from distillery shall be discharged outside the plant premises and Zero discharge shall be adopted. Water consumption shall be reduced by adopting 3 R's (reduce, reuse and recycle) concept in the process.
- vi) Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.

23 R. Z. Vr

- vii) Adequate numbers of ground water quality monitoring stations by providing piezometers around the project area shall be set up. Sampling and trend analysis monitoring must be made on monthly a basis and report submitted to SPCB and this Ministry. The ground water quality monitoring for pH, BOD, COD, Chloride, Sulphate and total dissolved solids shall be monitored. Sampling and trend analysis monitoring must be made on monthly basis and report submitted to the Ministry's Regional Office at Bhubaneswar and SPCB.
- viii) Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing alongwith the storm water. Direct exposure of workers to fly ash & dust shall be avoided. Captive Power Plant will also confirm the prescribed standards.
- ix) Fire fighting system shall be as per the norms and cover all areas where alcohol is produced, handled and stored. Provision of foam system for fire fighting shall be made to control fire from the alcohol storage tank. DMP shall be implemented.
- x) Occupational health surveillance programme shall be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health centre shall be strengthened and the regular medical test records of each employee shall be maintained separately.
- xi) Dedicated parking facility for loading and unloading of materials shall be provided in the factory premises. Unit shall develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.
- xii) As proposed, green belt over 2.80 ha of the total project area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
- xiii) All the commitments made during the Public Hearing/Public Consultation meeting held on 8<sup>th</sup> July, 2016 shall be satisfactorily implemented and adequate budget provision shall be made accordingly.
- xiv) At least 2.5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs particularly village named Dakshin Simla and action plan with financial and physical breakup/details shall be prepared and submitted to the Ministry's Regional Office at Bhubaneswar. Implementation of such program shall be ensured accordingly in a time bound manner.

#### B. GENERAL CONDITIONS:

- i. The project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and any other statutory authority.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In *case* of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind

9.7- h

- direction as well as where maximum ground level concentrations are anticipated.
- iv. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
- v. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- viii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.
- ix. The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xii. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- xiii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParisad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.
- xiv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xv. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company

-9-3- du

along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <a href="http://moef.nic.in">http://moef.nic.in</a>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

8.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

9.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

10.0 The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

(Yogendra Pal Singh) Scientist 'D'

#### Copy to:-

- 1. The Secretary, Department of Environment, Govt. of West Bengal, Kolkata, West Bengal.
- 2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.
- 3. The Member Secretary, West Bengal Pollution Control Board, Parivesh Bhawan, 10A Block-LA Sector-III, Salt Lake, Kolkata 700091, West Bengal.
- 4. The Chief Conservator of Forests, Regional Office (EZ), Ministry of Environment and Forests, A-3, Chandrashekharpur, Bhubaneswar 751 023, Orissa.
- 5. Monitoring Cell, Ministry of Environment and Forests, Indira Paryavaran Bhavan, Aliganj, Jor Bagh Road, New Delhi 110 003.
- 6. Guard File/Monitoring File/Record File.

(Yogendra Pal Singh) Scientist 'D'

## **Project photographs**



























#### **Green Area**









**Fire-fighting Equipments** 





#### STP







CO<sub>2</sub> Plant









**Occupational Health Centre** 



SUSTAINABLE ENGINEERING SOLUTIONS

To,

Date: 01.06.2024

SVAKSHA DISTILLERY LIMITED
JL – 355, Dakshin Simla, B.O. Changual,
Kharagpur, Paschim Midnapore,
West Bengal
Pin code - 721301

Subject: Completion Certificate of 100 KLPD Ethanol Plant

Dear Sir,

We would like to inform you that the project of 100 KLPD Ethanol Plant at M/s. SVAKSHA DISTILLERIES LTD, Kharagpur (West Bengal) were completed and running smoothly too, as per the designed parameters.

Thanking You,

Yours Falthfully,

FOR VAPCO ENGINEERS PVT LTD.

**Authorized Signatories** 

Signatures of SVAKSHA DISTILLERIES LTD. authorities

Government of West Bengal
Water Resources Investigation & Development Department
Office of the Geologist
Geological Sub Division No. - I/A, S.W.I.D.,
Administrative Building (Ground Floor),

Daak Bunglow Road, Sarat Pally, Midnapore – 721 101, Paschim Medinipur

Email: geolswidpsmidnapore@gmail.com

Memo No. 274

Dated, Midnapore, the 23.09.2021

To,
Mr. Anupam Pal
The General Manager (Power Plant),
Svaksha Distillery Limited
PO- Changual, Block – Kharagpur-II
Paschim Medinipur, PIN – 721301

Sub.:- No objection of groundwater withdrawal due to expansion of plant

Ref. :- Your Letter No. SDL/DM/SWID/2021-03 Dated 16-09-2021 & SDL/DM/SWID/2021-04 Dated 20-09-2021

In reference to your Letter No. SDL/DM/SWID/2021-03 Dated 16-09-2021 & SDL/DM/SWID/2021-04 Dated 20-09-2021 it is justified that due to the improvisation of process technique & plant expansion your groundwater requirement remain the same as earlier obtained from 6 nos. permits. The necessary permission for groundwater extraction has been already granted to your industry for "Distillery" purpose as mentioned in SWID permits. Since the water requirement does not exceed the permissible limit & as long as the purpose remains same, we have no objection for your expansion project.

Thanking you,

Soiparna Banegle

Geologist,
Geological Sub Div No. I/A
S.W.I.D., Paschim Medinipur
&
Member Secretary,

Member Secretary, DLA, Paschim Medinipur.

Memo No. 274 /1(1)

Dated, Midnapore, the 23.09.2021

Copy forwarded for information to:

1. The District Magistrate & Chairman, District Level Authority, Paschim Medinipur.

Soipanna Banegee

Geologist,
Geological Sub Div No. I/A
S.W.I.D., Paschim Medinipur
&
Member Secretary,
DLA, Paschim Medinipur.



#### Regd. Office & Works:

Dakshin Simla, DAG No. 1288(P), JL-355, B.O. Changual, P.S. Kharagpur (Local), Kharagpur Midnapore -721301(WB)

Ph No.: +91 81001-08318

E-mail: info@svaksha.co.in

Web: www.svaksha.co.in

CIN No. U74900WB2014PLC202126-

	SVAKSHA DI	STILLERY LI	MITED
	Satement of Amour	nt spent in A	Account of CSR
Sr. No.	Particulars	Amounts	Remarks
	2022-23		
1	Amount spent with the Local Villagers for puja	80000	on requirement of local people
	Dwarka Dass Mittal Charitable Trust		Construction of houses for EWS given free of cost
	Spent for Bhumi Puja	14344	Brown and a second
	Spent for Bhumi Puja & Langer for Local Peoples	20000	
	Spent for Bhumi Puja & Langer for Local Peoples	20000	*
	Spent for Bhumi Puja & Langer for Local Peoples	20000	
	Spent for Bhumi Puja & Langer for Local Peoples	20000	
	Specie for Briann Faja & Edinger for Edeal Feoples	20000	It is capitalised in the Company, as per Advise of the
8	Ambulance	1675000	Statutory Auditor, available for company's and local Peoples.
9	Star Bus	2250000	It is capitalised in the Company, as per Advise of the Statutory Auditor, available for company's employees of local Peoples.
	Misc Exp for Insurance	14814	Insurance of local Employees
	Local Administrator Account Medinipur ADM		Development District Innovation Fund
	Shoes Purchased		Distributed to Dakshin Simla Villagers
	Saari & Gamchha Purchased		Distributed to Dakshin Simla Villagers
13	Total	13357067	both batter to below only the party
	2023-24		
14	Study Purposed	50000	Paid to Majida Khatun higher Study in Malaysia
15	BENGAL BADMINTON ACADEMY	1000000	PAID AS DONATION UNDER CSR ACTIVITIES TO BENGAL BADMINTON ACADEMY
	Total	1050000	
	2024-25		
16	Shri Baliram Gaushala Trust	21000	paid Shri Baliram Gaushala Trust
	Kharagpur marwari yuvak sangh trust	21000	Paid Kharagpur marwari yuvak sangh trust
	Benapur High School(H.S)		Installed a sanitary Pad Vending machine.
	Changual kandarpapur pranabesh vidyayatan(H.S)		Installed a sanitary Pad Vending machine.
		226500	
		277900	1
	i.	238800	(3)
20	Flood & cyclone Dana affected in Ghatal	2800	Flood relief Materials
	prince review notice about \$1.00 cm (review his decision of the Action (ACA)	59460	The second secon
		44060	1
		45080	
	Total	1043455	
	Grand Total	15450522	



Ph No.: 0164-2240163

E: bcl@mittalgroup.co.in



#### **SVAKSHA DISTILLERY LIMITED**

JL-355, Dakshin Simla, P.O. Changual, Kharagpur, Paschim Medinipur, West Bengal,

West Bengal - 721301, India
State Name: West Bengal, Code: 19
CIN: U74900WB2014PLC202126
E-Mail: accounts@svaksha.co.in

**UBI CC A/c Payment Voucher** 

No. : CC P/2324/8 Dated : 19-Aug-23

Ref. : S27465940 dt. 19-Aug-23

Through: Union Bank of India Cash Credit A/c Kharagpur

Particulars Amount

Account :

Charity & Donation 50,000.00

On Account of:

Amount 50000/-Paid to Majida Khatun for Higher Study in Malaysia Chq No - 018079 Dtd - 19/08/2023

TRF Through NEFT.

Bank Transaction Details:

Cheque 018079 19-Aug-23 **50,000.00** 

Amount (in words):

**Rs Fifty Thousand Only** 

₹ 50,000.00

Receiver's Signature: Authorised Signatory

19-08-2023 NEFTO-MAIIDA KHATUN 527465940 12018079 50,000.00 (Dr) 16:35:52



## **BENGAL BADMINTON ACADEMY**

(Recognised Under Section 12AA & 80G of Income Tax Act.)

A Registered Trust for promotion and development of Badminton in West Bengal.



#### RECEIPT

RECEIVED WITH THANKS FROM SVAKSHA DISTILLERY LIMITED, KHARAGPUR, PIN - 721301, WEST BENGAL, A SUM OF RS. 10, 00,000.00 (RUPEES TEN LAKHS ONLY) ON 30/06/2023 BY CHEQUE DRAWN ON UNION BANK OF INDIA BEARING # 038812 DATED 24/06/2023 PAID AS DONATION UNDER CSR ACTIVITIES TO BENGAL BADMINTON ACADEMY (PAN: AABTB3949A) FOR BADMINTON COURT WOODEN FLOORING OF SHUTTLE EXPRESS BADMINTON STADIUM.

For BENGAL BADMINTON ACADEMY

MANAGING TRUST

DATED: 04.07.2023



#### File No.PASMID-22011(99)/18/2022-PSPM SEC



## GOVERNMENT OF WEST BENGAL OFFICE OF THE DISTRICT MAGISTRATE & COLLECTOR PASCHIM MEDINIPUR DISTRICT, MIDNAPORE-721101 (Development & Planning Section)

Ph. No.:03222-275571/Fax No.: 03222-275427/E-mail: dm-mid-wb@nic.in

Memo No. 1091 /Dev.

Dated 09/09 /2022

To The Executive Director, Svaksha Distillery Limited.

Sub: Status of the Utilization of Rs.25 lakh from your end.

Sir,

This is to inform you that the below-mentioned schemes are taken up from the fund received from your end. The schemes are ongoing in nature and after completion of these schemes, the undersigned will be forwarded a utilization certificate to your end.

SL	Scheme Name	Executing Agency	Vetted amount (Rs.)
1	Construction of Labour Room of Bagda Rural Hospital	E.O., Mohanpur P.S.	10,60,318.00
2	Repairing and renovation of Bagda Rural Hospital	E.O., Mohanpur P.S.	5,11,395.00
3	Development of Turism Site at Ranisiromoni Garh, Salboni Block	O/C Siromonigarh & BDO, Salboni	10,00,000.00

This is for your information and taking necessary action in this regards.

Thanking you,

Yours faithfully,

Addl. District Magistrate(LR),

Paschim Medinipur

Dated 09/09 /202

Memo No. 1091/1(3) /Dev.

Copy forwarded for kind information to:-

 The BDO, Mohanpur and BDO, Salboni are requested to complete the above schemes as soon as possible and submit the utilization certificate along with completion pictures of the said schemes.

2) C.A. to the District Magistrate, Paschim Medinipur.

Addl. District Magistrate(LR), Paschim Medinipur DISE Code: 19200811701

INDEX No - L1-020, H.S. Code: 205597

## Pur High s



**GOVT. SPONSORED** 

P.O.-BENAPUR, BLOCK - KHARAGPUR - II, DIST - PASCHIM MEDINIPUR, PIN - 721 301

Phone - 03222-295055, E-mail: banapurhighs 11961@gmail.com

Estd - 1961

Ref No.

Date 04/12/2024

Secretary



**Dear Executive Director** Svaksha Distillery Ltd.

On behalf of the staff and students of Banapur High School (H.S.) I extend our sincere gratitude to Svaksha Distillery Limited for the thoughtful and generous initiative of installing a sanitary pad vending machine in our school.

This vital contribution addresses an essential aspect of health and hygiene, significantly improving the well-being and comfort of our female students. It also reflects your commitment to fostering a safe and supportive learning environment where young individuals can focus on their education without concerns about access to basic hygiene necessities.

Your initiative not only promotes awareness but also helps to break stigmas surrounding menstrual health, thereby encouraging open conversations and a more inclusive culture within our coeducational institution.

We deeply appreciate your support and look forward to collaborating with you in the future to further enhance the welfare of our students.

Thank you once again for this meaningful gesture that will positively impact the lives of our students and serve as an example of corporate social responsibility.

Yours sincerely.

Headmaster & Secretary Banapur High School (H.S.) (Govt. Sponsored) Benapur, Paschim Medinipur

Index No. : L1-050 H.S. Code No.-205626



CHANGUAL KANDARPAPUR PRANABESH VIDYAYATAN (HIGHER SECONDARY)

(Estd.-1959)

P.O. : CHANGUAL ★ BLOCK ★ KHARAGPUR - II SUB-DIV, : KHARAGPUR ★ DIST. : PASCHIM MEDINIPUR

From: The President / Secretary / The Headmaster

Memo No. 51224 SAN

Date 05:12:202

Mob: 9832128594

To

Sub. / Ref.

Dear Executive Director, Svaksha Distillery Limited

On behalf of the staff and students of Changual K.P. Vidyayatan, I extend our sincere gratitude to Svaksha Distillery Limited for the thoughtful and generous initiative of installing a sanitary pad vending machine in our school.

This vital contribution addresses an essential aspect of health and hygiene, significantly improving the well-being and comfort of our female students. It also reflects your commitment to fostering a safe and supportive learning environment where young individuals can focus on their education without concerns about access to basic hygiene necessities.

Your initiative not only promotes awareness but also helps to break stigmas surrounding menstrual health, thereby encouraging open conversations and a more inclusive culture within our coeducational institution.

We deeply appreciate your support and look forward to collaborating with you in the future to further enhance the welfare of our students.

Thank you once again for this meaningful gesture that will positively impact the lives of our students and serve as an example of corporate social responsibility.

Yours sincerely

Glowi Sankarsen,

Headmaster & Secretary
Changual K.P. Vidyayatan (H.S.)
P.O.-Changual Dist-Paschim Medinipur





#### **CUSTOMIK INDIA PRIVATE LIMITED**

3/1 Ghola Kachari Road, Rabindra Place, Barasat Near The Central Modern School, Kolkata-700124 West Bengal, India GSTIN 19AAKCC3813A1Z0 Mobile: +91 7604029701

#### TAX INVOICE

Bill To

SVAKSHA DISTILLERY LIMITED

JL 355, Dakshina Simla, Kharagpur Paschim Medinipur - 721301 West Bengal, India GSTIN 19AAUCS6504J1ZP Invoice# C/24-25/132
Invoice Date 15/11/2024

Place Of Supply: West Bengal (19)

,#							
	Item & Description	HSN/SAC	Qty	Rate	CGST	SGST	Amou
1	AUTOMATIC SANITARY NAPKIN VENDING MACHINE (Capacity 100)	84768990	2.00 pcs	15,783.90	2,841.10	2,841.10	31,567.
			in .				
2	TOKENS	711810	100.00 pcs	10.00	-		1,000.
3	280mm Ultra Thin Airlaid Wrapped 150 GSM with Anion	961900	500.00 pcs	3.50	MAL.		1,750.0
	for the fi						
	DE	PARTMENT	220 200		-		
han	ks for your husiness		Ruch	0.40			
han		VOICE	PAY P	ASSED	Sub 1	Total	· 34,317.
han	CH SI	VOICE	010		Sub 1		
	Received AP	SNATURE AR SNATURE	010			ount	<ul> <li>34,317.8</li> <li>31,567.8</li> <li>2,841.1</li> </ul>
	Received AP	SNATURE AR SNATURE	DQ DATE		otal Taxable Am	ount 9%)	31,567.
	Received AP	SNATURE AR SNATURE	DQ DATE		CGST9 (	ount 9%) 9%)	31,567,8 2,841.1
	Received AP	SNATURE AR SNATURE	DQ DATE		CGST9 ( SGST9 ( Shipping cha	ount 9%) 9%)	2,841.1 2,841.1
	CH SI	SNATURE AR SNATURE	DQ DATE		CGST9 ( SGST9 ( Shipping cha	ount 9%) 9%) arge	31,567. 2,841. 2,841.1 3,000.0

A/C Name: Customik India Pvt. Ltd. A/C No: 50200076126767

A/C No: 50200076126767 IFSC CODE: HDFC0000352 Bank: HDFC Bank Branch: Barasat Total In Words: Indian Rupee Forty-Three Thousand Only

## Customik...



**CUSTOMIK INDIA PRIVATE LIMITED** 

3/1 Ghola Kachari Road, Rabindra Place, Barasat Near The Central Modern School, Kolkata-700124 West Bengal, India GSTIN 19AAKCC3813A1Z0

Mobile: +91 7604029701

#### TAX INVOICE

Bill To

**SVAKSHA DISTILLERY LIMITED** 

JL 355, Dakshina Simla, Kharagpur Paschim Medinipur - 721301 West Bengal, India GSTIN 19AAUCS6504J1ZP

Invoice#

C/24-25/148

Invoice Date

16/12/2024

Place Of Supply: West Bengal (19)

#	Item & Description	HSN/SAC	Qty	Rate	CGST	SGST	Amount
1	AUTOMATIC SANITARY NAPKIN VENDING MACHINE (Capacity 100)	84768990	_1.00 pcs	15,783.90	1,420.55	1,420.55	15,783.90
2	SANITARY NAPKIN INCINERATOR (Capacity 100/day)	84178090	3.00 pcs	12,000.00	3,240.00	3,240.00	36,000.00
3	TOKENS	711810	100.00 pcs 16 Pcs	10.00 shord Re	o.oo	0.00	1,000.00
4	280mm Ultra Thin Airlaid Wrapped 150 GSM with Anion	961900	500.00 pcs 500	3.50 Pes not	0.00	0.00	1,750.00

Thanks for your business.

Sub Total 54,533,90 Total Taxable Amount 54,533.90 **CGST9 (9%)** 4,660.55 SGST9 (9%) 4,660.55 CGST0 (0%) 0.00

SGST0 (0%) 0.00

Total 63,855.00

Payment Made (-) 63,855.00

**Balance Due** 

0.00

SVAKSHA DIST LEFY LIMITED KHARAGPUR, PASCH MED MIPUR-721301

IN TIME: 9:55P, DATE: 14127

GATE ENTRY NO .: 2783 SIGN.: A

VEHICLENO: WB36/4727

Total in Words: Indian Rupee Sixty-Three Thousand Eight Hundred Fifty-





## Govt. of West Bengal OFFICE OF THE SUB-DIVISIONAL OFFICER KHARAGPUR

P.O. - Kharagpur: Dist.- Paschim Medinipur, Pin: 721301

Landline - 03222 · '

FAX - 03222 225516

Email -kharagpursdo@gmail.com elec.kgpsdo@gmail.com

DEAR SVAKSHA DISTILLERY LTD CHANGUAL, DAKSHIN SIMLA KHARAGPUR - 721301

On behalf of the administration and the people of Debra & Dantan Block, I extend my heartfelt gratitude for the generous and timely contribution of essential supplies—potatoes, oil, dal, and biscuits—made by Svaksha Distillery Limited during the recent flood and cyclone Dana.

Your invaluable support during such a critical time not only provided immediate relief to those in need but also served as a testament to your organization's unwavering commitment to community welfare. In the face of adversity, your contribution brought hope and comfort to countless families, ensuring their basic needs were met.

Acts of kindness such as yours inspire others to step forward and extend their support, building a stronger and more resilient community. Please know that your efforts have left a profound impact, and we deeply appreciate your thoughtful gesture.

We look forward to continued collaboration in the future to address the needs of our community and further our shared goal of making a positive difference.

Once again, thank you for your generosity and support.

Yours sincerely,

Sub-Divisional Officer

Sub-Divisional Magistrate Kharagpur

Prop.- Arun Chandra Kar

Name Sunksha Distillery Ltd.

Address Chakturia Mob No.

SI. No.	Description	Qnt.	Rate	Amount P.
0	Dal	300 Kg	95/2	85,500/=
2	10 bantsom	40 Tir	2380	95,200/2
(3)	Alu	EXCEPTION OF THE PARTY OF THE P	THE PARTY NAMED IN	16,800/2
1	B'iscuit	20 Box	580/	29,000/2
		/	Dy	
		-43		1
			TOTAL	2,26,500
		· · · · · · · · · · · · · · · · · · ·		12,2030

Rupees Two Lac twenty Six thousandonly.
8 Sive hundred only

Date 25 10/24

No. 468

KAR VARIETY STORES

Prop.- Arun Chandra Kar

Ph. No.- 9775128016/9800328991
Name Synksha Distillery Ltd.

Address Chakturia Mob No

SI. No.	Description	Qnt.	Rate	Amount Rs. P.
0	Alu	200 KB	30/	15,000
1	000	1500 K8	98/2	1,47,000
3	Lio bruzum	46 Tin	2520/2	1,15,920/2
			1	
			08	
			11	
				1
			TOTAL	2,77,920
Rupe	es Two loc Ser & rine hur	renty	NAME OF TAXABLE PARTY OF TAXABLE PARTY.	A STATE OF THE PARTY OF THE PAR
CONTRACTOR CONTRACTOR	27/09/24.	No.		Signature

#### CREDIT / CASH No. Sri Ganeshya Namaha

General Order Supplier and Commission Agent KHARAGPUR - 721301, PASCHIM MEDINIPUR Name SVAKSHA - Disiller - Limited Address. **AMOUNT** SI. QNTY RATE **PARTICULARS** P. Rs. No. 800 Kg 00 98-78,400 50 mg 2420 121, 000 00 2. 23,20000 3. 6,200 00 4. Biscoil 5. 6. 7. 8. 9. 10. 11. 12. 13. 15. 16. 17. 18. 19. 20 TOTAL 238,800 Receiver's for goods condition

Receiver's Signature

BILL

## KAR VARIETY STORES

Prop.- Arun Chandra Kar

Name Syarkha Distilery LTD

Address Chaufus a - Mob No.

ALW-	loolg	-28 -	2800-0
TIME 12129	18	10/24	AR!
		TOTAL	2800.0
	HARAGPUR PA	HARAGPUR DE IPUR HARAGPUR DE 18 ATEENTRYNO. 2 78 VEHICLENO: BY BICK	TIME 12120 SIGN. 12 ATEENTRY NO. 2 78 SIGN. 12 VEHICLENO: BY BICK

## KAR VARIETY STORES

Prop.- Arun Chandra Kar

Ph. No 9775128016/9800328991 Name Stook & Distilly	UTD)
Address Choukturia Mob No.	

SI. No.	Description	Qnt.	Rate	Amount Rs. P.
(1)	Dal-10Bag	300kg	108/	30,000/-
6	Musturd oil	7Tin	2288)	15,960
3	Alu 10Bag			

Subject to verification of Quality & Quantity

Store-In-Charge
SVAKSHA DISTALLY LIMITED
Kharagpur, Paschim Medini bur

TOTAL

Fifty nine thousand & Four atonoreed & lixty only

No. 421 signature

CREDIT / CASH Date 27/09/24 20 No. Sri Ganeshya Namaha General Order Supplier and Commission Agent KHARAGPUR - 721301, PASCHIM MEDINIPUR Name SVAKSHA Distiller - Kimited. Address AMOUNT SI. QNTY RATE PARTICULARS P. Rs. No. 300ce 88 masur dul 10B 1. 7tin 2480 2. 300 3. 4. 5. 7. 8. 9. 10 11. 12 13. 14. 16. 17. 18 19. 20. TOTAL 44060 Receiver's for goods condition

Receiver's Signature

For, RAMJI LAL AGARWAL

CREDIT / CASH 28 No. Sri Ganeshya Namaha General Order Supplier and Commission Agent KHARAGPUR - 721301, PASCHIM MEDINIPUR Name SVAKSHA-Distiller- Kimited Address AMOUNT SI. QNTY RATE **PARTICULARS** Rs. P. No. 44880 1. 510 W 200 w 2. 3. 4. 5. 7. 8. 9. 10.

11. 12. 13. 14. 16 17. 18. 19. 20. Receiver's for goods condition For, RAMJI LAL AGARWAL

Receiver's Signature

#### Analysis Report of Grab Water/Waste Water Samples



#### WEST BENGAL POLLUTION CONTROL BOARD

Haldia Regional Laboratory Raghunathchak, P.O.-Barghasipur, P.S.-Bhabanipur, Haldia, Purba Medinipur – 721 657

Tel: (03224) 291292

Sample Id : 210320250521

Inspection Done Under : Haldia Regional Office

Sample Collected By

: Shri S. Mukherjee, AEE

Date of Collection : 20/03/2025

Office Code : 00000013

Name of Unit / Source

M/s. Svaksha Distillery Ltd.

Address

Dakshin Shimla, P.O.-Changual, P.S.-Kharagpur (Local), Pashim Medinipur-721301

SI.	Sampling Details (Collection/Discharge)	T#/U#	Collection Time
1	Outlet of ETP (Reused)	T	1100 hrs.
_			

Parameters	Sample Serial Number		
	1		
TSS	20.00		
COD	21.29		
pH (Unit)	8.27		
BOD O&G	Not Done		
O&G	<1.00		

BDL : Below Detectable Limit, NT : Not Traceable, NE : Not Exerted, NA : Not Applicable

#### Remarks:-

- 1 All Parameters expressed in mg/l excepting pH.
- 2. Results are reported based on materials received.
- 3 Sample will be kept stored up to 30 days from the date of issue of Analysis Report, unless otherwise specified.
- 4. Test report is not to be reproduced in full or part without written approval of the WBPCB.

Analysis Start Date :

21/03/2025

Analysis End Date : 25/03/2025

===END OF REPORT====

Date of Reporting: 25/03/2025

Environmental Analyst

Scientist & In-Charge

Copy to:-

- 1. OSD O & E, WBPCB
- 2. Chief Engineer Planning & EIM Cell, WBPCB
- 3 Chief Scientist, WBPCB
- 4. Haldia Regional Office, WBPCB (2 copies)

## WEST BENGAL POLLUTION CONTROL BOARD

Haldia Regional Laboratory Raghunathchak, P.O.-Barghasipur, P.S.-Bhabanipur Haldia, Purba Medinipur - 721 657 Tel: (03224) 291292

#### **Analysis Report of Gaseous Emission**

Sample ID : 210320250996

1.	Name of Industry	:	M/s. Svaksha Distillery Ltd.
	Address	:	Vill. – Dakshin Shimla, P. O. – Changual, P. S. – Kharagpur (Local), Dist. – Paschim Medinipur – 721301
	Category & Type	:	Red, Grain Based Distillery
	Sampling Date	:	20/03/2025
5.	Sampled collected by	:	Shri S. Mukherjee, AEE
5.	Thimble Number	:	1306
7.	Name of WBPCB Recognized Laboratory	- 1	M/s. Envirocheck
8.	Duration of Sampling		30 min
9.	Height of Stack from ground (m)	:	62.0
10.	Cross section of stack at sampling point (m²)	:	5.5127
11.	Stack connected to	:	Boiler (70 TPH) (Husk/Biomass Fired)
12.	Emission source (Furnace / Boiler)	1	Combustion of Paddy Husk
13.	Average operational hours of boiler/furnace (per month)		720 hrs./month
14.	10M-100pt		ESP (4 Nos. Fields)
15.	Working load of source (MT/hr.)		Rated – 70 TPH (Running – 54 TPH)
16.	Fuel used	1	Paddy Husk
17.	Rated Fuel consumption (Kg or L /hr.)	:	16.6 TPH
18.	Working Fuel consumption (Kg or L /hr.)	:	13.2 TPH +
19.	Nature of Furnace / Boiler	:	AFBC Boiler (Water Tube) – Husk Fired
20.	Flue Gas Temp (°C)	:	120.0
21.	Flue gas velocity (m/sec)	- 8	9.79
22.	Volume of Flue gas drawn in lit (m³)	:	1.020
23.	. I Cl (Nm3)	:	0.9722
24.	Percentage CO <sub>2</sub> and or O <sub>2</sub>	:	CO <sub>2</sub> – 6.4% & O <sub>2</sub> – 7.8%
25.		:	At 6% O <sub>2</sub>
26.		:	1.5415
27.			1.5490
28.		:	7.50
29.	(01.3)	:	8.76 at 6% O <sub>2</sub>
30.	Land in mon of Ua	:	759 mm of Hg
31.		:	9.52 mm
32.		:	SO <sub>2</sub> = 44.56 mg/Nm <sup>3</sup> at 6% O <sub>2</sub> NO <sub>x</sub> = 36.50 mg/Nm <sup>3</sup> at 6% O <sub>2</sub> (Done by Recognized Laboratory of WBPCB)

:02/04/2025 Date of Reporting

Environmental Analyst

52

Scientist & In-Charge

<u>Copy to</u> : 1. OSD (O&E)

3. Chief Scientist

Chief Engineer (Planning) 2.

4. Haldia Regional Office (2 copies)

#### Analysis Report of Grab Water/Waste Water Samples



#### WEST BENGAL POLLUTION CONTROL BOARD

Haldia Regional Laboratory Raghunathchak, P.O.-Barghasipur, P.S.-Bhabanipur, Haldia, Purba Medinipur – 721 657

Tel: (03224) 291292

Sample Id : 210320250521

Inspection Done Under : Haldia Regional Office

Sample Collected By

: Shri S. Mukherjee, AEE

Date of Collection : 20/03/2025

Office Code : 00000013

Name of Unit / Source

M/s. Svaksha Distillery Ltd.

Address

Dakshin Shimla, P.O.-Changual, P.S.-Kharagpur (Local), Pashim Medinipur-721301

SI.	Sampling Details (Collection/Discharge)	T#/U#	Collection Time
1	Outlet of ETP (Reused)	T	1100 hrs.
	THE RESIDENCE OF THE PARTY OF T		Treated / Untreated

Parameters	Sample Serial Number			
	1			
TSS	20.00			
COD	21.29			
pH (Unit)	8.27			
BOD	Not Done			
O&G	<1.00			

BDL : Below Detectable Limit, NT : Not Traceable, NE : Not Exerted, NA : Not Applicable

#### Remarks:-

- 1 All Parameters expressed in mg/l excepting pH.
- 2. Results are reported based on materials received.
- 3 Sample will be kept stored up to 30 days from the date of issue of Analysis Report, unless otherwise specified.
- 4. Test report is not to be reproduced in full or part without written approval of the WBPCB.

Analysis Start Date :

21/03/2025

Analysis End Date : 25/03/2025

===END OF REPORT====

Date of Reporting: 25/03/2025

Environmental Analyst

Scientist & In-Charge

Copy to:-

- 1. OSD O & E, WBPCB
- 2. Chief Engineer Planning & EIM Cell, WBPCB
- 3 Chief Scientist, WBPCB
- 4. Haldia Regional Office, WBPCB (2 copies)

## WEST BENGAL POLLUTION CONTROL BOARD

Haldia Regional Laboratory Raghunathchak, P.O.-Barghasipur, P.S.-Bhabanipur Haldia, Purba Medinipur - 721 657

Tel: (03224) 291292

#### **Analysis Report of Gaseous Emission**

Sample ID : 210320250996

1.	Name of Industry	:	M/s. Svaksha Distillery Ltd.
	Address	4	Vill. – Dakshin Shimla, P. O. – Changual, P. S. –
			Kharagpur (Local), Dist. – Paschim Medinipur –
ug:			721301
	Category & Type	:	Red, Grain Based Distillery
	Sampling Date	:	20/03/2025
5.	Sampled collected by		Shri S. Mukherjee, AEE
5.	Thimble Number	:	1306
7.	Name of WBPCB Recognized Laboratory	3	M/s. Envirocheck
3.	Duration of Sampling	1	30 min
9.	Height of Stack from ground (m)	:	62.0
10.	Cross section of stack at sampling point (m²)	:	5.5127
11.	Stack connected to		Boiler (70 TPH) (Husk/Biomass Fired)
12.	Emission source (Furnace / Boiler)	1	Combustion of Paddy Husk
13.	Average operational hours of boiler/furnace (per month)		720 hrs./month
14.	014-019-019-019-019-019-019-019-019-019-019		ESP (4 Nos. Fields)
15.	Working load of source (MT/hr.)		Rated - 70 TPH (Running - 54 TPH)
16.	Fuel used	1	Paddy Husk
17.	Rated Fuel consumption (Kg or L /hr.)	:	16.6 TPH
18.	Working Fuel consumption (Kg or L /hr.)		13.2 TPH ·
19.	Nature of Furnace / Boiler	:	AFBC Boiler (Water Tube) – Husk Fired
20.	Flue Gas Temp (°C)	:	120.0
21.	Flue gas velocity (m/sec)	- 8	9.79
22.	Volume of Flue gas drawn in lit (m³)	:	1.020
23.	Corrected flue gas volume (Nm³)	1	0.9722
24.	Percentage CO <sub>2</sub> and or O <sub>2</sub>	:	CO <sub>2</sub> – 6.4% & O <sub>2</sub> – 7.8%
25.	To be compensated at (%, if required)	:	At 6% O <sub>2</sub>
26.	5 - 1 - 5 - 1 - 1 - 1 - 1 - 1	:	1.5415
27.		1	1.5490
28.	in the Manthey (mg)	:	7.50
29.	(0.1.3)	:	8.76 at 6% O <sub>2</sub>
30.	Land in mon of Ua	:	759 mm of Hg
31.			
32.		:	SO <sub>2</sub> = 44.56 mg/Nm <sup>3</sup> at 6% O <sub>2</sub>
			NO <sub>x</sub> = 36.50 mg/Nm <sup>3</sup> at 6% O <sub>2</sub>
			(Done by Recognized Laboratory of WBPCB)

:02/04/2025 Date of Reporting

Environmental Analyst

54

Scientist & In-Charge

<u>Copy to</u> : 1. OSD (O&E)

3. Chief Scientist

Chief Engineer (Planning) 2.

4. Haldia Regional Office (2 copies)







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-A/00

#### **TEST REPORT**

Name & Address Of the Customer:

M/s. Svaksha Distillery Ltd.

Dakshin Simla, DAG No. 1288(P)

JL-355, B.O Changul, P.S-Kharagpur (Local)

Kharagpur, Midnapore – 721301(WB)

Sample Description

Report No.

Date

: QLS/P-200/24-25/C/01

: Ambient Air

: 27.09.2024

Sample No.

: QLS/P-200/24-25/01

Date of Performance(s)

: 21.09.2024-25.09.2024

Ref No. & Date

: Verbal Confirmation

#### **Analysis Result**

Location: Near ETP	Date of sampling: 10.09.2024-11.09.2024

Sampling Done by: P.Adinarayana Sampling done as per: CPCB Guidelines (Volume-1)

**Environmental Condition: Rainfall** 

SI. No.	Pollutants	Result	Limit as per CPCB	Method of Test Reference
1	Particulate matter (PM <sub>10</sub> ) in μg/m <sup>3</sup>	87	100	IS: 5182 (Part-23), RA-2017
2	Particulate matter (PM <sub>2.5</sub> ) in μg/m <sup>3</sup>	52	60	USEPA CFR-40, Part-50, Appendix-L
3	Sulphur dioxide (SO <sub>2</sub> ) in μg/m <sup>3</sup>	7.8	80	IS: 5182 (Part-2)-2001, RA-2017
4	Nitrogen dioxide (NO <sub>2</sub> ) in μg/m <sup>3</sup>	33.2	80	IS: 5182 (Part- 6)-2006, RA-2017
5	Carbon Monoxide (CO) in μg/m <sup>3</sup>	858	2000	IS: 5182 (Part-10):1999, RA-2014

**NOTE:** Limit as per CPCB notification, New Delhi, 18<sup>th</sup>November 2009, for Ambient air quality.

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By

Benimadhab Gorai, Chemist (Authorized Signatory)

-----End of Report-----

The results relate only to the item(s) tested.

• This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-A/00

#### **TEST REPORT**

Name & Address Of the Customer:

M/s. Svaksha Distillery Ltd.

Dakshin Simla, DAG No. 1288(P)

JL-355, B.O Changul, P.S-Kharagpur (Local)

Kharagpur, Midnapore - 721301(WB)

Report No.

Date : 27.09.2024

Sample No.

: QLS/P-200/24-25/01 Date of Performance(s) : 21.09.2024-25.09.2024

Sample Description

: Ambient Air

Ref No. & Date

: Mail Confirmation

: QLS/P-200/24-25/C/02

#### **Analysis Result**

Location: Near Admin Buildings Date of sampling: 19.0	g: 19.09.2024-20.09.2024
---	--------------------------

Sampling done as per: CPCB Guidelines (Volume-1) Sampling Done by: P.Adinarayana

**Environmental Condition: Rain Fall** 

SI. No.	Pollutants	Result	Limit as per CPCB	Method of Test Reference
1	Particulate matter (PM <sub>10</sub> ) in μg/m <sup>3</sup>	96	100	IS: 5182 (Part-23), RA-2017
2	Particulate matter (PM <sub>2.5</sub> ) in μg/m <sup>3</sup>	55	60	USEPA CFR-40, Part-50, Appendix-L
3	Sulphur dioxide (SO <sub>2</sub> ) in μg/m <sup>3</sup>	7.8	80	IS: 5182 (Part-2)-2001, RA-2017
4	Nitrogen dioxide (NO <sub>2</sub> ) in μg/m <sup>3</sup>	34.5	80	IS: 5182 (Part- 6)-2006, RA-2017
5	Carbon Monoxide (CO) in μg/m <sup>3</sup>	938	2000	IS: 5182 (Part-10):1999, RA-2014

**NOTE:** Limit as per CPCB notification, New Delhi, 18<sup>th</sup>November 2009, for Ambient air quality.

Report Prepared By: (C

for Qualissure Laboratory Services **Reviewed & Authorized By** 

Benimadhab Gorai, Chemist (Authorized Signatory)

----End of Report----

The results relate only to the item(s) tested.

This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmiail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-A/00

#### **TEST REPORT**

Name & Address Of the Customer:

M/s. Svaksha Distillery Ltd.

Dakshin Simla, DAG No. 1288(P)

JL-355, B.O Changul, P.S-Kharagpur (Local)

Kharagpur, Midnapore – 721301(WB)

Report No.

Date

Sample No.

Date of Performance(s)

Sample Description

Ref No. & Date

: QLS/P-200/24-25/01

: QLS/P-200/24-25/C/04

: 27.11.2024-30.11.2024

: Ambient Air

: 02.12.2024

: Mail Confirmation

#### **Analysis Result**

Location: Near Admin Building	Date of sampling: 25.11.2024-26.11.2024

Sampling Done by: B.Mondal Sampling done as per: CPCB Guidelines (Volume-1)

**Environmental Condition: Clear & Sunny** 

SI. No.	Pollutants	Result	Limit as per CPCB	Method of Test Reference
1	Particulate matter (PM <sub>10</sub> ) in μg/m <sup>3</sup>	78	100	IS: 5182 (Part-23), RA-2017
2	Particulate matter (PM <sub>2.5</sub> ) in μg/m <sup>3</sup>	35	60	USEPA CFR-40, Part-50, Appendix-L
3	Sulphur dioxide (SO <sub>2</sub> ) in μg/m <sup>3</sup>	7.2	80	IS: 5182 (Part-2)-2001, RA-2017
4	Nitrogen dioxide (NO₂) in μg/m³	33.8	80	IS: 5182 (Part- 6)-2006, RA-2017
5	Carbon Monoxide (CO) in μg/m <sup>3</sup>	858	2000	IS: 5182 (Part-10):1999, RA-2014

**NOTE:** Limit as per CPCB notification, New Delhi, 18<sup>th</sup>November 2009, for Ambient air quality.

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By

Benimadhab Gorai, Chemist (Authorized Signatory)

-----End of Report-----

The results relate only to the item(s) tested.

This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-A/00

#### **TEST REPORT**

Name & Address Of the Customer:

M/s. Svaksha Distillery Ltd.

Dakshin Simla, DAG No. 1288(P)

JL-355, B.O Changul, P.S-Kharagpur (Local)

Kharagpur, Midnapore – 721301(WB)

Report No.

: QLS/P-200/24-25/C/05

Date Sample No. : 02.12.2024 : QLS/P-200/24-25/05

Date of Performance(s)

Date of Periorinance(s)

: 27.11.2024-30.11.2024

Sample Description

: Ambient Air

Ref No. & Date

: Verbal Confirmation

#### <u> Analysis Result</u>

Location:	Near FTD	
LOCATION.	mear cir	

Date of sampling : 25.11.2024-26.11.2024

Sampling Done by: B.Mondal

Sampling done as per: CPCB Guidelines (Volume-1)

Environmental Condition: Clear & Sunny

SI. No.	Pollutants	Result	Limit as per CPCB	Method of Test Reference
1	Particulate matter (PM <sub>10</sub> ) in μg/m <sup>3</sup>	85	100	IS: 5182 (Part-23), RA-2017
2	Particulate matter (PM <sub>2.5</sub> ) in μg/m <sup>3</sup>	41	60	USEPA CFR-40, Part-50, Appendix-L
3	Sulphur dioxide (SO <sub>2</sub> ) in μg/m <sup>3</sup>	7.7	80	IS: 5182 (Part-2)-2001, RA-2017
4	Nitrogen dioxide (NO₂) in μg/m³	35.2	80	IS: 5182 (Part- 6)-2006, RA-2017
5	Carbon Monoxide (CO) in μg/m <sup>3</sup>	881	2000	IS: 5182 (Part-10):1999, RA-2014

**NOTE:** Limit as per CPCB notification, New Delhi, 18<sup>th</sup>November 2009, for Ambient air quality.

Report Prepared By: (C

di.

for Qualissure Laboratory Services
Reviewed & Authorized By

Benimadhab Gorai, Chemist (Authorized Signatory)

-----End of Report-----

The results relate only to the item(s) tested.

• This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/01-C/00

#### **TEST REPORT**

Name & Address Of the Customer: Report No. : QLS/P-200/24-25/C/03 Date : 22.11.2024 M/s. Svaksha Distillery Ltd. Sample No. : QLS/MR/A/24-25/221 Mouza-Dakkhin Simla, Sample Description : Stack Flue Gas Karagpur, Date of Performance : 16-20.11.2024 Paschim Medinipur. Sample Mark : Boiler Ref No. Date : Verbal Confirmation

**Analysis Result** 

Dat	e & Time of Sampling: 15.11.2024 at 11.50 hrs.				
	npling done by : S.Podder	Sampling Procedures : EPA/IS			
	A : General Information of Stack:				
1	Stack connected to	: Boiler			
2	Emission due to	: Combustion Paddy Husk & Coal			
3	Material of construction of Stack	: M.S	SK & Coal		
4	Shape of Stack	: Circular			
5	Whether Stack is provided with permanent platform	: Yes			
6	Generation Capacity	: Rated-70 TPH, Running	σ-64 TPH		
	Physical Characteristic of Stack:	. Nacea 70 1111, Naming	5 04 11 11		
1	Height of Stack from ground level	: 62.0 m			
2	Diameter of Stack at bottom	:			
3	Diameter of Stack at sampling point	: 2.65 m			
4	Height of the sampling point from ground level	: 30.0 m			
5	Area of Stack	: 5.5176 m <sup>2</sup>			
	Analysis/Characteristic of Stack:				
1	Fuel used : Coal & Paddy Husk	2. Fuel consumption: 15.6 TPH			
D:	Results of Sampling & Analysis of gaseous Emission:	RESULT	METHOD		
1	Temperature of emission (°C)	: 134	EPA Part 2		
2	Barometric pressure (mm of Hg)	: 750	EPA Part 2		
3	Velocity of gas (m/sec)	: 9.94	EPA Part 2		
4	Quantity of gas flow (Nm³/hr)	: 142820	EPA Part 2		
5	Concentration of Carbon monoxide(%v/v)	: <0.2	IS:13270-1992, Reaf: 2019		
6	Concentration of Carbon dioxide(%v/v)	: 8.0	IS:13270-1992, Reaf: 2019		
7	Concentration of oxygen (%v/v)	: 12.0	IS:13270-1992, Reaf: 2019		
8	Concentration of Sulphur Dioxide (mg/Nm³)	: 416.4 at 6% O <sub>2</sub>	EPA Part 6		
9	Concentration of Nitrogen Dioxide (mg/Nm³)	: 282.6 at 6% O <sub>2</sub>	EPA Part 7		
10	Concentration of Particulate Matter (mg/Nm³)	: 130.6 at 6% O <sub>2</sub>	EPA Part 5		
E:1	Pollution Control Device :				
De	tails of pollution control devices attached with the Stack	: ESP			
F : F	Remarks: Nil				
Not	e: 1) Equipment Name/ID	: Stack Sampler & Veloc	ity Monitor		
2) ا	Model No	: APM-160			
3) N	Лake-	: Lata Envirotech Service	es		
4) S	l No-	: 82-DTF-2016			
5) C	alibration valid Up to : 06.08.2025				

Report Prepared By:

for Qualissure Laboratory Services **Reviewed & Authorized By** 

> Bomogesi enimadhab Gorai, Chemist (Authorized Signatory)

-----End of Report----

The results relate only to the item(s) tested.

This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-D/00

#### **TEST REPORT**

Name & Address Of the Customer :

M/s. Svaksha Distillery Ltd.

Dakshin Simla, DAG No. 1288(P)

JL-355, B.O Changul, P.S-Kharagpur (Local)

When a server Adiabase and 734304(MD)

Kharagpur, Midnapore - 721301(WB)

ULR No. : TC627125000001854F

Report No. : QLS/MR/W/25-26/C/161

Date : 19.05.2025

Sample No. : QLS/MR/W/25-26/161

Sample Description : Ground Water
Sample Mark/Location : Pizo Borewell No. 1
Date of Performance(s) : 13.05.2026-17.05.2025

Sample Submitted On : 12.05.2025

Ref No. Date : Mail Confirmation

#### **Analysis Result**

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

SI.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
No.		rest Method	Acceptable Limit	Permissible Limit	Result
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	6.69
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	1.2
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	182
5.	Aluminium (as Al) in mg/l	IS 3025 (Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	29.5
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	32.8
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	0.14
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.41
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	9.3
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO <sub>4</sub> ) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	19.6
21.	Sulphide (as H₂S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.01
22.	Alkalinity(as CaCO₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	105.0
23.	Total Hardness (as CaCO₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	112.5
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 <sup>th</sup> edition, 2023; 5220B			<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)			<2

Report Prepared By: (

for Qualissure Laboratory Services Reviewed & Authorized By

S. *cuskralvorli* ymy Chakraborty, Microbiologist (Authorized Signatory)

-----End of Report-----

for Qualissure Laboratory Services

abora Reviewed & Authorized By

Bishnupriya Banerjee, Chemist (Authorized Signatory)

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shed be retained for 30 days from the date of issue of the Test Report.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-D/00

#### TEST REPORT

Name & Address Of the Customer :

M/s. Svaksha Distillery Ltd.

Dakshin Simla, DAG No. 1288(P)

JL-355, B.O Changul, P.S-Kharagpur (Local)

Kharagpur, Midnapore – 721301(WB)

ULR No. : TC627125000001855F

Report No. : QLS/MR/W/24-25/C/162

Date : 19.05.2025

Sample No. : QLS/MR/W/24-25/162

Sample Description : Ground Water
Sample Mark/Location : Pizo Borewell No. 2
Date of Performance(s) : 13.05.2025-17.05.2025

Sample Submitted On : 12.05.2025

Ref No. Date : Mail Confirmation

#### **Analysis Result**

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

SI.	Test Parameter	Test Method		Limit As Per IS 10500 :2012 Amendment 2	
No.		rest Method	Acceptable Limit	Permissible Limit	Result
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	6.74
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	172
5.	Aluminium (as Al) in mg/l	IS 15302: 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	27.9
10.	Chloride(as CI) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	30.9
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	0.12
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.23
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	8.4
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/I	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO <sub>4</sub> ) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	18.2
21.	Sulphide (as H <sub>2</sub> S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.01
22.	Alkalinity(as CaCO₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	88.2
23.	Total Hardness (as CaCO₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	104.8
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 <sup>th</sup> edition, 2023; 5220B			<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)			<2

Report Prepared By:

for Qualissure Laboratory Services Reviewed & Authorized By

S. Chakraborty, Microbiologist (Authorized Signatory)

-----End of Report-----

for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Bangrjee, Chemist (Authorized Signatory)

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.

aborato







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-D/00

#### **TEST REPORT**

Name & Address Of the Customer:

ULR No. Report No. : TC627125000001856F

M/s. Svaksha Distillery Ltd.

Date

: QLS/MR/W/24-25/C/163

Dakshin Simla, DAG No. 1288(P)

Sample No.

: 19.05.2025 : QLS/MR/W/24-25/163

JL-355, B.O Changul, P.S-Kharagpur (Local)

Sample Description

: Ground Water

Kharagpur, Midnapore - 721301(WB)

Sample Mark/Location

: Pizo Borewell No. 3

Date of Performance(s)

Sample Submitted On

: 13.05.2025-17.05.2025

Ref No. Date

: 12.05.2025 : Mail Confirmation

#### **Analysis Result**

#### (A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.Coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

SI.	Test Parameter	Test Method		Limit As Per IS 10500 :2012 Amendment 2	
No.		rest Method	Acceptable Limit	Permissible Limit	Result
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	6.63
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	1.5
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	206
5.	Aluminium (as Al) in mg/l	IS 15302: 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	31.4
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	38.6
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	0.21
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.75
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	11.2
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/I	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO <sub>4</sub> ) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	27.4
21.	Sulphide (as H <sub>2</sub> S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.01
22.	Alkalinity(as CaCO₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	113.6
23.	Total Hardness (as CaCO₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	131.9
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2022	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	0.07
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 <sup>th</sup> edition, 2023; 5220B			6
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)			<2

Report Prepared By:

for Qualissure Laboratory Services Reviewed & Authorized By

S. Chakraborly my Chakraborty, Microbiologist (Authorized Signatory)

---End of Report-

for Qualissure Laboratory Services aborato Reviewed & Authorized By

> nupriya Bangrjee, Chemist (Authorized Signatory)

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-D/00

## ULR No.

Report No.

Date

Name & Address Of the Customer :

M/s. Svaksha Distillery Ltd.

Dakshin Simla, DAG No. 1288(P)

JL-355, B.O Changul, P.S-Kharagpur (Local)

Kharagpur, Midnapore – 721301(WB)

Sample No.
Sample Description

Sample Description
Sample Mark/Location

Date of Performance(s)

Sample Submitted On Ref No. Date

: 12.05.2025

: 19.05.2025

: Ground Water

: Borewell No. 1

: Mail Confirmation

: TC627125000001858F

: QLS/MR/W/25-26/165

: 13.05.2025-17.05.2025

: QLS/MR/W/25-26/C/165

#### **Analysis Result**

(A) Microbiological Analysis

SI. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

SI.	Test Parameter	Test Method		er IS 10500 :2012 endment 2	Result
No.	rest rarameter	rest Method	Acceptable Limit	Permissible Limit	Result
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	6.97
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	160
5.	Aluminium (as Al) in mg/l	IS 15302: 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	29.5
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	34.7
11.	Copper(as Cu) in mg/I	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	0.15
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.48
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	7.4
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	< 0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA: 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO <sub>4</sub> ) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	6.3
21.	Sulphide (as H <sub>2</sub> S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.01
22.	Alkalinity(as CaCO₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	100.8
23.	Total Hardness (as CaCO₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	104.8
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 <sup>th</sup> edition, 2023; 5220B			<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)			<2

Report Prepared By:

for Qualissure Laboratory Services Reviewed & Authorized By

S. Cukraborty umy Chakraborty, Microbiologist (Authorized Signatory)

-----End of Report-----

for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Bangrjee, Chemist (Authorized Signatory)

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-D/00

#### TEST REPORT

Name & Address Of the Customer:

M/s. Svaksha Distillery Ltd.

Dakshin Simla, DAG No. 1288(P)

JL-355, B.O Changul, P.S-Kharagpur (Local)

Kharagpur, Midnapore - 721301(WB)

ULR No.

Report No.

Date

: QLS/MR/W/24-25/C/166

: 19.05.2025

Sample No. Sample Description : QLS/MR/W/24-25/166 : Ground Water

: TC627125000001859F

Sample Mark/Location

: Borewell No. 2

Date of Performance(s)

: 13.05.2025-17.05.2025

Sample Submitted On

: 12.05.2025

Ref No. Date

: Mail Confirmation

#### **Analysis Result**

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

SI.	Test Parameter	Test Method		er IS 10500 :2012 endment 2	Result
No.	rest ratameter	rest Method	Acceptable Limit	Parmissinia limit	Result
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	6.87
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	188
5.	Aluminium (as Al) in mg/l	IS 15302: 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	35.7
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	42.4
11.	Copper(as Cu) in mg/I	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	0.18
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.26
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	9.3
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO <sub>3</sub> ) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO <sub>4</sub> ) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	5.8
21.	Sulphide (as H <sub>2</sub> S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.01
22.	Alkalinity(as CaCO₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	117.6
23.	Total Hardness (as CaCO₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	128.0
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 <sup>th</sup> edition, 2023; 5220B			<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)			<2

Report Prepared By: (

for Qualissure Laboratory Services Reviewed & Authorized By

S. Chakraborty, Microbiologist (Authorized Signatory)

----End of Report-----

for Qualissure Laboratory Services Reviewed & Authorized By

CoBamefie Bishnupriya Banerjee, Chemist (Authorized Signatory)

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shell be retained for 30 days from the date of issue of the Test Report.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-D/00

: TC627125000001860F

#### TEST REPORT

Name & Address Of the Customer:

M/s. Svaksha Distillery Ltd.

Dakshin Simla, DAG No. 1288(P)

JL-355, B.O Changul, P.S-Kharagpur (Local)

Kharagpur, Midnapore – 721301(WB)

ULR No.

Report No. : QLS/MR/W/25-26/C/167

Date : 19.05.2025

Sample No. : QLS/MR/W/25-26/167

Sample Description : Ground Water
Sample Mark/Location : Borewell No. 3

Date of Performance(s) : 13.05.2025-17.05.2025

Sample Submitted On : 12.05.2025

Ref No. Date : Mail Confirmation

#### **Analysis Result**

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

SI.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
No.	rest rarameter	rest Wethou	Acceptable Limit	Permissible Limit	Nesuit
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	7.01
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	214
5.	Aluminium (as Al) in mg/l	IS 15302: 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	37.2
10.	Chloride(as CI) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	48.2
11.	Copper(as Cu) in mg/I	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	0.28
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.71
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	12.1
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	0.74
18.	Phenolic Compounds(as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO <sub>4</sub> ) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	8.3
21.	Sulphide (as H <sub>2</sub> S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.01
22.	Alkalinity(as CaCO₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	130.2
23.	Total Hardness (as CaCO₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	143.6
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 <sup>th</sup> edition, 2023; 5220B			<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)			<2

Report Prepared By:

for Qualissure Laboratory Services Reviewed & Authorized By

S. Custraliarli bumy Chakraborty, Microbiologist (Authorized Signatory)

-----End of Report-----

for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Bangrjee, Chemist (Authorized Signatory)

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-D/00

#### TEST REPORT

Name & Address Of the Customer:

M/s. Svaksha Distillery Ltd.

Dakshin Simla, DAG No. 1288(P)

JL-355, B.O Changul, P.S-Kharagpur (Local)

Kharagpur, Midnapore - 721301(WB)

ULR No.

Report No.

Date Sample No.

Sample Description

Sample Mark/Location

Date of Performance(s)

Sample Submitted On

Ref No. Date

: 12.05.2025

: 12.03.2025

: Mail Confirmation

: Ground Water

: Borewell No. 4

: TC627125000001861F

: QLS/MR/W/25-26/168

: 13.05.2025-17.05.2025

: QLS/MR/W/25-26/C/168

#### **Analysis Result**

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

			Limit As Pe	Limit As Per IS 10500 :2012		
SI.			Ame	Amendment 2		
No.	Test Parameter	Test Method	Acceptable Limit	Permissible Limit	Result	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable	
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	6.82	
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0	
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	204	
5.	Aluminium (as Al) in mg/l	IS 15302: 2003 (RA 2019)	0.03	0.2	<0.01	
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1	
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02	
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5	
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	37.2	
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	40.5	
11.	Copper(as Cu) in mg/I	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02	
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	0.14	
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1	
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.52	
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	11.2	
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02	
17.	Nitrate (as NO₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	0.63	
18.	Phenolic Compounds(as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001	
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01	
20.	Sulphate (as SO <sub>4</sub> ) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	8.4	
21.	Sulphide (as H <sub>2</sub> S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.01	
22.	Alkalinity(as CaCO₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	126.0	
23.	Total Hardness (as CaCO₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	139.7	
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002	
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02	
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01	
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001	
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01	
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02	
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05	
31.	Chemical Oxygen Demand, mg/l	APHA 24 <sup>th</sup> edition, 2023; 5220B			<4	
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)			<2	

Report Prepared By:

for Qualissure Laboratory Services **Reviewed & Authorized By** 

S. Cuskralvorli my Chakraborty, Microbiologist (Authorized Signatory)

-----End of Report-----

for Qualissure Laboratory Services Reviewed & Authorized By

> nupriya Banerjee, Chemist (Authorized Signatory)

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), Abull be retained for 30 days from the date of issue of the Test Report.







361, Prantick Pally, 45/361, Bose Pukur Road, Kolkata -700107 Email: qualissure@gmail.com; info@qualissure.com; Mob.No. 98312 87086; 9830093976

DOC NO: QLS/SAMP/08-D/00

#### TEST REPORT

 Name & Address Of the Customer :
 ULR No.
 : TC627125000001862F

 Report No.
 : QLS/MR/W/25-26/C/169

M/s. Svaksha Distillery Ltd. Date : 19.05.2025

Dakshin Simla, DAG No. 1288(P) Sample No. : QLS/MR/W/25-26/169

JL-355, B.O Changul, P.S-Kharagpur (Local)

Kharagpur, Midnapore – 721301(WB)

Sample Description : Ground Water Sample Mark/Location : Borewell No. 5

Date of Performance(s) : 13.05.2025-17.05.2025

Sample Submitted On : 12.05.2025

Ref No. Date : Mail Confirmation

#### **Analysis Result**

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

			Limit As Pe	Limit As Per IS 10500 :2012		
SI.			Ame			
No.	Test Parameter	Test Method	Acceptable Limit	Permissible Limit	Result	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable	
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	6.81	
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0	
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	208	
5.	Aluminium (as Al) in mg/l	IS 15302: 2003 (RA 2019)	0.03	0.2	<0.01	
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1	
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02	
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5	
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	38.8	
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	46.3	
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02	
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	0.23	
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1	
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.88	
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	9.3	
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02	
17.	Nitrate (as NO <sub>3</sub> ) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	0.71	
18.	Phenolic Compounds(as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001	
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01	
20.	Sulphate (as SO <sub>4</sub> ) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	6.9	
21.	Sulphide (as H <sub>2</sub> S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.01	
22.	Alkalinity(as CaCO₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	121.8	
23.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	135.8	
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002	
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02	
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01	
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001	
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01	
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02	
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05	
31.	Chemical Oxygen Demand, mg/l	APHA 24 <sup>th</sup> edition, 2023; 5220B			<4	
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)			<2	

Report Prepared By:

for Qualissure Laboratory Services Reviewed & Authorized By

S. Cuskralverlij my Chakraborty, Microbiologist (Authorized Signatory)

-----End of Report----

for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Bangrjee, Chemist (Authorized Signatory)

The results relate only to the item(s) tested.

aboras

- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



#### Submission of Form - V (See Rule 14) Environmental Statement for the Financial Year Ending on 31st March 2024

1 message

Svaksha GM Commercial < qm.commercial@svaksha.co.in>

Fri, May 17, 2024 at 12:53 PM

To: iro.kolkata-mefcc@gov.in Cc: ms.wbpcb-wb@bangla.gov.in Bcc: kmg@mittalgroup.co.in

Respected Madam/ Sir,

Please find attached scanned copy of Form - V, (See Rule 14) Environmental Statement for the Financial Year Ending on 31st March 2024, as this is statutory requirement.

Thanks & Regards



**R.K. PANDEY** GM-COMMERCIAL Svaksha Distillery Ltd |Kharagpur Unit|Dag 1288& others, Mouza-Dakshin Simla, JL-355,P.O-Changual, P.S- Kharagpur Local, Pachim Medinipur-721301 Email:gm.commercial@svaksha.co.in Mobile:-8100108318

#### THINK GREEN BEFORE YOU PRINT

Disclaimer: Information in this e-mail message and /or its attachment may contain confidential information. This e-mail is intended only for the use of the intended recipient to whom it is addressed. The e-mail shall not be acted upon but destroyed promptly, if received by a person for whom it is not intended. Opinions, conclusion and information in the message that are beyond the offi-cial capacity / ambit of the sender shall be understood as neither given nor endorsed by Svaksha Distillery Ltd. or its subsidiaries, associate companies and / or affiliates of its group companies.



## **OUR!!!VOICES**

## Gyanvapi Mosque case: Varanasi Court dismisses Muslim's side plea, defers hearing till Dec 2

Varanasi: The Varanasi Fast Track Court on Thursday dismissed the Anjuman Islamia Masjid committee's plea challenging the maintainability of a suit to hand over possession of the Gyanvapi Mosque premises to the Hindu side.

The Court deferred the petition for the next hearing on December 2. The court was hearing the petition on the plea seeking worship rights of the 'Shivling' that the Hindu side claimed to be found on the Gyanvapi mosque premises.

Vishwa Vedic Sanatan Sanstha had also filed a separate petition in the fast track court of Varanasi after the alleged Shivling was found. The petition was filed by Kiran Singh, wife of Vishwa Vedic Sanatan Sanstha President Jitendra Singh Vishen and others.

The demands of the Hindu side include permission for the immediate beginning of prayer of Swayambhu Jyotirlinga Bhagwan Vishweshwar, the handing over of the entire Gyanvapi complex to the Hindus, and banning the entry of Muslims inside the premises of the Gyanvapi complex.

In this case, the court under Order 7/Rule 11, said that "this matter is not maintainable."

'Varanasi Court dismisses the plea filed by the Masjid committee chal-

EASTERN RAILWAY

Open e-tender is invited by Divisional

Railway Manager, Commercial, Easteri

Railway, Howrah, 4th Floor, Yatri Niwas,

near Howrah Station, Howrah-711101

for awarding contract for Development of Gati Shakti Multi-Modal Cargo

Terminal (GCT) at Swadinpur station

on Railway land. Tender No.: COM-GR-GCT-SDLE-TENDER-22, Date:

16.11.2022. Name of Location:

Swadinpur station. Tender Closing

www.ireps.gov.in. Validity of offer:

60 days. Bids are to be submitted online only. No manual offer will be accepted.

Tender Notices are also available at website: www.er.indianrailways.gov.in/www.ireps.gov.in

Follow us at: 🔾@EasternRailway

♠ Eastern Railway Headquarter

EASTERN RAILWAY

Tender Notice No.: 222-S/1/W-II,

dated: 14.11.2022. Following e-tenders

are invited online by the Divisional

Railway Manager, Eastern Railway,

Building, Kaizer Street, Kolkata-700014

for the following works: SI.No.-1.

Tender No.: TN-139-22-23. Name of

the work: Proposal for construction of

1 no. new RPF Barracks (30 beds) at

Kolkata Terminal (for ladies only)

Tender value: ₹ 2,17,59,419.40.

Earnest Money Deposited: ₹

Tender No.: TN-142-22-23. Name of

the work: Balance work of- in between

Ballygunge-Park Circus (Km 3/30-3/12

and 3/29X-3/12X), plantation of trees

and shrubs of different species

including Bougainvillea plant in vacant

Railway land in between UP passenger

and DN cord line including provision

of a tube well with small pump house

cum store room and all other ancillary

works in the jurisdiction of Assistant

Engineer/Ballygunge. Tender value:

₹ 48,87,948.31. Earnest Money

Deposited: ₹ 97,800. Completion

period for the work: 39 (thirty nine)

nonths. SI.No.-3. Tender No.: TN

143-22-23. Name of the work

Provision of platform shed at the

following station over Sealdah Division-

Belgharia [connecting 03 numbers shed

of island platform no. 2 and 3], Titagarh

[platform no. 1, 2 and 3 island], Birati

Iplatform no. 2 and 3 Bangaon Junction

end], Magra Hat [platform no. 1].

Provision of Dual MSDAC in Dum Dum

Junction-Belgharia Automatic section

including all other ancillary work in

Sealdah Division. Tender value:

₹ 1,51,15,964.26. Earnest Money

Deposited: ₹ 2,25,600. Completion

period for the work: 12 (twelve)

nonths. SI.No.-4. Tender No.: TN-

144-22-23. Name of the work:

Provision of platform shed at the

following stations over Sealdah

Division- Ichhapur [Platform No. 1

Sealdah end], Shyamnagar [Platform

No. 1 Ranaghat end], Kankinara

[Platform No. 1 Sealdah end].

Payradanga [Platform No. 1 and 2],

Ranaghat Junction [Platform No. 4],

Taherpur [Platform No. 2] and Majhdia

[Platform No. 2 Ranaghat end] including

all other ancillary work. Tender value:

Deposited: ₹ 2,10,300. Completion

period for the work: 12 (twelve)

months. Date and time of closing of

tender: 07.12.2022 at 15.00 hrs. (for

Sl.No. 1 to 4 each). The tender

documents and other details are at

www.ireps.gov.in. The bidding for the

tender is to be submitted through the

e-tendering on above website. Manual

offers will be summarily rejected. Date

and time of opening of tender is

07.12.2022 at 15.30 hrs. (for SI.No. 1

Tender Notices are also available at website:

ww.er.indianrailways.gov.in/www.ireps.gov.in

(SDAH-202/2022-23)

(HWH-287/2022-23)

of the suit in the Gyanvapi Mosque case. The next hearing is on December 1,' said Anupam Dwivedi, Advocate Hindu side.

The Muslim side is allowed to offer prayers in the premises till the matter

The Supreme Court on No-



vember 11 extended its earlier order to protect the area where the 'Shivling' was stated to be discovered at the Gyanvapi Mosque complex during the court survey.

During the previous hearings in the Varanasi court, it had refused to allow a 'scientific investigation' of the purported

'Shivling'. The Hindu side had demanded carbon dating of the structure they claimed to be a Shivling found inside the Gyanvapi Mosque's wazukhana.

However, the Muslim side said that the structure found was a 'fountain'. The ar Gauri case. Hindu side had then submitted an application in

The Hindu side said that they would approach the Supreme Court against the Varanasi court's verdict refusing to allow a 'scientific investigation' of the purported 'Shivling', claiming to be found on the Gyanvapi mosque premises.

On September 29 hearing, the Hindu side had demanded a scientific investigation of the 'Shivling' by the Archaeological Survey of India (ASI) and the carbon dating of 'Argha' and the area around it.

Referring to the order of May 17 of the Supreme Court, the Varanasi Court had said that "If the alleged Shivling is damaged by taking samples, then will be in violation of the order of the Supreme

"If the Shivling is damaged, the religious sentiments of the general public can also get hurt", the Varanasi Court had said.

Carbon dating is a scientific process that ascertains the age of an archaeological object or archaeological finds.

After hearing both sides' arguments, the court had reserved the order in the Gyanvapi Mosque-Shring-

On May 20, the Supreme Court had ordered the the Varanasi District Court transfer of the case relaton September 22 that ed to worship at Gyanvasought a carbon dating of the object they claimed to judge to the District Judge, judge to the District Judge, Varanasi

## Abhishek Banerjee inaugurates the new wing for Meghalaya TMC Party

Shillong: As a remarkable beginning of his two-day visit to the Garo Hills, AITC National General Secretary Abhishek Banerjee inaugu-

After inaugurating the new wing of the Party Office, AITC MP Abhishek Banerjee congratulated the Meghalaya TMC leadrated the new wing of the Meghalaya TMC party office in Te'teng A'ja, Tura in in the state.

At the inauguration, a host of Meghalaya TMC leaders including Megha-Manas Ranjan Bhunia, Meghalaya TMC State President Charles Pyngrope, Trinamool Congress Leg-islature party leader and Abhishek Banerjee.

Leader of Opposition, Meghalaya Legislative Assemleaders including Megha-laya TMC in-charge Dr. and Meghalaya TMC MLA George B Lyngdoh along with other notable leaders were present with the AITC National General Secretary,

Banerjee candidly said at the occasion that "Meghalaya TMC clearly aims to drive the state in the solemn direction of progress and development. We would not keep any stone unturned to ensure a holistic change for

## 3 more arrested in APPSC question paper leak case

Itanagar: The Special Investigation Cell (SEC) has arrested three more persons in connection to the Arunachal Pradesh Public Service Commission (APPSC) question paper leak case.

Officials on Thursday said that the investigation is being carried out by the SIC (vigilance) police station and three persons including a government official have been taken into custody. Those arrested have been identified as Taloka Darang (59), a resident of Siang, and Posi Gamlin alias Gamkin and Eagle Sora - both residents of West Siang. Eagle Sora is posted as

the RWD and is posted at

district, they said.

Tirbin, while Posi Gamlin is a block education officer (BEO) and is posted at Siang

Junior Engineer (JE) with

investigation into the various exams is ongoing, and all facets of the case are being investigated in detail. All illegal formalities and norms of professional-

ism are being maintained

during the investigation.

"We are committed to ensuring justice to aggrieved and requests anyone with concrete evidence or details of the case to come forward and report the same," Itanagar SP (SIC-Vigilance) Anant Mittal said in an official statement.

With these three more arrests, a total of 17 persons have been arrested so far in the APPSC paper leak

case, the statement said. The APPSC had conducted the examination for the post of assistant engineer civil) in the last week of

August this year, and the

recruitment exam paper

leaked, prompting

the state government to suspend four members of

The case was transferred from the Itanagar police to the SIC (vigilance) next month.

In October, the Central Bureau of Investigation (CBI) was also involved in the investigation and registered a case under sections 120 (B), 420, 406, and 409 of IPC, and also under relevant sections of the Prevention of Corruption Act, 1988, on the request of the Government of Arunachal Pradesh against a person and unknown officials of the APPSC for the alleged leakage of the question pa-

## **Ghause Azam's movement begun** to counter radicalisation: All Indian Muslim Jamaat head



in Uttar Pradesh's Bareilly district.

MI News Bareilly: The Ghause Azam movement was 2,58,800. Completion period for the launched to counter lies and deceit as the revered Sufi saint Shaykh Abdul Qadir Jeelani, popularly known as Ghouse-e-Azam preached against violence and radicalisation, emphasized participants at a conference here to highlight the role of the founder of the Qadiri Sufi order.

Addressing the Ghause conference Azam Hafizganj in Uttar Pradesh's Bareilly district recently, Maulana Shahabuddin Razvi, the national president of the All India Muslim Jamaat, Dargah Aala Hazrat pointed out that the founder of the Sufi Ruhani Silsila Qadiri founder had even as a child launched a movement against the lies and

The president of the Jamat linked with Bareilly's

deceit.

Dargahe Aala Hazrat further stated that the saint had often astonished the dacoits by speaking truth when he was a child.

The dacoits got so much impressed with the child's truthful nature that they forsake their wrongdoings and gave up dacoity to follow a pious path. Ghause Azam,

known as Abdul Qadir, taught his disciples against violence and radical ideology, he added.

He spent his entire life promoting Sufism and teaching peace, he added.

Maulana further said in the speech that Ghaus-e-Azam spent in promoting Sufism and his teachings are about peace. Qari Ghulam Mustafa,

Tahir Raza Faridi, Ayaz Rizvi, Maulana Jafruding and Jarif Gadi also put forward their views during the

## "I feel I'm about to get justice": Shraddha Walker's father after Delhi Police get lead MI News Service, was confusing us with his lies.

New Delhi: Expressing his sorrow over the murder of his daughter, Shraddha Walker's father on Thursday said that he had forbidden her from being in a relationship with Aftab Poonawalla (now accused in the case), however, she did not listen to him.

The father of the deceased, Vikas Madan Walker, said that Shraddha considered Aftab a right man, which is why she did not listen to his advice of not being in a relationship with him. Speaking to ANI, the deceased's father said that he is confident of getting justice after the Delhi Police is diving deep into the investigation.

"Delhi Police realized that Aftab sometimes lies and sometimes speaks the truth. So, they applied for the Narco test. I feel I'm about to get justice. He should be hanged," he said.

He said that he felt that Aftab has been lying all along the investigation, while also doubting why the accused confessed to his crime right away.

"I have been feeling since the beginning that Aftab has been lying all along. I said this firstly to Mumbai Police and then to Delhi Police. He confessed right away, I doubted even this. He

below

Νo

I told the Mumbai Police repeatedly but I don't know why did they believe that he was telling the truth. Mumbai Police was working according to him. I could not argue much. It is their system," he said.

The father doubted that Aftab would have erased all the evidence during the six months after committing the murder on

nas a vicious mino which has erased all the evidence in 5-6 months. So, the police will have a problem bringing out the truth. I did not think initially that Aftab could do something like this. However, I had still forbidden Shraddha from having any relationship with him, but she did not listen to me. She considered Aftab right," he said.

"I will not rest until he is hanged," the father added. Meanwhile, the Delhi Police has come across a fresh lead in the investigation of the Shraddha Walker murder case, in which they have found a pending water bill in accused Aftab Poonawalla's flat, given the circumstances that 20,000 litres of water in Delhi is provided free by the government,

according to the sources.

TARAKESWAR MUNICIPALITY

OFFICE OF THE COUNCILLORS OF TARAKESWAR

MUNICIPALITY

P.O.-TARAKESWAR, DIST.-HOOGHLY.

NOTICE INVITING E-QUOTATION

E-Quotation are invited from Interested Bonafide bidders /Gov

contractors for House service water Connection to 4607nos of

Premises at different wards upto private property line with 20mm

OD HDPE (PE100, PN16) with necessary connection accessories

including Water Meter and restoration of damages of road/

pavement etc. for Water Supply Scheme at different Zones under

AMRUT 2.0 within Tarakeswar Municipality asper the detailed

Last date of submission: 15/12/2022 upto 06.00 pm. Interested

Bonafide bidders are requested to visit https://wbtenders.gov.in/

Sd/- Chairman

Tarakeswar Municipality.

Tender ID

2022\_MAD\_423007\_1

Org. By- Ballygunge Assembly Congress Committee LEADER : ZAHID HOSSAIN

A march against dengue fever took place at seven pints crossing in Park Circus on Thursday. Zahid Hossain, secretary of the West Bengal Pradesh Congress Committee, led the procession. There were others in the march. PIC: Nurul Islam Khan

This is for the information to all

General Public, Bank and Financial Institution that my client Nepal Show, Son of Balaram Shaw, resident of Saraitikar Road Amtala, P.O. Rajbati, Burdwan District - Purba Bardhaman, PIN-713104 do hereby declare that Deed No. 5381 of 1988 registered on 15.07.1988 before D.S.R., Burdwan in connection with the Schedule mentioned Property have been lost from my client's custody from his residence at Saraitikar Road Amtala, P.O. Rajbati, Burdwan, District - Purba Bardhaman, PIN-713104 and a General Missing Diary before the I.C., Burdwan P.S., being Burdwan P.S. G.D. Entry No.: 1488 dated 15.11.2022 have been lodged in respect of

That if it is found by anybody or it in future that the Original Deed Nos. 5381 of 1988, registered or 15.07.1988 before D.S.R. Burdwan are under Charge Mortgage with any Bank or Financial Institution against any Loan or any person carrying the said Lost Deeds, then the said Authority / person is requested to contact with the undersigned within 7 (Seven) days from the date of publication of this Public Notice alongwith proof of evidence in support of its claim. failing which it will taken into consideration that the property mentioned in my said lost deeds are free from all encumbrances. SCHEDULE

the said Lost Deed.

District: Burdwan, P.S.: Burdwan Mouza: Goda, J.L. No. 41, under Belkash grampanchayat, vide R.S. Plot No. 2106, L.R. Plot No. 2111, under Khatian No. 1055, Class: Shali, Area: 14 Decimal Land.

Sanjoy Dev. Advocate District Judges' Court, Purba Bardhaman Mobile No: 9332214256

Regulation of Trains for Non-Interlocking work For commissioning of double line between Dudhnoi and Dhupdhara stations, Non-Interlocking work will be necessary at Dudhnoi, Amjonga, Rangjuli & Dhupdhara stations of Rangiya Division on 23.11.2022. Consequently, following arrangements have been made in train running: Diversion: 22511 Lokmanya Tilak Terminus-Kamakhya Express (JCO 22.11.2022) & 12503 SMVT Rengaluru-Agartala Humsafar Express (JCO 22.11.2022) SMVT Bengaluru-Agartala Humsafar Express (JCO 22.11.2022) will be diverted via New Bongaigaon-Rangiya-Kamakhya and 12346 Guwahati-Howrah Saraighat Express (JCO 23 & 24.11.2022) will be diverted via Kamakhya-Rangiya-New Bongaigaon. Controlling: 07030 Secunderabad-Agartala Express Special (JCO 21.11.2022) will be controlled enroute for 2 hours 40 minutes. Inconvenience is regretted.

Chief Passenger Transportation Manager

#### EASTERN RAILWAY

ENVIRONMENTAL CLEARANCE

ģ

Facilitation

Responsive

**E**nvironment

Government of India Ministry of Environment, Forest and Climate Change (Impact Assessment Division)

The Managing Director SVAKSHA DISTILLERY LIMITED DLF Galleria, Unit No. 307, 3rd Floor, Action Area, 1B, New Town, Kolkota, Kolkata, West Bengal-700156

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006 regarding

Str/Madam,
This is in reference to your application for Environmental Clearance
(EC) in respect of project submitted to the Ministry vide proposal number IA/WB/IMD2/58535/2015 dated 18 Nov 2021. The particulars of the environmental clearance granted to the project are as below. articulars
as below.

1. EC Identification No
File No. EC22A060WB159657 J-11011/259/2015-JA'II (I)

3. Project Type
4. Category
5. Project/Activity including 5. Sg(a) Grain Based distilleries for Schedule No
Ethanol Blended Petrol. 200 KLPD grain based distillery plant and 6. Name of Project

10 MW Co-generation power plant to be located at village Dakshin Simla, Police Station Kharagpur, District- West Medinipur, West Benga 7.Name of Company/Organization SVAKSHA DISTILLERY LIMITED

8. Location of Project West Bengal 9. TOR Date 27 Jan 2016 The project details along with terms and conditions are appended

erewith from page no 2 onwards. (e-signed) A N Singh

Date: 14/11/2022 Scientist E IA - (Industrial Projects - 2 sector) Note: A valid environmental clearance shall be one that has EC dentification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

EC No.- 159657 File No.- J-11011/259/2015 IA II (I) Date of Issue EC - 4/11/2022

## **Meeting in memory of lawyer Sufian**



Nurul Islam Khan

memorial meeting was held in Goltala on Thursday. Eminent educationist Abu Saleh Mohammad Rezwanul Karim prayed in the meeting held in memory of the expert lawyer and eminent social worker of Calcutta High Court. About 20 High Court lawyers ,High Court's former Bar Council Chairman Ansar Ali Mandal, lawyer Sheikh Anwar Ali, Mohammad Ashraful Haque and other Follow us at: ©@EasternRailway lawyers were present. The

highlighted the entire activities of Abu Sufian as a senior lawyer. In addition to his efficient legal career, his philanthropic work won the hearts of the common people. In the memory of the late philanthropist and lawyer Sufian, prominent people of the society also participated in the meeting. Apart from the editor of Bulbul newspaper SM Sirajul Islam and many other people participated in the meeting on the day and enriched the **GEastern Railway Headquarter** prominent lawyers present meeting.

We wish to inform our esteemed customers, intermediaries and public at large that we are relocating our branci office presently situated at First Floor, Nigamananda Panthashala, Patpur Jail Road, Tambulibandh Bus stop Bankura - 222101. West Bengal to a new location as given below. The relocated branch shall be open fo servicing within 2 to 3 months. You are requested to take note of the same and visit our websit <a href="https://www.icicilombart.com">www.icicilombart.com</a> for the relocated branch office or download IL take care app to avail services available for your policy including renewals and claim related assistance. New address (Relocation) Old address (Closure) und Floor, Nutanchati SPBB, SBI Building, Near P C Chandra Jewellery Bankura - 722101, West Bengal Bankura - 722101, West Bengal.

Name of the ULB

TarakeswarMunicipality

(1) ICICI CLombard

For ICICI Lombard General Insurance Company Ltd

- Mark

Authorized Signs

Virtuous (Pro-Active and

আন্দানলভপুন থানাঘ আভ্যোগ দায়ের করেন ওই মহিলা। আর অভিযোগ পাওয়ার পরই ওইদিন রাতে অভিযুক্ত ব্যক্তিকে গ্রেফ্ডার করে থানায় নিয়ে আসে পুলিশ। যদিও এই ঘটনায় এলাকায় চাঞ্চল্য किंदियरक ।

#### MATERNITY LEAVE VACANCY

Wanted an A.T. in BA (Pass) in English, UR Category, against maternity leave vacancy preferably trained.

Apply to TIC/ Member Secretary, Deuldanga Jr. High School, Vill-Deuldanga, P.O.- Chandra, P.S.- Gurguripal, Dist- Paschim Medinipur, PIN-721102 with all copies of testimonials within 29.11.22 from advertisement.

#### ব্যবভারহাট কো-অপারেটিভ এগ্রিকালচার ক্রেডিট সোসাইটি লিমিটেড রেজিঃ নং- ৫০ মিডঃ তাং ১৫/১২/১৯৫৭

প্রধান কার্য্যালয় ব্যবস্তারহাট, পূর্ব মেদিনীপুর শাখা কার্য্যালয় ঃ- দনিপুর বাজার, মীরপুর, দক্ষিন শ্রীকৃষ্ণপুর শ্রৌকৃষ্ণপুর বাস স্ট্রেল্স), মদন মাইডির হাট (প্রয়াদা), গলনারায়নপুর

(নারায়নপুর বাস স্টপেজ), নক্তুমার বিভিও অফিস, নক্তুমার, কামারদা (কামারদা ৰাজার) কাঞ্চনপুর, হাতিমোড়

্রাম্যানের পরিয়ের। ১- সেডিলে ডিপোঞ্জিট, দৈনিক জমা প্রকল্প, মাসিক বেকারিং, যেয়াদী আমানত (কিন্তুড ও ক্যাপ সার্টিক্টিকেট), মেয়াদী আমানত এবং পোন্টাল কে.ডি.পি., এন.এস.সি. বছকী ঋণ দেওয়া হয়। এহাড়াও বছ ও মেয়াদী ঋণ প্ৰদান, সম্বন্ধৰ গোড়ী গঠনের মাধ্যমে ঋণ প্রদান। চাকুরী জীবিদের ও মুই চাকা, চার চাকা গাড়ি খণ সুদে সহজ শতে দেওরা হয়। সকল বাাজের চেক ভারানো হয়। মাছ, গরু ও মুনগীর খাবার কারখানার তেরী করে বিক্রম করা হয়। গতিমবল সরকার মারা শ্বীকৃত CSP বিভয় পানীয় জল সুলভ মূল্যে পাওয়া যায়। 600 মিলিঃ, 1 লিঃ, 2 লিঃ, 5 লিঃ. 20 লিঃ, পানীয় জল, মাছের খাবার ও গরুর খাদ্য ধন্যবাদাজে লম্বৰ কাৰণানাৰ প্ৰথত করা হয় এবং পাইকারী শিবপ্রসাদ সামত র পুচরো বিক্রয় করা হয়।

SVAKSHA DISTILLERY LIMITED

Subject : Grant of Environmental Cle

DLF Galleria, Unit No. 307, 3rd Floor, Action Area, 1B, New Town, Kolkota, Kolkata,West Bengal 700156

Government of India

Ministry of Environment, Forest and Climate Change (Impact Assessment Division)

rance (EC) to the propos

200 KLPD grain based distillery plant and

10 MW Co-peneration power plant to be

located at village Dakshin Simla, Police Statio

Kharagpur, District- West Medinipur, West Benga

(e-signed)

A N Singh

Scientist E IA - (Industrial Projects - 2 sector)

West Bengal

27 Jan 2016

7. Name of Company/Organization SVAKSHA DISTILLERY LIMITED

The project details along with terms and conditions are appended are with from page no 2 onwards. (e-signed)

Note: A valid environmental clearance shall be one that has EC dentification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

EC No.- 159657 File No.- J-11011/259/2015 IA II (I) Date of Issue EC - 4/11/2022



à

Facilitation PARIVESH Responsive ш and



Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the prayision of ERA Notification 2006 regarding Sit/Madam.

This is in reference to your application on Environmental Clearance (EC) in respect of project submitted to the Milatry vide proposal number IAI/WBININZ(ESS)52015 Based 18 Nov 2021. The particulars of the environmental clearance dranted to the project are as below.

1. Ec Identification No. 1022A080VB155B57

2. File No. 1022A080VB155B57

3. Project Type 1022A080VB155B57

4. Category 1022A080VB155B57

5. Reposed File No. 1022A080VB155B57

2. File No. 1022A080VB155B57

2. File No. 1022A080VB155B57

2. File No. 1022A080VB155B57

2. File No. 1022A080VB155B57

3. Project Type 1022A080VB155B57

4. Category 1022A080VB155B57

5. Reposed File No. 1022A080VB155B57

5. Reposed File

6. Name of Project

8. Location of Project

Date: 14/11/2022

9. TOR Date











and at the

Sd/

Pradhan.

Agra Gram anchavat

কেশপুরে ২৫ বোমিউদ্ধার্ম, চাঞ্চল্য

#### নভেম্বর বিপ্লবের ১০৬তম বর্ষপূর্তিতে মিছিল সিপিএমের

নিজস্ব সংবাদদাতা, মেদিনীপুর: সংঘর্ষের ঘটনার পর কেশপুর থেকে এবার উদ্ধার হল তাজা বোমা। ২৫টি তাজা বোমা উদ্ধার হয়েছে চরকা গ্রাম সংলগ্ন জঙ্গল থেকে। বৃহস্পতিবার সেই জঙ্গলেই ওই বোমাগুলিকে নিষ্কিয় করে পলিশের বন্ধ ডিসপোজাল স্থোয়াড। এদিনই মহান নভেম্বর বিপ্লবের ১০৬তম বর্ষপৃতি উপলক্ষে কেশপুর বাজারে মিছিল করে দিপিএম। ওই মিছিলেও আইনশৃঙ্খলার ইস্যুকে তুলে ধরে রাজ্য সরকারের সমালোচনায় মুখর হন নেতৃত্বে থাকা সিপিএম নেতা তরুণ রায়, কীর্তি দে বন্ধি, প্রাক্তন বিধায়ক রামেশ্বর দোলই. আহমেদ আলি প্ৰমুখ।

প্রসঙ্গত, মাত্র ২৪ ঘণ্টা আগেই কেশপুরের চরকায় তৃণমুলের এব কর্মসূচির প্রচারকে কেন্দ্র করে দুই গোষ্ঠীর মধ্যে সংঘৰ্ষ ও বোমাবাজির অভিযোগ ভঠোছন। খচনায় বোমার আঘাতে রফিকুল আলম নামে এক তৃণমূল কর্মীর হাতও উড়ে যায় বলে খবর। গুরুতর জখম অবস্থায় তিনি মেদিনীপুর মেডিক্যাল কলেজ হাসপাতালে চিকিৎসাধীন। তুণমূলের জেলা নেতারা ওই ঘটনাকে সিপিএমের চক্রান্ত বলে উল্লেখ করলেও



কেশপুর থেকে বোমা উদ্ধার।

নডেচড়ে বসেছে পুলিশ। শুরু হয় তল্পশি। ঘটনাস্থলের পাশাপাশি গ্রাম ল ভঙ্গলেও তল্লাশি চালানো হয়। আর সেই তল্লাশিতেই ২৫টি তাজা বোমা উদ্ধার করে পুলিশ। খবর দেওয়া হয় জেলা পুলিশের বম্ব স্কোয়াডের টিমকে। পরে মেদিনীপুর থেকে বম্ব স্বোয়াডের কর্মীরা গিয়ে জঙ্গলের মধ্যেই তাদের নিজস্ব পদ্ধতিতে ওই বোমাগুলিকে নিদ্রিয় করে।

বিজ্ঞপ্তি

এতহারা সর্বসাধারণের ভ্যাতার্যে জানানো যাইতেছে যে, আমার মঞ্জেল পিণ্টু সামন্ত,, পিতা পঞ্জানন সামত, ঠিকানা-পাইকণাড়ি, থানা-কোলাঘাট, জেলা-পূর্ব মেদিনীপুরের স্থায়ী ব্যসিদা হইতেছেন। আমার মকেলের ঠাকুরদা যতীন্ত্র সামত, পিতা-দিগমন্বর সামত গত

ইং ১৫.০৭.১৯৮৫ তারিখে পরলোক গমন করেন এবং আমার মকেলের ঠাকুরম

ক্ষােম্বানা নামত, বানা-বভার নামত সত ব্ ৩৮,০৮,৩০০ আক্রান্ হিবাহে নির্বাহিত। বিপ্লাছেন। ওনারা পরলোক শমন করিকে ওনান্যের ওয়ারিলান হিবাহে নির্বাহিতি হাতিদেরে রেবেং যান। ১) পুত্র-পঞ্চানন সামত, ২। কন্যা- দুলালী বেরা (সামত), স্বামী-চুর বেরা, সাং-মাসুভারি, ৩। কন্যা-সুভারিণী মাইতি (সামত), স্বামী-সুধাংগুশেরর মাইতি

আবাসবেরিয়া, ৪। কন্যা-কাননবালা মাইতি (সামন্ত), স্বামী-ফণিভূষণ মাইতি, সাং-🕠 ৫। কন্যা-রেবা ভৌমিক (সামন্ত), স্বামী-কার্তিক ভৌমিক, সাং-সাহাপুর, ও। কন্যা

মওল (সামন্ত), স্বামী-শূপান্ত মওল, সাং-শ্রীধরবাসা, ৭। কন্যা-মীরা সিংহ (সামন্ত)

রীরেন্দ্র দিহে, সাং-ডিহিঝঞ্কর। আরও প্রকাশ থাকে যে, উল্লেখিড ব্যক্তিগণ ছাড়

পূর্ব মেদিনীপুর ডিস্ট্রিক্ট ছাজেস কোর্ট, তমলুক, পূর্ব মেদিনীপুর

০১.১০.২০২০ তারিখে ওনাদের ওয়ারিশগণের ১মু ক্লাস জডিসিয়াল ম্যাজিস্টেট

AGRA GRAM PANCHAYAT,

**GARHBETA-I DEV. BLOCK** 

GARHBETA :: PASCHIM MEDINIPUR

(e-TENDER)

NIT No - 12/PBG(2022-23), and 13/14th

CFC(2022-23) ,dated -16.11.2022

Pradhan, Agra Gram Panchayat, Garhbe-

ta-I Dev. Block invited eTender of three

Tenders which is available in website :

notice board of Agra gram Panchayat.

https://wbtenders.gov.in

লোবালা সামন্ত, স্বামী-যতীন্ত্ৰ সামন্ত গত ইং ০৮.০৫.২০০০ তারিখে

জেলা তৃণমূল নেতা মহম্মদ রফিক বলেন, পাল্লা দিতে না পেরে চক্রান্ত শুরু করেছে সিপিএম ও বিজেপি। ওই চরকা গ্রামে একসময় অনেকেই সিপিএম করতেন। পরবর্তীতে তাঁদের কেউ কেউ বিজেপিতে চলে যান। কিন্তু ২০২১ সালে বিধানসভা নির্বচেনের ফলাফলে হতাশ হয়ে তাদের কেউ কেউ ফের তৃণমূলে এসেছেন। ভারাই সিপিএম ও বিজেপি নেতাদের উসকানিতে এসব করছেন। তৃণমূল থেকে পরিষ্কার জানিয়ে দেওয়া হয়েছে, দুশ্বতীদের দলে কোনও স্থান নেই। যারা অপরাধী তাদের বিরুদ্ধে আইনানুগ ব্যবস্থা নেবে পুলিশ। দলের পক্ষ থেকেও পরিস্থিতির উপর নজর রাখা হয়েছে।" এদিকে, কেশপুরে ফের পুরনো জমি ফিরে পেতে চাইছে সিপিএমও। একের পর এক কর্মসূচিও নেওয়া হচ্ছে। তাতে যোগ দিক্ষের কর্মী থেতে জেলা নেতারা।ক্রমশ সক্রিয়তা দেখা যাচ্ছে জামশেদ ভবনে। কেশপুরের বুকে বহু ঘটনার সাক্ষী নিপিএম পার্টি অফিস তথা এই জামশেদ ভবন। কিন্তু ২০১১ সালের পর সেখানে তালা লেগে যায়। এখন তাকে ফের পুরনো ফর্মে আনার চেষ্টা চলছে।

ছবি: নিতাই রক্ষিত

1393, 1393, 1394, 1343, 1343, 1348, 1348, 1348, 1348, 1357, Debra-(WB): MUL-1733; MWS-1648; RGL-2046; 2184; 2701; 2931; 2968; 36 4014, 4015, 4037, 4052, 4095, 4114, 4127, 4138, 4160, 4205, 4243, 4268, 4 RGL-1540, 1827, 2024, 2539, 2837, 3044, 3186, 3262, 3319, 3350, 3431, 346 RGL-1540, 1827, 2024, 2539, 2631, 3044, 3-100, 3644, 1934 RGL-1376, 1413, 1549, 1551, 1783, 1818, 1906, 1919, 1929, 2012, 2122 কুন্মিশ্যৰ ক্ষত্ৰাৰ্থিনীউ বংশবাং Midnapur Town(WB): RGL-2587, Debra-(WB) খিতীয় নিলাদের তারিখ: 29.11.2022, Auction Centre: First Floor, Bidhan

Medinipur-721101 প্রথম নিশামের তারিখ: 28.11.2022 Contai-(WB): RGL-6609, 8960, 9653, 9654, 9656, 10098, 10305, 11127, 114

12386, 12420, 12450, 12591, 12620, 12667, 12821, 12874, 12881, 12947 13862, 13995, 14011, 14065, 14197, 14272, 14375, 14423, 14434, 14435 14815, 14844, 14856, 14905, 15023, 15028, 15170, 15265, 15282, 15457 16841, 17349, Tamluk-(WB): BLS-16, MUL-10073, 10186, 10207, 10216, 10 8095, 8152, 8258, 8314, 8437, 8483, 8485, 8499, 8503, 8533, 8537, 8631, 9292, 9294, 9403, 9468, 9606, 9625, 9689, 9690, 9704, 9731, 9769, 9907, 9 10146, 10204, 10220, 10227, 10319, 10376, 10523, 10584, 10984, 11102, 11 RGL-8647, 9141, 9925, 10333, 10886, 11539, 11585, 11591, 11597, 1166 11945, 12363, 12543, 12579, 12588, 12662, 12735, 12742, 12787, 1292 13954, 14078, 14098, 14136, 14145, 14175, 14185, 14427, 14521, Mednipur-Egra: MAL-12035, 15079, 15477, MDL-2097, 3080, MUL-4090 9318, 9857, 11945, 13605, 13636, 13637, 13777, 13865, 13907, 13916, 13 14965, 15002, 15081, 15089, 15245, 15263, 15284, 15295, 15366, 1536 15676, 15703, 15755, 15970, 15994, 15995, 15998, 16169, 16461, 16467, 1877, 1930, 2023, 2046, 2225, 2239, 2294, Chandipur-(WB): BLS-52, MC 5608, 5653, 5663, 5722, 5759, 5802, 5842, 5843, 6011, 6054, 6100, 6159, কুমিশু সাম ভাইজানি শিক্ষার Purba Medinou-Egra! RGL 13419, 16245, Ch থিতীয় নিশামের তারিখ: 30.11.2022, Auction Centre: First Floor, Padumi

Tamluk, Dist-Purba Medinipur, WB-721636. উদ্লিখিত পাখার অধীনত্ব পোন আকাউট সংক্রান্ত নীলাম সেই শাখাতেই অনুচিত অবশ্য, এবিবয়ে মনে রাখবেন যে, যদি প্রদত্ত ভারিখে (গুলিতে) নীলাম কর্ম সং উদ্লিখিত নিলাম কেন্দ্রে অনুষ্ঠিত হবে/চলবে এবং এরপরও উক্ত গহনা সফলতা ঐ একই শ্বালে দীলাম চলবে। এই বিষয়ে এরপর আর কেলও বিজ্ঞপ্তি জারি ক কাহলি আঙ সোবতি, আডডোকেটস, A 59A, প্রথম তল, প্রষ্টবাঃ আমানের ক্লায়েন্টের প্রাপা রাসি দীলামের জন্য নির্দিষ্ট অরিখের আগে।

নিতে পারেন। গ্রাহকণণ যোগাযোগ করতে পারেন: auctiondelhi@muthootg

#### চিরঞ্জীবপুর সমবায় কৃষি উন্নয়ন সমি

গ্রাম-চিরঞ্জীবপুর, পোষ্ট-কালিকাদাঁড়ী, থানা-ময়না, জেলা-পূব রেজিঃ নং-৭ তারিখ ২৩.০২, ১৯৭০ বিজ্ঞপ্তি

पात्रकलिशि नং - CBR 05 (Elec.)/2022

পশ্চিমবর সমবায় নির্বাচন কমিশন বেগুজেশন - ২০১২ এবং পশ্চিমবর সমবায় নির্বাচন কমিশন তার রিটানিং অফিসার পূর্ব মে আরিব ০৫/০৯/২০২২ অনুসারে চিন্নঞ্জীবপুর সমবায় কৃষি উন্নয়ন সমিতি পিমিটেড- এর সকল নির্বাচক সদস্য ও সদস্যাদের নিয়োক সূচী ও অরিব মতো অনুষ্ঠিত হইবে। উক্ত নির্বাচনে যথাযথ অংশগ্রহন এবং তা সুসম্পন্ন করার জন্য সকল নির্বাচক স ায়েষাজনী- প্রতিনিধি মওলী নির্বাচন সংক্রান্ত আতব্য তথ্য সমূহ নির্বাচনসূচী।

#### প্রতিনিধি মণ্ডলী নির্বাচন সংক্রান্ত জ্ঞাতব্য তথ্য সমত ও নির্বাচনসূচী

ব্য তির প্রতিনিধিমণ্ডলী নির্বাচনের দের সংখ্যা (বাহা নির্বাচনের মাখ্যমে পূরণ করা হবে)	৭৮(মাহার মধ্যে ৭টি ব	য়াসন তপশিলী জাতি ব	উপস্লাতি ও ৭টি আ	সন মহিলার জন্য সংরক্ষিত।)		
		প্রতিনিধি নির্বাচনে পুনাপদের সংখ্যা				
শ) সমিতির নির্বাচন ক্ষেত্রের বিবরণ এবং ভেটি গ্রহণ কেন্দ্রের নাম	নির্বাচন ক্ষেত্রের		সংৰক্ষিত			
mattala mital fattitula	ক্ৰমিক সং	অসংরক্ষিত্ত	মহিলা	তপশিলী ছাত্তি ও উপস্লা		
বন্নভপ্র	,	34	>	2.		
শ্যামপুর	4	59	>	>		
কালিকাশাড়ী	•	>>	,	,		
চিরঞ্জীবপুর	8	06	- 5	3		
আসনন	e	01	- 5			
<u>খোড়াবেড়িয়া</u>	4	0)	>	3		
মির্জানগর	٩	20	, ,	>		

গ) প্রতিনিধি পদে নির্বাচনের যোগ্যভাবলী

d'i la ela.		and the same of th		
ক্লমিক সংখ্য	विषय निर्वाठनসূচী	তারিখ	ममम	1
事)	মনোনয়নপত্ৰ বিলি	4 59/22/4055 44/22/5055	সকাল ১১টা থেকে বিকাল ৩টা পর্যন্ত	সমি অ
4)	মনোনয়নপর পেশ	48/22/4055 48/22/4055	সকাল ১১টা থেকে বিকাল এটা পর্যন্ত	স্মি আ
1	মনোনয়নপত্ৰ পরীক্ষা	02/22/2022	স্কাল ১১টা থেকে বিকাল ৩টা পর্যন্ত	স্ <b>নি</b>
4) ·	বৈধ মনোনয়নপত্রের তালিকা প্রকাশ	03/32/2012	মনোনয়নপর পরীক্ষার পর	স্থি অফিসের (
8)	মনোনরন প্রত্যাহারের শেব তারিব (স্বাক্ষরিত অবেদন প্রার্থীকে নিজে জমা দিতে হবে)	০২/১২/২০২২	বিকাল ৩টা পর্যন্ত	স্থি অ
5)	চুড়ান্ত প্ৰাৰ্থী তালিকা প্ৰকাশ	०२/३२/२०३३	মনোনয়ন প্রত্যাহারের ছন্য শেব তারিশ গু সময়ের অব্যবহিত পরে	র্সা অফিসের
<b>E</b> )	ভোট গ্ৰহণ (প্ৰয়োজন বোৰে)	>1/>2/२२/२०२२	সকাল ১০টা থেকে দুপুর ২টা পর্যন্ত	ক্রমিক নং উন্নিবিত থে অ
歌)	তোট গ্ৰনা ও ফল প্ৰকাশ	>१/>२/२०२२	তেট গ্রহণ সম্পাদনের অব্যবহিত পরে	ক্রমিক নং উন্নিবিত তে

বিশেষ প্ৰস্তুণ্য তেনিক সামৰ ক্ষিত্ৰ কৰিছিল কমিলৰ প্ৰসন্ত ১৪ টি অন্যান্য সচিত্ৰ পৰিচয়পত্ৰের যেকোনো একটি অথব না থাকে তা হলে ভারতের নিৰ্বাচন কমিলৰ শ্ৰমন্ত ১৪ টি অন্যান্য সচিত্ৰ পৰিচয়পত্ৰের যেকোনো একটি অথব না থাকে ৩৷ হলে তাল্লতের নিয়াল সামান্ত সত চি পদ্যাল্য পাত্র শায়তস্বাধ্যের যেকোনো একাট অথব আনতে হবে। নমুনা মনোনয়নপত্র সমিতির অফিস হইতে বিনা ধরচে উপরের নির্বারিত সময়ে পাওয়া যাত হইতে জানিয়া লইতে পারিবেন।

#### ওনাদের আর অন্য কোনও ওয়াহিশগণ নেই। উল্লেখিত হাওড়া কোর্ট থেকে গত ইং বীকৃতিপর গ্রহণ করা হইরাছে। অর মর্মে বিজপ্তি প্রকাশিত হইতেছে এবং কাহারো কোনরূপ আপত্তি থাকিলে আগামী ৩০ (ব্রিশ) দিনের মধ্যে জানাইতে হইবে।

# গ) প্ৰতিনিধি পথে নিৰ্বাচনেৰ জন্য পৰিচালক নিৰ্বাচিত হৰায় যে যোগাতা ডা থাকতে হবে পেনে প্ৰথমজ্ঞা হবে I (See: Provisions of section 32 (2), (5) with provisions 6 (a 2006 as amended up to date to rules 42 of WBCS rules - 2011 as amended u

বিশেষ স্ক্রষ্টব্য- ভোটের দিন পরিচয় পত্র হিসাবে ভারতের নির্বাচন কমিশন প্রদন্ত সচিত্র ভোটার পরিচয়পত্র অ

NOC NO172023

#### SPEED POST

Annexure 9

### WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan 10A, Block – LA, Sector III, Bidhannagar Kolkata - 700 106

Memo No 25 - 2N-32/2818(E)

Dated 18.01.2023

From:

Member Secretary,

West Bengal Poliution Control Board

To: The Executive Director,

M/s. Svaksha Distillery Limited,

Mouza-Dakshin Simla, PO-Changual, PS-Kharagpur(L), Changual Gram

Panchayat, Dist .- Paschim Medinipur - 721 301.

Sub: Consent to Establish (NOC) from Environmental Point of View

Ref: i Your letter No. SPL/WBPCB/2022-23/006 03.01.2023

ii) Env. Clearance issued by Mosface vice 10. No. EC22A060WB159657,

F.No.J-11011 259/2015-IA IICI dta. 17.01.2022.

Dear Sirs.

expansion

In response to the application for Consent to Establish (NOC) for proposed Unit of M/s Svak sha

Distillery Limited

for manufacturing/storage/installation of a new 100 KLPD fuel ethanol plant in addition

to the existing 200 KLPD grain based distillery plant.

Mouza- Dakshin Simla, J.L. No. 355, PS-Kharagpur, Dist. Paschim

Medinipur.

this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

- The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS: 2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986.
- Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above.
- You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent
  according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade
  effluent shall be discharged by you without prior consent of this Board.
- 4. All emission from your factory shall conform to the standards as laid down by this Board.
- No. emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) act, 1981.
- 6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/ erected/re-erected without prior approval of this Board Chief Engineer

W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

#### NOC NO172023

- You shall comply with
  - Water (Prevention and Control of Pollution) Cess Act, 1977, if applicable.
  - Water (Prevention and Control of Pollution ) Cess Act, 1978, if applicable. (11)
  - (iii) Environment (Protection) Act, 1986
  - (iv) Environment (Protection) Rules, 1986
  - Hazardous Wastes (Management and Handling) Rules, 1989 and Amended Rules, 2000 (v)
  - (vi) Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amended Rules, 2000
  - Manufacture, Use, Import and Storage and Hazardous Micro-Organisms, Genetically Engineered Organisms or Cell Rules, 1989
  - (viii) The Public Liability Insurance Act, 1991 and Amended Act, 1992
  - The Public Liability Insurance Rules, 1991 and Amended Rules 1993 (ix)
  - Biomedical Wastes (Management & Handling) Rules, 1998 and Amended Rules 2000 if applicable. (x)
  - (xi) Recycled Plastics Manufacture and Usage Rules 1999, if applicable and
  - (xii) Ozone Depleting Substances (Regulation & Control) Rules, 2000, if applicable
- You will have to abide by any other stipulations as may be prescribed by any authority/local bodies/Government Departments etc.

#### SPECIAL CONDITION:

The project cost for expansion is Rs. 50 Crores.

- 1) The ethanol produced from the proposed project shall be used completely for Ethanol Blending Petrol Programme of the Govt. of India.
- 2) Please refer to Annexure.

Any violation of the aforesaid conditions shall entail cancellation of this Consent to Establish (NOC)

Yours faithfully,

411

1) m/ 8/11/223 Member Secretary, Chief Enginee West Bengal Pollution Control Board (EIM CELL

-2N-32/2016(E) del. 18.01.2023

Copy forwarded for information to:

Chief Engineer Dated .. Pollution Control Board Dept. of Environment, Govt. of W.B.

- Chief Inspector of Factories, Government of West Bengal, N. S. Building, Kolkata-700 001 1
- Director of Industries/Director of Cottage & Small Scale Industries, Government of West Bengal, N. S. Building. Kolkata-700 001
- Guard file, West Bengal Pollution Control Board. 3.
- Environmental Engineer, I/II/Alipur R.O./Howrah R.O./Hooghly R.O./B.R.O./D.R.O./Haldia R.O./S.R.O./ 4. Asansol/ Sub-R.O./WBPC Board

Himalaya Bhawan

Delhi Road, Dankuni

Dist. Hooghly

Vill, Panpur

Kalyani Expressway P.O. Narayanpur

Sahid Khudiram Sarani City Centre, Durgapur-16

Dist. Burdwan

Paribahan Nagar

10, Camac Street 2nd Floor

Kolkata-700 017

Dist. 24 Pgs. (N)

Paribesh Bhawan 10A, LA-Block, Sector-III

Salt Lake City. Kolkata - 700 098 Block-05 at 40

Flats Complex

Matigara, Siliguri Adjacent to Priyambada Dist.-Darjeeling

Housing Estate P.O.: Khanjanchak, P.S. Durgachak Haldia-721602

Dist.: Purba Medinipur

Satya Chowdhury Indoor Stadium Balurchar Bandh Road Malda-732101

Asansol Sub-Regional Office ADDA Commercial Market (2nd Floor) Opposite Asansol Fire Station

G.T. Road, Asansol-713 301

West Bengal Pollution Control Board W. B. Pollution Control Board

Dept. of Environment, Govt. of W.B.

Special Conditions issued to M/s. Svaksha Distillery Limited at Mouza – Dakshin Simla, JL No. 355, PS – Kharagpur, Dist – Paschim Medinipur, West Bengal.

#### A) Details of products and capacity are as under :-

SI. No.	Product details	Unit	Existing capacity	Proposed additional capacity	Total capacity	
1.	ENA / RS / Impure Spirit / country Spirit / Denatured Spirit / Fuel Ethanol (Absolute ethanol)		200	100 (Fuel Ethanol only)	300	
2.	Byproducts					
3.	CO <sub>2</sub>	MT	140	70	210	
4.	Fusel Oil	MT	2	1	3	
5.	DDGS	MT	106	53	159	

#### B) Emission:-

- 1. The existing unit has 1x75 TPH biomass / coalfired boiler.
- 2. No additional boiler will be installed for the proposed expansion.
- 3. D.G. Set 2X1010 KVA
- 4. Stack
  - i) For DG sets individual stacks of 30 m and as per CPCB norms.

Stacks to have sampling port, platform, ladder as per the emission regulation part -III of CPCB.

#### C) Effluent :-

Total fresh water requirement shall not exceed 4.0 KL/KL and will be sourced from ground water. The industry shall construct rainwater storage facility of 60 days capacity and the accumulated water to be used as fresh water, thereby reducing fresh water consumption. The plant shall be based on zero liquid discharge system.

#### D) Solid / Hazardous Waste : -

Spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick
manufacturing plant will be installed within the plant for utilization of fly ash. Project proponent shall
not use coal as fuel. The project proponent shall install ESP for the existing boiler.

#### E) Specific Conditions :-

- i. The company shall comply with all the environmental protection measures and safeguards. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- The project proponent will treat and reuse the treated water within the industry and no waste or treated water shall be discharged outside the premises.
- iii. Freshwater requirement will be sourced from groundwater. Prior permission shall be obtained from the concerned regulatory authority in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.
- iv. The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed.
- v. CO<sub>2</sub> generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.

Chief Engineer
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

Special Conditions issued to M/s. Svaksha Distillery Limited at Mouza – Dakshin Simla, JL No. 355, PS – Kharagpur, Dist – Paschim Medinipur, West Bengal.

- vi. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- viii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
- ix. The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- x. The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- xi. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per CPCB norms and no parking to be allowed outside on public places.
- xii. Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- xiii. Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server.

#### F) General:-

- 1. Noise Control Ambient noise level and D.G. Set noise level should not exceed the permissible limits. Every care to be taken for noise control.
- 2. The unit should obtain 'Consent-to-Operate' from this Board before starting manufacturing process activities.
- 3. Under no circumstances molasses to be used as raw material.
- 4. Adequate control measures shall be taken to control fugitive dust emission from all vulnerable sources within the plant premises.
- The project proponent should take all possible measures to avoid any kind of nuisance during transportation of raw materials and products to and from the premises. All kinds of transportation should be carried out in covered vehicles and should not cause public discomfort.
- No additional machineries / equipment can be installed without prior permission from this Board.
   No change in raw materials, products, production capacity and manufacturing process shall be made without prior permission from this Board.
- Adequate provision for rain water harvesting should be made. Recharging of Ground water is not permitted.
- 8. Adequate dust suppression and extraction system should be provided in material storage areas, material unloading and transfer points for controlling fugitive emission.
- 9. All internal roads should be paved.

Chief Engineer
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

#### Annexure to NOC SI. No. NO172023

Special Conditions issued to **M/s. Svaksha Distillery Limited** at Mouza – Dakshin Simla, JL No. 355, PS – Kharagpur, Dist – Paschim Medinipur, West Bengal.

- 10. Raw materials should be stored within covered area.
- 11. NOC may be revoked by the State Board, in case of failure of implementation of the above conditions.
- 12. All conditions as imposed by MoEF, GoI through their Environmental Clearance issued vide EC Identification No. EC22A060WB159657 File no. J-11011/259/2015-IA.II (I) dated 14.11.2022 shall be strictly complied with.
- 13. This Consent to Establish is valid up to 31.12.2029 for setting up of the project.

Member Secretary/Chief Engineer (EIM Cell)
West Bengal Pollution Control Board

W. B. Pollution Control Board Dept. of Environment, Govt. of W.B.

Hazard	ous	waste
1, (		

MONTH	OIL/GREASE	UNIT	CONSUMPTION	WASTE PRODUCE	RE-USED	WASTE OIL IN STOCK	BALANCE STOCK
							0
Jun-22	GEAR OIL	LTR.	490			. 0	
	TURBINE OIL	LTR.	400	0		0	
	COMPRESSOR OIL	LTR.	120			0	
	GREASE	KG.	320	0	0		0
Jul-22	GEAR OIL	LTR.	170	0		C	
Jul ZZ	TURBINE OIL	LTR.	0	0	0	(	
_	COMPRESSOR OIL	LTR.	50	C	0	(	
	GREASE	KG.	170		0	(	0
Aug 22	GEAR OIL	LTR.	90	36	5 20	16	
Aug-22	TURBINE OIL	LTR.	(		0	(	0
	COMPRESSOR OIL	LTR.	(		0		0
	GREASE	KG.	150		0	40	40
	C548 OH	LTR.	65	5.55	5 25	31	0 46
Sep-22	GEAR OIL	LTR.			0 0		0 0
TI XIII SO	TURBINE OIL	-			0 0		0 0
	GREASE OIL	KG.	160	9			7 67
	grammers.	Tit					
Oct-22	GEAR OIL	LTR.	8	0	0 18		
	TURBINE OIL	LTR.		0	0 0		0 0
	COMPRESSOR OIL	LTR.		0	0 0		0 0
	GREASE	KG.	12	0 9	0 80	1	0 77
Nov-22	2 GEAR OIL	LTR.	9	0 7	5 48	2	7 55
1101 =	TURBINE OIL	LTR.		0	0 0		0 (
	COMPRESSOR OIL	LTR.		0	0 0		0 (
2001	GREASE	KG.	16	0 14	5 115	3	107
Dec-2	2 GEAR OIL	LTR	. 7	5 7	0 35	3	90
	TURBINE OIL	LTR			0 (		0 0
	COMPRESSOR OIL	LTR		0	0 (		0
3 23 9	GREASE	KG.	14	0 13	10 85	5 4	15 152





HTMC	OIL/GREASE	UNIT	CONSUMPTION	WASTE PRODUCE	RE-USED	WASTE OIL IN STOCK B	ALANCE STOCK
						-	95
Jan-23	GEAR OIL	LTR.	60	20	15	5	95
	TURBINE OIL	LTR.	0	0	0		0
	COMPRESSOR OIL	LTR.	0	0	0		137
	GREASE	KG.	150	135	150	-15	137
1000	2515 011	LTD	110	40	80	-40	55
Feb-23	GEAR OIL	LTR.		0			(
	TURBINE OIL	LTR.	0				(
	COMPRESSOR OIL	LTR.	0		-		113
	GREASE	KG.	140	128	152	0	
		1.70	68	60		60	11
Mar-23	GEAR OIL	LTR.	000				
	TURBINE OIL	LTR.					
	COMPRESSOR OIL	LTR.	130				10
	GREASE	KG.	130	113	120	0	
A 22	CEAR OIL	LTR.	60		) (	0	11
Apr-23	GEAR OIL TURBINE OIL	LTR.	200	4		10	1
-	COMPRESSOR OIL	LTR.	50		-		1
	GREASE	KG.	120			2 -27	
	GREASE	NO.				0	
May 22	GEAR OIL	LTR.	55	5	0	0	11
IVIAY-23	TURBINE OIL	LTR.			0	0 0	
-	COMPRESSOR OIL	LTR.			0	0 0	
-	A CONTRACTOR OF THE PARTY OF TH	7 17 2 0 7	14		5 9	8 7	
	GREASE	KG.	140	1	-	0	
			-	5 2	8 1	8 10	1
Jun-2	GEAR OIL	LTR.	6			0 0	
	TURBINE OIL	LTR.			-	0 0	
Maria P	COMPRESSOR OIL	LTR.			-	0	
	GREASE	KG.	12	0 9	2 10	0	
				-	0	0 0	1
Jul-2	3 GEAR OIL	LTR.			-	0	
	TURBINE OIL	LTR.	25				
	COMPRESSOR OIL	LTR.		0	0	<u> </u>	
	GREASE	KG.	12	6 8	10	0	
		-		20	0	0 0	1
Aug-2	3 GEAR OIL	LTR.		60		0 0	
	TURBINE OIL	LTR.			0	13 12	
	COMPRESSOR OIL	LTR.					
	GREASE	KG.	15	55 13	34 1.	15 19	
21 102				-0	0	0 0	1
Sep-2	3 GEAR OIL	LTR.		50		-	
	TURBINE OIL	LTR.		0	0		
	COMPRESSOR OIL	_		0	0	-	
	GREASE	KG.	14	15 13	30 10	04 26	
Oct.	23 GEAR OIL	LTR.		50	20	15 5	
OCC-2	TURBINE OIL	LTR.		0	0	0 0	
	COMPRESSOR OIL			0	0	0 0	
	GREASE	KG.	1		12 1	40 -28	
		7177					
Nov-2	23 GEAR OIL	LTR.		55	0	0 0	
	TURBINE OIL	LTR.		0	0	0 0	
	COMPRESSOR OIL	1000				18 14	
	GREASE	KG.	1	20 1	12	98 14	
Doo	23 GEAP OII	LTR.		65	12	8	1
Dec-	23 GEAR OIL	LTR.		0	0	O SISTILLA	
	COMPRESSOR OIL			0	0	0 /5/	<del></del>
	GREASE	KG.		10		12 0 -22	



NEH C	OIL/GREASE	UNIT	CONSUMPTION	WASTE PRODUCE	RE-USED	WASTE OIL IN STOCK	BALANCE STOCK
				20	15	5	13
Jan-24 (	DEC. III.	LTR.	77	20	120		8
	TURBINE OIL	LTR.	200	160	0		3
(	COMPRESSOR OIL	LTR.	0	2014			7
(	GREASE	KG.	140	118	85	33	
				60	66	-6	13
Feb-24	GEAR OIL	LTR.	80			-	
	TURBINE OIL	LTR.	C				
	COMPRESSOR OIL	LTR.	30			-	
	GREASE	KG.	120	0			
	CEAR OIL	LTD	95	78	56	22	1
	GEAR OIL	LTR.	1			-80	
	TURBINE OIL	LTR.				0	
	COMPRESSOR OIL	LTR.	110			-19	
	GREASE	KG.	110	,			
	CEAR OIL	LTR.	8	20	2.	-5	1
Apr-24	GEAR OIL	LTR.	20		_	20	
	COMPRESSOR OIL	LTR.	6		1	8 17	2
		KG.	13		5 9	9	6
	GREASE	KO.					
May 24	GEAR OIL	LTR.	9	0 3	0 1		
IVIAY-24	TURBINE OIL	LTR.			0	0	0
	COMPRESSOR OIL	LTR.			0	0	0
_	GREASE	KG.	14		0 10	8 1	2
	GREASE	INC.					
lun-24	GEAR OIL	LTR.	8	5	0 4	5 -4	5
Juli-24	TURBINE OIL	LTR.			0	0	0
	COMPRESSOR OIL	LTR.		0	0	0	0
	GREASE	KG.	13	0 10	5 11	.8 -1	3
	ONEASE	1.0.					
Jul-24	GEAR OIL	LTR.	7	78 2	8 1	.5 1	.3
201 =	TURBINE OIL	LTR.		0	0	0	0
	COMPRESSOR OIL	-		0	0	0	0
	GREASE	KG.	13	20 10	11	.2	-4
		100					
Aug-23	GEAR OIL	LTR.		35 6	18		.0
	TURBINE OIL	LTR.		0	0	0	0
	COMPRESSOR OIL			0	0	0	0
	GREASE	KG.	1:	20	98	50 4	18
V	ANY SECTION	100			16	-0 1	13
Sep-24	GEAR OIL	LTR.			1000		20
	TURBINE OIL	LTR.					10
1000	COMPRESSOR OIL	-					-7
1145	GREASE	KG.	1.	40 1:	1.5	20	1
Ort 2	A CEAR OIL	LTR.		50	38	22	16
Oct-24	TURBINE OIL	LTR.		0	0	0	0
	COMPRESSOR OIL			0	0	0	0
	GREASE	KG.	1				11
	SILEASE	NO.	1	1			0
Nov.2	4 GEAR OIL	LTR.		85	20	12	8
1404-2	TURBINE OIL	LTR.		0	0	0	0
-11-11-11	COMPRESSOR OIL			0	0	0	0
11 11 100	GREASE	KG.	1				17
200	C RAMBER	1.01					
Dec-2	4 GEAR OIL	LTR.		65	0	0	0
	TURBINE OIL	LTR.		0	0	0	0
3 6 6	COMPRESSOR OF	-	Jan Market Company	0	0	0	0
	GREASE	KG.		30	89	97	-8
TA DE	I LEANURED					STILL	
Jan-2	5 GEAR OIL			40	29	58	29
	TURBINE OIL	1		0	0	0 / = /	0
	COMPRESSOR OF	L		10	0	The state of the s	0
	GREASE			90	75 1	110	35

