

Site : Village Sangat Kalan, Dabwali Road, Bathinda

REF. NO. : BCL/DU/2025-26/ 85 9

DATED : 30/05/2025

The Additional Director,

Ministry of Environment, Forest & Climate Change, Regional Office (North), Government of India, Bay No. 24-25, Sector-31A, Chandigarh 160030,

(Mail ids: eccompliance-nro@gov.in and ronz.chd-mef@nic.in)

Sub: Submission of six monthly compliance report for period ending 31.03.2025 for the project namely "Expansion of Distillery Plant with addition of 150 KLD Grain Based ethanol with existing facility of 400 KLD (200 KLDENA/RS/Anhydrous Alcohol + 200 KLD Grain Based Ethanol) along with existing co-generation Power Plant of 20 MW located at Village Machhana and SangatKalan, Tehsil Sangat, District Bathinda, Punjab by M/s BCL Industries Limited.

Sir.

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report. We are hereby submitting the six monthly compliance report for period ending 31.03.2025 for the above said project through mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely.

For BCL Industries Ltd.

(K. M. Gupta) Authorized Signatory

CC:

- Member Secretary, SEIAA Punjab, PBTI Complex, Knowledge City, Sector 81, SAS Nagar-140306(Uploaded on Parivesh portal and through E-mail: seiaapb2017@gmail.com)
- Environmental Engineer, Regional Office, Bathinda, Punjab Pollution Control Board, Room No.418-E, 3rd Floor, District Administration Complex, Bathinda (Email: eerobti@yahoo.in)

Regd. Office:

Hazi Rattan Link Road, Bathinda-151005 Ph. 0164-2240163, 2240443, 2211628

Fax: 0164-5003638 Website: www.bci.ind.in E-mail: bcl@mittalgroup.co.in

E-mail: bcldistillery@mittalgroup.co.in

CIN: L2423IPBI976PLC003624

SIX MONTHLY COMPLIANCE REPORT

(Period ending 31.03.2025)

For

"Grain Based Distillery (550 KLPD) and Cogeneration Power Plant (20 MW)"

located at

Village Machchana and Sangat Kalan, Tehsil & District- Bathinda, Punjab - 151001

Project by:

M/s BCL Industries Limited

Hazi Ratan Link Road, Bathinda-151001, Punjab.

Prepared by:



Eco Paryavaran Laboratories and Consultants Private Limited

E-207, Industrial Area, Phase-VIIIB (Sector-74), Mohali (SAS Nagar), Punjab 160071

Tele No.: 0172-4616225 **email:** compliance@ecoparyavaran.org **M:** 098140-03103, 088720-43178

www.ecoparyavaran.org

CONTENT

S. No.	DESCRIPTION	Page No.
1.	Data Sheet	1
2.	Compliance of Environmental Clearance conditions	4
	ANNEXURE	
3.	A-1(a): Copy of earlier Environment clearance (2016)	14
4.	A-1(b): Copy of Corrigendum issued by MoEF&CC (2019)	21
5.	A-1(c): Copy of Environment clearance issued by MoEF&CC (2021)	23
6.	A-1(d): Copy of Environment clearance issued by MoEF&CC (2024)	32
7.	A-2: Photographs of the project	44
8.	A-3(a): Copy of Consent To Establish-Expansion	50
9.	A-3(b): Copy of Consent to Operate	59
10.	A-4(a): Health and Safety Policy	74
11.	A-4(b): Recent Health surveillance records	82
12.	A-5: Training records	92
13.	A-6(a): Fire Safety Certificate	111
14.	A-6(b): PESO license	112
15.	A-7: Hazardous Waste Authorization	118
16.	A-8: CER Activities	121
17.	A-9: Details of EMC	190
18.	A-10: Test Reports	191
19.	A-11(a): E-mail showing submission of previous six monthly compliance report for period ending 30.09.2024	201
20.	A-11(b): SS showing EC Letter on Company's Website	202

21.	A-11(c): SS showing previous six monthly compliances on Company's Website	203
22.	A-12: Acknowledgement of Form V	204
23.	A-13: Copy of Newspaper advertisements	214
24.	A-14: PWRDA Permission	216

Ministry of Environment, Forest & Climate Change Northern Region Office Chandigarh-160030

DATA SHEET

1.	Project Type	Distillery Unit	
2.	Name of the Project	BCL Industries Ltd.	
3.	Clearance letter (s) O.M. No.	• Environment Clearance granted by MoEF&CC vide	
	& Date	 F. No. J-11011/348/2014-IA-II(I) dated 08.04.2016 and corrigendum issued vide F. No. J-11011/348/2014-IA-II(I) dated 25.10.2019; copy of the same is attached along as Annexure 1(a) and Annexure 1(b) respectively. Expansion in Environment Clearance granted by 	
		MoEF&CC vide F. No. J-11011/378/2013-IA II(I) dated 25.10.2021; copy of the same is attached along	
		as Annexure 1 (c).	
		• Recent expansion in Environment Clearance granted by MoEF&CC vide EC Identification No. EC24C2504PB5197253N dated 11.11.2024; copy of	
		the same is attached along as Annexure 1 (d).	
4.	Location	M/s BCL Industries Ltd.	
		Village Machchana and Sangat Kalan,	
-)	D: 4 : 4()	Tehsil Sangat, Distt. Bathinda, Punjab	
a)	District(s)	Bathinda	
b)	State (s)	Punjab	
5.	Address for correspondence	M/s BCL Industries Ltd.	
		Hazi Rattan Link Road,	
6.	Salient features	Bathinda (151001), Punjab	
a)	Of the Project	As per the recent Environmental Clearance letter, there	
<i>a)</i>	Of the Project	will be further expansion by addition of 150 KLD Grain Based Ethanol with existing facility of 400 KLD (200 KLD ENA/RS/Anhydrous Alcohol + 200 KLD Grain Based Ethanol) along with existing Co-Generation Power Plant of 20 MW capacity. Total plot area is 23.60	
		Ha.	
b)	Of the environment	As per the recent Environmental Clearance letter, the total existing water requirement is 3,125 m³/day which is being met through canal water.	

		However, for expansion the additional water
		requirement will be 600 KLD @ 4 KL per KL of Ethanol
		Production.
7.	Breakup of the Project Area	
	a) Submergence forest area and	Not applicable
	non-forest area	
	b) Others	Not applicable
8.	Break up of project affected	Not applicable
	population with enumeration of	
	those losing houses/ dwelling	
	units only, agricultural land	
	only both dwelling units and	
	agricultural land and landless	
	laborers/ land landless	
	laborers/ artisans.	
	a) SC/ST/ Adivasis	Not applicable
	b) Others	Not applicable
9.	Financial details	
a)	Project cost as originally planned	Rs. 340.10 Crores as per the recent EC letter granted
	and subsequent revised estimates	vide Identification No. EC24C2504PB5197253N dated
	and the year of price reference.	11.11.2024.
b)	Allocations made for	As per the recent EC Letter, Rs. 21.22 Crores are
	environmental management plan	earmarked towards capital cost and Rs. 3.4 Crores
	with item wise and year wise	towards recurring cost per annum (with inclusion of
	break up.	existing and proposed cost) for implementation of
		environmental management plan.
c)	Benefit cost ratio/ Internal rate of	Will be calculated and submitted separately.
	return and year of assessment.	
d)	Whether (c) includes the cost of	Yes, the cost benefit ratio will be worked out
	environmental management as	considering the cost of environment management.
	shown in (b) above.	
e)	Actual expenditure incurred on	Rs. 22.5 Crores have been spent w.r.t EC granted for
	the project so far.	expansion proposal.
f)	Actual expenditure incurred on	Rs. 0.8 Crores have been spent on the Environmental
	the environmental management	Management Plan against production w.r.t EC
	plans so far.	expansion.
10.	Forest lands requirement:	
a)	The status of approval for	No forest area is involved.
	diversion of forest land for non-	
	forestry use.	
b)	The status of clear felling.	Not applicable
c)	The status of CA, any	

d)	Comments on the viability &	Not applicable
	sustainability of CA program in	
	the light of actual field experience	
	so far.	
11.	The status of clear felling in	Not applicable
	non-forest areas	
12.	Status of construction	
a)	Date of commencement (actual	August, 2012 (For old project of capacity 100 KLPD)
	and/ or planned).	May, 2016 (For Expansion project from 100 KLPD to
		200 KLPD)
		January, 2022 (For Expansion project from 200 KLPD
		to 400 KLPD)
		March, 2025 (For Expansion project from 400 KLPD to
		550 KLPD)
b)	Date of completion (actual and/	December, 2025 (for expansion)
	or planned).	Project photographs are enclosed as Annexure 2 .
13.	Reasons for the delay if the	Not applicable
	project is yet to start:	

Compliance Report on the conditions imposed on Environmental Clearance for the period ending 31.03.2025

1. Distilleries

S. No.	Conditions	Reply
1.	As per the Notification S.O. 2339(E), dated	Noted.
	16 th June 2021, the project falls in category B2	
	and the proposed expansion capacity of 550	
	KLPD shall only be used for fuel ethanol	
	manufacturing as per self-certification in the	
	form of a notarized affidavit by the Project	
	Proponent. Provided that subsequently if it is	
	found that the ethanol, produced based on the	
	EC granted as per this dispensation, is not	
	being used completely for the EBP	
	Programme, or if ethanol is not being	
	produced, or if the said distillery is not	
	fulfilling the requirements based on which the	
	project has been appraised as category B2	
	project, the EC shall stand cancelled.	
2.	The company shall comply with all the	Agreed. As per the recent EC
	environmental protection measures and	letter, the required expenditure has
	safeguards proposed in the documents	been done under Environmental
	submitted to the Ministry. All the	Management Plan. Rs. 0.8 Crores
	recommendations made in the EIA/EMP in	have been spent on the
	respect of environmental management, and	Environmental Management Plan
	risk mitigation measures relating to the project	so far w.r.t EC expansion.
	shall be implemented (Annexure-III).	Detailed breakup of the same will
		be submitted with next six
		monthly compliance report.
3.	EC granted for a project on the basis of the	Noted. Also, conversion of land
	submitted documents shall become invalid in	use certificate has been obtained
	case the actual land for the project site turns out	prior to start of construction of
	to be different from the land considered at the	project and same was submitted
	time of appraisal of the project. Conversion of	while obtaining Consent To
	land use (CLU) certificate shall be obtained	Establish.
	before the start of construction activities.	
4.	NOC from the Concerned Local authority shall	Consent to Establish (CTE) has
	be obtained before the start of the construction	been obtained from Punjab
	of the plant and abstraction of surface water.	Pollution Control Board for
	State Pollution Control Board shall not issue	proposed expansion and copy of
	Consent to Operate (CTO) under The Air	the same is attached as Annexure
	(Prevention and Control of Pollution) Act,	3(a).
	1981 and The Water (Prevention and Control	

	of Pollution) Act, 1974 till the project	
	proponent obtains such permission.	
5.	The total freshwater requirement for expansion shall not exceed 600 m³/day which will be met from the nearby canal. No groundwater recharge shall be permitted within the premises. Industry shall construct a rainwater storage pond of adequate capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.	Agreed, total freshwater of 600 KLD will not exceed for proposed expansion. It is assured that no groundwater recharging will be done within premises. Furthermore, rainwater storage tank has already been constructed to accumulate water in order to reduce freshwater consumption.
6.	Spent Wash/stillage shall be sent to the decanter followed by the Multiple Effect Evaporator and dryer to form DDGS. DDGS to be used as cattle feed. The MEE & Drier condensate, spent lees, WTP Rejects, Boiler & Cooling tower blowdowns, washings etc. shall be treated in the 'Condensate Polishing Unit' (CPU). STP shall be installed to treat domestic wastewater. The industry shall provide a two-stage RO system in the CPU. The plant will be based on 'Zero Liquid Discharge' system and no effluent/treated water will be discharged outside the factory premises	Agreed. Dryers have been installed and DDGS are already used as cattle feed. For proposed expansion, the industry will generate total 702 KLD of condensates. Out of this, 500 KLD will be directly used in the liquefaction process and 170 KLD will be evaporated. Remaining condensates @ 32 KLD + spent lees 150 KLD + cooling tower blow down 90 KLD and washing effluent 32 KLD will be treated in the existing Condensate Polishing Unit of 700 KLD capacity which will be upgraded to 1,100 KLD. RO permeate will be reused for cooling tower makeup water and RO reject will be used in MEE. Copy of Consent to Establish obtained from PPCB is attached as Annexure 3(a).
7.	APCE five-field Electrostatic Precipitators with 65 m high stack shall be installed for controlling the particulate matter emissions within the statutory limit of 50 mg/Nm³ for the existing 145 TPH Boiler using rice straw and stubble as fuel. Coal shall not be used. At no time, the emission levels shall exceed the prescribed standards. In the event of failure of any pollution control system adopted by the	Agreed. In the existing plant electrostatic precipitators are already installed. For proposed expansion, same shall be complied and accordingly performance assessment will be conducted annually.

8.	unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices/ systems will be conducted annually. Boiler ash (139 TPD) is being/ will be supplied to brick manufacturers or supplied to farmers to improve the porosity of soil. PP shall install 10% of the total power requirement in the form of solar power inside plant premises/adjacent/nearby areas.	Ash generated is being lifted by vendor as agreement has been done with M/s Earth Movers, Sangat Kalan, Bathinda & M/s Shri Balaji Enterprises, Machhana, Bathinda. Same shall continue after expansion. Furthermore, 10% of total power will be met with provision of solar.
9.	CO ₂ (435 TPD) generated during the fermentation process is being collected by utilizing CO ₂ scrubbers and sold to authorized vendors.	Agreed, same shall continue.
10.	PP shall allocate at least Rs. 0.2 Crore as capital cost and Rs. 0.10 Crore as recurring cost for Occupational Health Safety for the proposed expansion. An Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection	Health and Safety Policy is formulated and implemented. Copy of health & safety policy of the Company is enclosed as Annexure 4(a). Health surveillance is being done on regular basis and records are maintained. Copy of the health records are attached as Annexure 4(b). Further, Occupational Health Centre has been provided within the industrial unit and regular doctor (Dr. Kunal Gupta and Dr. Deepak Gupta) has been appointed for health checkup of workers. For safety purpose, workers are already provided with PPE kits and same shall continue after expansion also. It is assured that amount will be designated as mentioned on Occupational, Health & Safety for proposed expansion.

11.	Training shall be imparted to all employees on the safety and health aspects of chemical handling. Safety and visual reality training shall be provided to employees.	Agreed & accepted. Regular training such as mock drill, safety & health related training is being imparted to employees and records are being maintained. Copy of record of training imparted to employees and photograph showing the first aid training conducted at site is enclosed as Annexure 5 .
12.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. The firefighting system shall be as per the norms. PESO certificate shall be obtained. The location of ethanol storage tanks shall be placed in such a way that in the event of any fire, accident, explosion or any unforeseen conditions the impact of such event should not go beyond the boundary of the plant i.e. the risk should be tolerable (acceptable) at the boundary.	Agreed. Fire hydrant system has been installed in the premises. Copy of fire NOC is attached as Annexure 6(a). Further, copy of PESO approval is attached as Annexure 6(b).
13.	The company shall maintain an Emergency Response Decision support system in such a way so that identification of the detector's network for the location of the leak source and the probable leaked quantity in real-time, followed by modelling of the dispersion of the plume and consequences as forecast is done in advance and thus, no leak accident may go unattended. Accordingly, Risk Mitigation plan shall be in place.	Agreed, it shall be implemented in true letter and spirit.
14.	The company shall determine the distance of fire hydrant while finalizing its location from ethanol storage tanks or any other hazardous storage substance shall be based on the dispersion of Thermal Radiation so that during any unforeseen situation fire hydrant is always available to operate manually.	Agreed. Fire hydrant system has been installed in the premises. Copy of fire NOC is attached as Annexure 6(a) . Further, copy of PESO approval is attached as Annexure 6(b) .
15.	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Agreed. Fly ash silos have been provided. Hazardous waste authorization has been obtained from PPCB and copy of the same is enclosed as Annexure 7 .

16.	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high-pressure	Further, hazardous waste is being handed over to authorized vendor. For proposed expansion, similar practices will continue. Agreed. The same is being taken into consideration
	hoses for equipment clearing to reduce wastewater generation.	
17.	The green belt of at least 5-10 m width shall be developed in nearly 9.92 hectares i.e., 42.03 % of the total project area with tree density @ 2500 trees per hectare, mainly along the plant periphery. Indigenous species shall only be developed as part of greenbelt and nonindigenous/alien species shall be replaced with native species. No invasive or alien or nonnative tree species shall be selected for plantation. PP shall develop at least 20 varieties of species as a part of the greenbelt. Saplings 4-6 feet high shall be planted. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map. Greenbelt development shall be completed before the commissioning of the plant. The industry must conserve all existing trees on the proposed site and ensure that no trees are cut down. Trees shall be planted in the Green Belt under the campaign #Plant4Mother #एक पेड़ मॉ के नाम and uploaded on the MeriLiFE portal (https://merilife.nic.in/)	Greenbelt of 9.92 Hectares i.e. 42.03% has already been developed with more than 40,000 trees. Moreover, 26,000 trees have been separately planted at 2.5 acres of land under Nanak Baghichi. Greenbelt within premises along with Mini forest in the form of Nanak Baghichi is being duly maintained. Additional trees, if carried out will be mentioned under the campaign and record will be uploaded in MeriLiFE portal.

18.	PP proposed to allocate Rs. 1.5 Crores towards	In the existing unit, Rs. 30 Lakhs
10.	extended EMP (CER) which shall be spent as	have been spent in development of
	` ´ ´ -	
	submitted in CER plan Annexure-IV). Further,	Nanak Baghichi. Additionally, installation of solar lights and
	all the proposed activities under CER shall be	C
	completed before the commissioning of the	panels have been done at
	plant in consultation with the District	Gurudwara Sahib, Village
	Administration.	Macchana.
		Work has been initiated for
		adoption of Macchana village to
		be developed as Model Village
		and vendor has been engaged to
		develop pond as per Thapar
		Model.
		Detailed breakup of cost spent on
		CER is as follows:
		S.No. Period Amount
		(Rs.)
		1. 01.04.2021 7,46,328
		to
		31.03.2022
		2. 01.04.2022 72,31,000
		to
		31.03.2023
		3. 01.04.2023 2,79,540
		l to
		31.03.2024
		4. 01.04.2024 12,73,280
		l to
		31.03.2025
		Total 95,30,148
		Documentary proofs are attached
		as Annexure 8.
19.	There shall be adequate space inside the plant	Agreed. Adequate space has been
	premises earmarked for parking of vehicles for	provided for parking of vehicles
	raw materials and finished products and no	for loading and unloading of
	parking to be allowed outside on public places.	material. Photograph for the same
	At least 15% of the total project area shall be	is enclosed in Annexure 2 .
	allotted solely for parking purposes with	is choiced in Annexure 2.
	facilities like rest rooms etc	
20.	Storage of raw materials shall be either sored	Agreed. Closed handling and
20.	in silos or in covered areas to prevent dust	conveyance of materials have
	pollution and other fugitive emissions. All	been provided to control the
	1	,
	impervious soil and garland drains with catch	sprinkling is being done in the raw

	pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around the biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.	material storage area to control the dust emissions. Further work zone monitoring is also carried out and six no. of cyclone have been provided within the mill house area to prevent dust pollution and other fugitive emissions.
21.	Continuous online (24x7) monitoring system for stack emissions/effluent shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Agreed. Continuous monitoring system are installed to monitor flue gases from stack and photographs for the same are enclosed in Annexure 2 .
22.	A separate Environmental Management Cell (having a qualified person with Environmental Science/Environmental Engineering/ specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to the Head of Organization/ Director/CEO as per company hierarchy	Agreed. Environment Management Cell has been set up to carry out the Environmental Management and Monitoring functions. Copy of same is attached as Annexure 9 .
23.	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of the Notification published by MOEFCC on 12 th August 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to the Concerned Authority.	EMC constituted is duly taking the initiative to sensitize and create awareness to ban Single Use Plastic. Descriptive report along with photographs will be submitted with next six monthly compliance.

B. General Conditions:

S. No.	Conditions	Reply
1.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Agreed and accepted.
2.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Agreed. In house solar power plant has been proposed.
3.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Agreed. Ambient noise levels are being monitored regularly. Appropriate noise control measures have been adopted within the industry. Copy of recent monitoring done by NABL Accredited Laboratory is enclosed as Annexure 10.
4.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The company M/s BCL Industries Ltd. is undertaking activities under CER/CSR. Details of the activities undertaken along with the expenditure done till 31.03.2025 is enclosed as Annexure 8 .
5.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so	Agreed. As per the EC granted Rs. 21.22 Crores has been earmarked as Capital investment for EMP and Rs. 3.4 Crores as recurring cost (with inclusion of existing and proposed plant).

		D 000 1 1
	earmarked for environment management/	Rs. 0.8 Crores have been spent on
	pollution control measures shall not be diverted	
	for any other purpose.	Plan against production w.r.t EC
		expansion.
6.	A copy of the clearance letter shall be sent by the	Agreed. It has already been
	project proponent to concerned Panchayat, Zilla	submitted.
	Parishad/Municipal Corporation, Urban local	
	Body and the local NGO, if any, from whom	
	suggestions/ representations, if any, were	
	received while processing the proposal.	A 1 XX 10 1 1
7.	The project proponent shall also submit six	Agreed. Half yearly compliance
	monthly reports on the status of compliance of the	report is being submitted to RO,
	stipulated Environmental Clearance conditions	MoEF&CC. Screenshot of e-mail
	including results of monitored data (both in hard	showing submission of previous
	copies as well as by e-mail) to the respective	six monthly compliance report
	Regional Office of MoEF&CC, the respective	for period ending 30.09.2024 is
	Zonal Office of CPCB and SPCB. A copy of	
	Environmental Clearance and six monthly	Also, six monthly compliance
	compliance status report shall be posted on the	report is being uploaded at
	website of the company.	Parivesh Portal. Further, EC
	website of the company.	,
		letter granted to the project has
		been uploaded on the Company's
		website https://www.bcl.ind.in/
		and screenshot showing the same
		is enclosed as Annexure 11(b)
		and screenshot showing
		uploading previous six monthly
		compliances on Company's
		website is attached as Annexure
		11(c).
8.	The environmental statement for each financial	Agreed. Form V has been
	year ending 31st March in Form-V as is mandated	submitted to RO, PPCB.
	shall be submitted to the concerned State	Acknowledgement of the same is
	Pollution Control Board as prescribed under the	attached as Annexure 12.
	<u> </u>	anacheu as Annexure 12.
	Environment (Protection) Rules, 1986, as	
	amended subsequently, shall also be put on the	
	website of the company along with the status of	
	compliance of environmental clearance	
	conditions and shall also be sent to the respective	
	Regional Offices of MoEF&CC by e-mail.	
9.	The project proponent shall inform the public that	Agreed. Advertisements have
	the project has been accorded environmental	been duly published.
	clearance by the Ministry and copies of the	
	clearance letter are available with the	
<u> </u>		<u>l</u>

	SPCB/Committee and may also be seen at	
	Website of the Ministry and at	
	https://parivesh.nic.in/. This shall be advertised	
	within seven days from the date of issue of the	
	clearance letter, at least in two local newspapers	
	that are widely circulated in the region of which	
	one shall be in the vernacular language of the	
	locality concerned and a copy of the same shall be	
	forwarded to the concerned Regional Office of the	
	Ministry.	
10.	The project authorities shall inform the Regional	Agreed the same will be
	Office as well as the Ministry, the date of	complied.
	Office as well as the Ministry, the date of financial closure and final approval of the project	complied.
	• •	complied.
	financial closure and final approval of the project	complied.
11.	financial closure and final approval of the project by the concerned authorities and the date of start	Agreed and accepted.
11.	financial closure and final approval of the project by the concerned authorities and the date of start of the project.	
11.	financial closure and final approval of the project by the concerned authorities and the date of start of the project. This Environmental clearance is granted subject	
11.	financial closure and final approval of the project by the concerned authorities and the date of start of the project. This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of	

F. No. J-11011/348/2014-IA II (I) Government of India Ministry of Environment, Forest & Climate Change (I.A. Division)

indira ParyavaranBhawan Aliganj, Jorbagh Road, New Delhi -110003

E-mail: <u>lk.bokolia@nic.in</u> Telefax: 011-24695313 Dated: 6th April, 2016

Τo

M/s Raynder Mittal Managing Director M/s BCL Industries and Infrastructure Ltd. Hezi Ratan Link Road, Bhatinda, Punjab (151005)

F-mail: bcl2@connectzone.in ; Fax No. 0164-2240424

Subject:

Expansion of Grain Based Distillery from 100 KLPD to 200 KLPD and Cogeneration Power Plant (from 5 MW to 10 MW) at Village Machenana and Sangat Kalan, Tehsil and District Bathinda, Punjab by M/s BCL Industries and Infrastructure Ltd. - Environmental Clearance reg.

Ref : Your online proposal no. (A/PB/IND2/27543/2014 dated 8th May, 2015.

54

This has reference to your online proposal no IA/PB/IND2/27540/2014 dated 8th May 2015 alongwith project documents including Form I, Ferms of References, Pre-feasibility Report, EIA/FMP Report alongwith Public Hearing Report regarding above mentioned project.

The Ministry of Environment: Forest & Climate Change has examined the application. It is noted that proposal is for expansion of Grain Based Distillery from 100 Kt.PD to 200 Kt.PD and Cogeneration Power Plant (from 5 MW) to 10 MW) at Village Machchana and Sangat Kalair, Tehsi, and District Bathinda, Punjab. Total plot area is 141600 m² of which greenboal will be developed in 89000 m². Cost of project is Rs. 45.10 crore. Out of which, Rs. 7.36 Crore and Rs. 2.75 Crore are earmarked towards capital cost and requiring cost per annum for implementation of environmental management plan. It is reported that no eco-sensitive area such as national park/wildlife sanctuary/biosphere reserves/ reserve forest is located within 10 km distance. Distillery unit will be operated for 330 days in a year. Phase wise daily production of products and by-products from the distillery plant is given below.

s N.	Product	Jag	Existing Capacity	Proposed additional capacity	Total !
i 755	ENA/RS Syproducts		. ::05	100	500
	CO2 Pusel Oil	MT -	27	8ii : 	160

DDGS V Corn OJ (in case of maize used as row	MT -	50 <u> </u>	5 - 100
material)		·- · ·i	

Phase wise daily production of IMFL/country liquor from the boltling plant is given below:

· · · · · · · · · · · · · · · · · · ·					
5.N.	Item	Unit "	Existing	Proposed	T. Total
		i	capacity	Additional	Total
!	: IMFL/Country			Capacity	<u> </u>
	Liquor	Cases	8000	8000	16000
	-· <u> </u>	——- -—— '		··-··· —· .	L _

- 3.0 ESP alongwith stock of adequate neight will be provided to additional biomass/coal fired boiler (35 FPH) to control particulate emissions. Fresh water requirement from canal water will be increased from 675 m³/day to 1350 m³/day after expansion. Spent wash generation will be 975 m³/day, spent loss generation will be 150 m³/day and MEE condensate will be 395 m³/day from the proposed expansion. Spent wash from grain based distillory will be passed through decanter and concentrated in multi-effect evaporator (MEE). Thick syrup and wet cake will be mixed fogother to form Distiller's Wet Grains with Soluble (DWGS) to achieve zero discharge. DWGS will be dried to form Distiller's Day Grains with Soluble (DWGS), Out of total generation of 545 m³/day of condensate generation, 495 m³/day will be directly reused in the liquefaction process. Effluent from spentless, utrities effluent and evaporator Condensate (50 m³/day) will be treated in effluent treatment plant and recyclod/reused in process. No effluent will be discharged outside the plant premises and Zerol effluent discharge concept will be followed, oil will be sent to authorized recyclers/re-processors.
- 4.0 Public hearing/public consultation meeting was conducted on 20th March, 2015.
- 5.0 All carte juice/non-molasses based distillery (>60 KLD) are listed at S.N. 5(g) (ii) under category A' and appraised at Central lovel
- 6.0 The proposal was considered by the Expert Appraisal Committee (Industry) in its 28th 46th and 2nd meetings held during 1st -2nd December 2014, 20th-21th August, 2015 and 16th-17th December, 2015 respectively. The Committee recommended the proposal for environmental clearance. Project Proponent and the EIA Consultant namely Ace Engineers and Consultants, stay order as per Court case No CWP No. 19598 of 2012, have presented EIA / EMP report as per the 10R EAC has found the EIA / EMP Report and additional information to be satisfactory and at hill consonance with the presented TORs. The Committee recommended the proposal for environmental clearance.
- 7.0 Based on the information submitted by the project proposent, the Ministry of Environment and Forests fiereby accords environmental ofcerance to above project under the provisions of EIA Notification ualled "4" September 2006, subject to the compliance of the following Specific and General Conditions

A. Specific Conditions:

- Environment clearance accorded is for grain based distiflery unit (200 KLPD) only and no moresees based distillery unit shall be operated without prior permission from the Ministry
- it) ESP alongwith stack of adequate height shall be provided to additional biomass/coal.

fixed botter (35 TPH) to control particulate emission within 50mg/Nm³. At no time, the emission levels should go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the sunt, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.

- ii) In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi-cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at leading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records shall be maintained. The emissions shall conform to the limits imposed by Punja'b Pollution Control Board (PPCB).
- .v) Pucce approach road to project site shall be constructed prior to commencing construction activity of the main distillery so as to avoid fugitive emissions.
- v) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB guidelines. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.
- vi) The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MOEF, the respective Zonal office of CPCB and the PPCB. The tevels of PMgs, PMns, SOs, NOx, CO and HC (Methane) in ambient air shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.
- vii) Total fresh water requirement from surface water supply shall not exceed 1350 m3/day for distillery and cogeneration unit after expansion. Water consumption shall be reduced by adopting 3 R's (reduce, reuse and recycle) concept in the process.
- Spant wash generation shall not exceed 6 KI/KI of alcohot. Spont wash shall be treated through decanter and concentrated in multi-effect evaporator (MEE) to form DWGS. DWGS will be sent to dryer to form DWGS. The condensato, spentiaes and utilities effluent shall be treated in the ETP comprising tentary treatment. Treated effluent will be used for make up water of cooling towers and water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB and recycle/reuse.
- No effluent from distillery and co-generation power plant shall be discharged outside the factory promises and 'Zero' effluent discharge concept shall be adopted
- Process efficient/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pend.
- xi) Automatic rontine monitoring system (24x7 monitoring devices) for flow measurement and relevant collutants in the treatment system to be installed. The data to be made available to the respective SPCS and in the Company's website.
- Spent wash shall be stored in the steet tank with maximum capacity for 5 days for emergency situation.
- xir). Adequate numbers of ground water quality mentoring stations by providing piezomaters

around the project area shall be set up. Sampling and trend analysis monitoring must be made on monthly a basis and report submitted to SPCS and this Ministry. The ground water quality monitoring for pH, SOD, COD, Chloride, Sulphate and Total Dissolve Solids shall be monitored and report submitted to the Ministry's Regional Office of Chandigarh and PPCB

- No storage of wet cake shall be done at site to avoid odour problem. An additional dryer small be installed so that at any time wet cake is not sold then wet cake shall be converted into dry cake by operating additional dryer.
- (v) Biomass storage shall be done in such a way that it does not get air borne or fly around due to wind.
- xvi) Fly ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing alongwith the storm water. Direct exposure of workers to fly ash & dust shall be avoided.
- xvi:) Fire fighting system shalf be as per norms and cover all areas where alcohol is produced, handled and stored. Provision of foam system for fire fighting shall be made to control fire from the alcohol storage tank.
- xviir). Risk Assessment shalf be carried to assess the fire and explosion risk due to storage of alcohol and report submitted to the Ministry and its Regional Office at Chandigarh within six months.
- xix) Dedicated Cell with qualified personnel for Environment management should be established to take care of all pollution related activities including monitoring.
- occupational health surveillance programme shall be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health centre shall be strengthened and the regular medical test records of each employee shall be maintained separately.
- xxii Dedicated parking facility for loading and unloading of moterial shall be provided in the factory premises it nit shall develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.
- xxii) As proposed, green beit over 33 % of the total project area shaft be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in Sownward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
- xxii) An the commitment made regarding issues raised during the Public Hearing/consultation meeting held on 20th March, 2015 shall be satisfactorily implemented and a separate budget for implementing the same shall be allocated and information submitted to the Ministry's Regional Office at Chandigarh.
- At least 5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based on locals need as well as public hearing issues and itemwise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Chandigath Implementation of such program shall be ensured accordingly in a time bound mapper.

Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crecke etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.

B. General Conditions:

- The project authorities shall strickly adhere to the stipulations made by the Punjable Pollution Control Board
- No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the Punjab Pollution Control Board (PPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, engiosures etc on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- The Company shall harvest rainwater from the roof-tops of the buildings and storm water brains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vi The Company shall obtain Authorization for collection, storage and disposal of hazardeus waste under the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 and its amendment time to time and prior permission from PPCB shall be obtained for disposal of solid / hazardous waste including boiler ash
- Vir During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic wastewater and storm water drains.
- vir. Usago of Personnel Protection Equipments by all simplifyees/ workers shall be ensured.
- Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- X The company shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the

- recommendations made in the EINEMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.
- The company shall undertake CSR activities and all relevant measures for improving the socioleconomic conditions of the surrounding area.
- xi. The company shall uncertake eco-developments' measures including community welfare measures in the project area for the overall improvement of the environment.
- xiiv. A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xiv. As proposed, the company shall earmark sufficient funds toward capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management pollution control measures shall not be diverted for any other purpose.
- A copy of the clearance letter shall be sent by the project proponent to concerned Penchayet. ZitaPar sad/Municipal Corporation, Urban local Body and the local NGO, if arry, from who suggestions/ representations, if any livere received while processing the proposal.
- xv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clasrance conditions including results of monitored data (both in hard copies as well as bye-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the Punjab Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- The environmental statement for each financial year ending 31 st March in Form-Vas is mandated shall be submitted to the Puripab Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Chandigarb Regional Offices of MoFF over-mail.
- If project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://er.vior.nic.in. This shalf be adventised within soven days from the date of issue of the clearance letter, at least in two local nowspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of slart of the project.
- 8.0 . The Ministry may revoke or suspend the clearance of implementation of any of the above conditions is not satisfactory.

- 9.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
- 10.0 The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Poliution) Act. 1974. Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008and the Public Exhibitry Insurance Act, 1991 along with their amendments and rules.

(Lalit Bokolia) Additional Director

Copy tor-

- 1. The Principal Secretary, Environment Ceparlment, Government of Punjab, Chandigarh.
- The Chief Conservator of Forests, Regional Office (Northern Zone), Bay No.24-25, Sector 31-A. DakshimMarg, Chandigarh-160030
- The Charman, Central Pollution Control Board PariveshBhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032
- The Chairmen, Punjab Pollution Control Board, ValavaranBhawan, Nabha Road, Patiala, 147001, Punjab.
- Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran. Bhavan, Jor Bagn Road, New Delhi.
- Guard File/Monitoring File/Record File/ Notice Board.

(Lalit Bokolia) Additional Director

F. No.J-11011/348/2014-(A-II(I)

Government of India Ministry of Environment, Forest and Climate Change (A-N Division

> Indita Paryavaran Bhawan Jorbagh Road, N Delhi 3 Dated: 25" October, 2019

√T9/

M/s BCL Industries and Infrastructure I to Village Machchana and Sangat Kalan. Tehsil and District <u>Bathinda</u> (Punjah)

Sub: Expansion of Grain Based Distillery from 100 KLPD to 200 KLPD and Cogeneration Power Plant (from 5 MW to 10 MW) at Village Machchana and Sangat Kalan, Tehsil and District Bathinda, Punjab by M/s BCL Industries and Infrastructure Ltd - Amendment in EC - reg.

Sig.

This refers to your online proposal No IA/PB/IND2/27543/2014 for amendment in the environmental clearance to the above project.

- 2. The Ministry of Environment, Forest and Climate Change has examined the above proposal for amendment in the environmental clearance granted by the Ministry vide letter dated 8th April, 2016 in favour of M/s BCL Industries and Infrastructure Ltd for their project Tixpansion of Grain Based Distillery from 100 KLPD to 200 KLPD and Cogeneration Power Plant (from 5 MW to-10 MW)—at Village Machehana end Sangat Kalan, Tehed and District Bathanda (Punjab), to add one product namely Anhydrous Alcohol in the list of product, deletion of condition No. xii i.e. spent wash storage tanks and increase in land area from 141600 sqm to 259484.43 sqm.
- 3. The proposal was considered by the Expert Appraisal Committee (Industry-2) in the Ministry in its meeting held on 29-31 July, 2019. The EAC, after deliberations, recommended for inclusion of 'Anhydrous Alcohol' in the product list and deletion of condition regarding sport wash storage tanks, but with the additional environmental condition as under:
- Prior approval shall be obtained from the Potroleum & Explosives Safety Organization (PFSO) for the site and Jayout plan submitted to this Ministry along with the proposal for EC. In case of any change therein post PESO approval, the proposal shall require frosh appraisal by the sectoral EAC.

The Committee was not agreed for amondment to effect increase in land area.

4. Based on recommendations of the EAC, the Ministry of Environment, Forest and Climate Change Increby accords approval to the proposed amendment in the environmental clearance dated 8th April, 2016, as stated in para 3 above except increase in land area, to the project for 'Expansion of Grain Based Distillery from 100 KLPD to 200 KLPD and Cogeneration Power Plant (from 5 MW to 10 MW)' at Village Machehana and Sangat Kalan, Tehsif and District Bathinda (Penjab)'.

All of the tarms sin'' conditions scipulated in the environmental of mystory, third $\mathbf{8}^{th}$ April, 20m har straintaid inclanded

> (Shareth Kumar Patteria) Scientist F

Copy No. -

10

- The Additional Princips) Chief Conservator of Forests (C). Ministry of Environment, Forest and Jacobs Charge Region / Office (NZ), Bays No.24-25, Ecolor 31-9, Ockshin Marg.
- 2. The Secretary Decretations of Science, Tochnology & Environment, Government of Punjab,
- 3) in Moment Georgany, Contral Pollution Control Board, Parmesh Bhayene, East Arjun
- 4. The Magaziar Egyptetery, Penjish Pollution Control Board, Vater, prac Rhamph, Nabha Road
- 5 W. no. and Marriels they of Environment, Forest and Climate Change, New Dothi
- 6 Guard Filo wouldning File/Record File

ENVIRONMENTAL CLEARANCE

Pro-Active and Responsive Facilitation by Interactive, and Virtuous Environment Single-Window Hub)



Government of India Ministry of Environment, Forest and Climate Change (Impact Assessment Division)

To.

The Deputy General Manager BCL INDUSTRIES LTD.

BCL Industries Ltd., Hazi Rattan Link Road, Bathinda, Bathinda, Punjab-151001

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

7.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/PB/IND2/27543/2014 dated 08 Sep 2021. The particulars of the environmental clearance granted to the project are as below.

EC21A022PB133062 1. EC Identification No. J-11011/378/2013-IA II(I) 2. File No.

3. **Project Type** Expansion

4. Category

5. Project/Activity including 5(g) Distilleries Schedule No.

BCL Industries and Infrastructures Ltd., 6. Name of Project **Distillery Unit**

Name of Company/Organization BCL INDUSTRIES LTD.

8. **Location of Project** Punjab 9. **TOR Date** 23 Jan 2015

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) A.K Pateshwary Date: 25/10/2021 Director IA - (Industrial Projects - 2 sector)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

This has reference to your online proposal no. IA/PB/IND2/27543/2014, dated 08th September, 2021 for environmental clearance to the above mentioned project.

- 2. The Ministry of Environment, Forest and Climate Change has examined the project for Expansion of existing 200 KLPD grain-based distillery unit and cogeneration power plant of 10 MW capacity by installing 200 KLPD grain-based Ethanol Plant (Additional Biofuel production) and additional 10 MW of power cogeneration at the existing location by M/s. BCL Industries Ltd. located at village Machhana and Sangat Kalan, Tehsil and District Bathinda, Punjab.
- **3.** As per the MoEF&CC Notification S.O. 2339(E), dated 16th June, 2021, a special provision in the EIA Notification, 2006-(Schedule 5 (ga), Category B2) is made, wherein for all applications made for Grain based distilleries with Zero Liquid Discharge producing ethanol; solely to be used for Ethanol Blended Petrol Programme of the Government of India shall be considered under B2 Category and appraised at Central Level by Expert Appraisal Committee (EAC) with condition that the project proponent shall file a notarized affidavit that ethanol produced from proposed project shall be used completely for EBP Programme.
- **4.** Standard ToR and public Hearing conduction is not applicable as the project falls under category B2 as per OM dated 2nd March, 2021 & 16th June, 2021. It was informed that no litigation is pending against the project.
- **5.** Ministry has issued the Environmental Clearance earlier vide letter no. F. No. J-11011/348/2014-IA II (I) dated 8th April, 2016 to the existing project of 200 KLPD grain based distillery and 10 MW of cogeneration of power in favour of M/s BCL Industries Ltd.

6. The details of products and capacity are as under: -

S. No.	Item	Unit	Existing Capacity	Proposed Additional Capacity	Total
1.	ENA/RS/ Impure spirit/ Country spirit/ Denatured spirit/ Fuel Ethanol (Absolute ethanol)	KL	200	200 (Fuel Ethanol Only)	400
2.	By-products				
	CO2	MT	160	160	320
	Fusel Oil	MT	2.0	2.0	4.0
	DDGS	MT	100	100	200

7. Existing land area is 236000 sq. meters and no additional land area will be used for the proposed expansion. Industry has already developed green belt in an area of 95000 sq. meters which is more than 33 % of total land area. The

estimated project cost is Rs. 140 crores for the proposed project. Total capital cost earmarked towards environmental pollution control measures is Rs. 18.50 crores and recurring cost (operation and maintenance) will be about Rs. 2.75 crores. Total employment generation will be 500 persons as direct and indirect employment due to the proposed expansion. Industry proposes to allocate Rs. 1.05 crores towards corporate environment responsibility.

- **8.** There are no national parks, wildlife sanctuaries, biosphere reserves, Tiger/Elephant reserves, Wildlife corridors etc. within 10 km distance from the project site.
- **9.** Overall water requirement: Total average fresh water consumption for the existing as well as proposed expansion of the industry can be summarized as under;

S. No.	Purpose	Existing (m3/day)	Proposed (m3/day)	Total (m3/day)
1.	Process & dilution water	200	345	545
2.	Cooling water (max.)	1000	340	1340
3.	Boiler water requirements	450	175	625
4.	Water treatment plant	80	20	100
5.	Domestic	20	10	30
6.	Water requirement for bottling plant	50	0	50
	Total	1800	890	2690

Water requirements for the proposed expansion project will be $890~\text{m}^3/\text{day}$ or 4.45~KL/KL of alcohol production

Total water requirements after the proposed expansion will be 3125 m³/day. All the fresh water requirements for the existing as well as proposed project will be met from canal water. The industry has already got the permission from Irrigation Department, Punjab for the supply of canal water @ 3500 m³/day.

The industry will generate a total of $1450~\text{m}^3/\text{day}$ of condensates including spent lees from the proposed expansion. Out of this, $840~\text{m}^3/\text{day}$ will be directly used in the process for slurry preparation. Remaining condensates @ $610~\text{m}^3/\text{day}$ will be treated in condensate polishing unit and reused for cooling tower makeup water. Effluent from misc. streams will be $214~\text{m}^3/\text{day}$ which will be treated in ETP and reused for water of green belt within the industrial premises.

10. Power requirements for the proposed expansion will be 15000 KVA and will be met from in house cogeneration power plant. Existing unit has 1 x 1000 KVA D G set to be used as standby during power failure. Stack height to the D G sets has been provided as per PB norms. Existing unit has 2 x 35 TPH biomass/coal fired boilers. Additional 75 TPH biomass/coal fired boiler will be installed. Electrostatic precipitator will be installed as pollution control system to achieve

the statutory limit of 50 mg/Nm³ for the proposed boiler.

11. Details of process emissions generation and its management:

The industry will install dryers for the handling of DWGS for controlling process odours from the factory.

- **12.** Details of certified compliance report submitted by RO; MoEF&CC vide letter no. 5-297/2011-RO(NZ)/557-558 dated 06.09.2021.
- **13.** As per OM dated 16th June, 2021, PP has submitted self-certification in the form of affidavit declaring that the proposed capacity from 200 KLPD to 400 KLPD will be for manufacturing of fuel ethanol only.
- **14.** During deliberations, EAC observed that fresh water requirement is too high. In this regard EAC directed to revise water balance. PP has submitted the revised water balance reducing fresh water consumption for the proposed expansion to 890 KLPD.
- **15.** The proposal was considered by the EAC in its 40th meeting held on 14th 16th September, 2021 in the Ministry, wherein the project proponent and their consultant M/s. Enviro Infra Solutions Pvt. Ltd., presented the case under B2 category. The Committee **recommended** the project for grant of environmental clearance.
- **16.** The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with the EMP report prepared and submitted by the Consultant accredited by the QCI/NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.
- 17. The Committee noted that the EMP report is in compliance of the PFR. The Committee deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.
- **18.** The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project

proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

19. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for Expansion of existing 200 KLPD grain-based distillery unit and cogeneration power plant of 10 MW capacity by installing 200 KLPD grain-based Ethanol Plant (Additional Biofuel production) and additional 10 MW of power cogeneration at the existing location by M/s. BCL Industries Ltd. located at village Machhana and Sangat Kalan, Tehsil and District Bathinda, Punjab, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

A. Specific Condition:

- (i). As per OM dated 16th June, 2021, project falls in category B2 and the proposed capacity from 200 KLPD to 400 KLPD shall be only be used for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.
- (ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (iii). The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.
- (iv). Total fresh water requirement shall not exceed 890 KLPD for the proposed expansion and it will be met from canal water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.
- (v). The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed.

- (vi). CO₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.
- (vii). Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (viii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
 - (ix). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
 - (x). Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
 - (xi). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste;
 (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (xii). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- (xiii). As per the Ministry's OM dated 30.09.2020 superseding the OM dated 01.05.2018 regarding the Corporate Environmental Responsibility, and as per the action plan proposed by the project proponent to address the socio-economic and environmental issues in the study area, the project proponent, as committed, shall provide education funds in technical training centers/ support in nearby village's schools, support in health care facilities, drinking water supply and funds for miscellaneous activities

- like solar street lights, battery, solar panel etc., in the nearby villages. The action plan shall be completed within time as proposed.
- (xiv). There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per CPCB norms and no parking to be allowed outside on public places.
- (xv). Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- (xvi). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (xvii). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

B. General Condition:

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be

implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

- **20.** The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.
- **21.** Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- **22.** Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- **23.** The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.
- **24.** This issue with the approval of the competent authority.

(Ashok Kr. Pateshwary)
Director

Copy to: -

- 1. The Secretary, Department of Science, Technology & Environment, Government of Punjab, Chandigarh
- 2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Bays No.24-25, Sector 31-A, Dakshin Marg, Chandigarh 160030
- 3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi 32
- 4. The Member Secretary, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala, 147001 (Punjab)
- 5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi
- 6. District Collector, Bathinda, Punjab
- 7. Guard File/Monitoring File/ Parivesh Portal /Record File

(Ashok Kr. Pateshwary)
Director
E-mail: ak.pateshwary@gov.in
Tel. No. 24695290

Signature Not Verified
Digitally signed by AK Pateshwary
Director
Date: 10/25/2021 5:15:53 PM



File No: J-11011/378/2013-IA II(I)

Government of India Ministry of Environment, Forest and Climate Change IA Division



Dated 11/11/2024



To,

Sh. Krishan Murari Gupta,

M/s BCL INDUSTRIES LIMITED

BCL Industries Ltd., Hazi Rattan Link Road, Tehsil and District - Bathinda, PUNJAB, 151001

bclindustries2023@gmail.com

Subject:

Expansion of Distillery Plant with addition of 150 KLD Grain Based ethanol with existing facility of 400 KLD (200 KLD#ENA/RS/Anhydrous Alcohol + 200 KLD # Grain Based Ethanol) along with existing co-generation Power Plant of 20 MW located at Village Machhana and Sangat Kalan, Tehsil Sangat, District Bathinda, Punjab by M/s BCL Industries Limited – Consideration of Environment Clearance reg.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Expansion of Distillery Plant with addition of 150 KLD Grain Based ethanol with existing facility of 400 KLD (200 KLD#ENA/RS/Anhydrous Alcohol + 200 KLD # Grain Based Ethanol) along with existing co-generation Power Plant of 20 MW by M/s BCL Industries Limited submitted to Ministry vide proposal number IA/PB/IND2/483361/2024 dated 10/07/2024.

2. The particulars of the proposal are as below:

(i) EC Identification No. EC24C2504PB5197253N (ii) File No. J-11011/378/2013-IA II(I)

(iii) Clearance Type EC (iv) Category B2

(v) Project/Activity Included Schedule No.5(g) Distilleries(vi) SectorIndustrial Projects - 2

Expansion of Distillery Plant with addition of 150 KLD Grain Based ethanol with existing facility of 400 KLD (200 KLD#ENA/RS/Anhydrous Alcohol

(vii) Name of Project + 200 KLD # Grain Based Ethanol) along with

existing co-generation Power Plant of 20 MW by

M/s BCL Industries Limited

(viii) Name of Company/Organization BCL INDUSTRIES LIMITED

(ix) Location of Project (District, State) BATHINDA, PUNJAB

(x) Issuing Authority MoEF&CC

(xii) Applicability of General Conditions(xiii) Applicability of Specific Conditionsno

- 3. The Ministry of Environment, Forest and Climate Change has examined the proposal seeking environmental clearance for Expansion of Distillery Plant with addition of 150 KLD Grain Based ethanol with existing facility of 400 KLD (200 KLD#ENA/RS/Anhydrous Alcohol + 200 KLD # Grain Based Ethanol) along with existing co-generation Power Plant of 20 MW located at village Machhana and Sangat Kalan, Tehsil Sangat, District Bathinda, Punjab by M/s BCL Industries Limited.
- 4. As per EIA Notification 2006 (Schedule 5 (g) Category A); however, as per in the MoEF&CC Notification S.O. 345(E), dated the 17th January, 2019, notification number S.O. 750(E), dated the 17th February, 2020, S.O. 980 (E)dated 02nd March, 2021 & S. No. 2339(E) 16th June, 2021, a special provision in the EIA Notification, 2006 "Expansion of sugar manufacturing units or distilleries for production of ethanol, having Prior Environment Clearance (EC) for existing unit, to be used completely for Ethanol Blended Petrol (EBP) Programme only, as per self-certification in form of an affidavit by the Project Proponent, shall be appraised as category 'B2' projects.
- 5. The details of products and capacity are placed in Annexure II.
- 6. The Ministry has issued Environmental Clearance to the Expansion of the existing 200 KLPD grain-based distillery unit and cogeneration power plant of 10 MW capacity by installing 200 KLPD grain-based Ethanol Plant (Additional Biofuel production) and additional 10 MW of power cogeneration vide File No. J-11011/378/2013-IA II(I) dated 25.10.2021. Certified Compliance Report is obtained from MoEF&CC, Regional Office, Chandigarh vide File No. 5-297/2011/IRO/eFile Dated 27.09.2023. Action Closure letter is obtained from MoEF&CC, New Delhi vide File no. IA-J-11014/97/2023-IA-I dated 16.04.2023. EAC was satisfied with the response of PP.
- 7. Standard ToR and Public Hearing is not applicable as the project falls under category B2 as per OM dated 16th June 2021. It was informed that there is no litigation pending against the project.
- 8. Total plant area after expansion will be 23.60 Ha. However, existing plots have an area of approx. 4.76 ha out of 23.60 ha is being changed with new plots of having the same area. Out of the total plant area 9.92 Hectares i.e. 42.03% of the total plant area has already been developed as greenbelt & plantation and the same will be maintained/ will be developed under greenbelt & plantation in and around plant premises. The estimated project cost is after expansion is Rs. 340.10 Crores. (Existing Project Cost -265.10 Cr. and Expansion Project Cost -75 Cr). After expansion Capital cost of EMP would be Rs. 21.22 Crores and the recurring cost for EMP would be Rs. 3.4 Crores per annum. Industry proposes to allocate Rs. 1.5 Crores towards extended EMP (Corporate Environment Responsibility). Total Employment after expansion will be 550 persons as direct & indirect.
- 9. There are no national parks, wildlife sanctuaries, Wildlife Corridors etc. within 10 km distance. Lower Lissara Nala is passing 0.05 km away from the project site in the South direction. Sirhind Canal is 2 km towards the South direction from the project site. Flood NOC has been obtained from Deputy Commissioner cum District Magistrate, Bathinda on 05.07.2024.
- 10. AAQ modelling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be 0.04 μ g/m3, 0.06 μ g/m3, 0.06 μ g/m3, 3.04 μ g/m3 and 1.14 μ g/m3 with respect to PM2.5, PM10, SO2, NO2 and CO respectively. The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).
- 11. Total water requirement for existing plants including CPP is 3,125 m3/day. Main source of water is surface water from nearby canal. Agreement has been executed between PP & Executive Engineer Bathinda Canal Division on 31.05.2023. During the no-demand period from the agriculture sector and canal cleaning period groundwater will be used with surface water to meet the desire daily water quantity. Ground water permission is obtained on 23/01/2023 vide permission No. PWRDA/01/2023/L3/508. For the proposed expansion of 150 KLD Ethanol production, the daily water requirement will be 600 KLD @4.0 KL per KL production of Ethanol.

- 12. Total power requirement after expansion will be 20 MW (Existing = 17.5 MW + Expansion = 2.5 MW) which will be met from in house co-generation power plant of 20 MW. The existing distillery has 145 TPH AFBC using rice straw and stubble as fuel for the boiler. ESP with a stack of height of 65 m is installed with the existing boiler for controlling the particulate emissions within the statutory limit of 50 mg/Nm3. Industry have 1 DG set of 1000 kVA have been installed within the plant area and 2000 kVA will be installed after expansion.
- 13. Details of Process emissions generation and its management:
- ESP with a stack height of 65 meters is installed for controlling the particulate matter emissions.
- Online Continuous Emission Monitoring System is installed with the stack and data will be transmitted to CPCB/SPCB servers.
- CO2 (435 TPD) generated during the fermentation process is being collected by utilizing CO2 scrubbers and sold to authorized vendors.
- 14. Details of solid waste/Hazardous waste generation and its management:
- DDGS (Distilled Dried Grains Stillage) (300 TPD) is being / (125 TPD) will be sold as cattle feed/fish feed/ prawn feed.
- Boiler ash (139 TPD) is being/ will be supplied to brick manufacturers or supplied to farmers to improve the porosity of soil and low-lying area.
- Used oil (2.5 Kilolitres per annum) will be sold to authorized recyclers.
- CPU sludge (555 kg/day) and STP Sludge (139 kg/day) will be used as manure.
- 15. As per Notification S.O 2339(E), dated 16th June 2021, PP has submitted self-certification in the form of notarized affidavit declaring that the proposed expansion capacity of 150 KLD and existing capacity 400 KLD (200 KLD#ENA/RS/Anhydrous Alcohol + 200 KLD # Grain Based Ethanol) (Total 350 KLD grain-based ethanol) will be used for manufacturing fuel ethanol only.
- 16. During deliberations, EAC discussed the following issues:
- PP shall submit summary with the justification of existing land removed and new land added for the proposed project. In this regard, the project proponent informed that as per EC dated 25.10.2021 total project area was 58.31 acres, which is under the possession of the company. Now, as part of expansion in the instant proposal, PP proposes to replace 2 nos. of land parcel measuring approx. 11.73 acres with new contiguous land parcels of equivalent area.

The project has informed that existing plots having an area of approx. 4.76 ha out of 23.60 ha is being changed with new plots of having the same area. The two land parcels which are to be excluded from site are:

- (i) Land abutting NH as it is proposed to be used for Petrol pump (Future Planning).
- (ii) Second land parcel is proposed to be used for Bio-diesel plant.

In this regard, the project proponent requested to consider the inclusion of the additional land as per provision of para 7 (ii) b of EIA notification, 2006.

- PP shall submit undertaking for biomass shall be used as fuel for the boiler to generate steam. No coal shall be used for the operation of boiler.
- PP shall submit undertaking there shall not be any adverse impact on the trees planted in Guru Nanak Forest due to the proposed expansion.
- PP shall submit revised CER budget.
- PP shall submit details of exiting trees planted at the site.

The committee was satisfied with the response provided by PP on the above information. Further, the Committee desired to submit the above information in writing. Accordingly, PP has submitted the desired information and EAC found the information/commitments satisfactory.

17. The proposal was considered by the EAC (Meeting ID: EC/AGENDA/EAC/797852/7/2024) held on 25th & 31st July 2024 in the Ministry, wherein the project proponent and the accredited Consultant M/s. GRC India Pvt. Ltd. (NABET certificate no. NABET/EIA/21-24/SA 0211 and valid till 15.08.2024), presented the case. The Committee recommended the project for grant of environmental clearance.

- 18. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with the EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.
- 19. The Committee noted that the EMP report is in compliance of the PFR. The Committee deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have recommended for grant of environmental clearance.
- 20. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.
- 21. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords the Environmental Clearance for the establishment of Expansion of Distillery Plant with addition of 150 KLD Grain Based ethanol with existing facility of 400 KLD (200 KLD#ENA/RS/Anhydrous Alcohol + 200 KLD # Grain Based Ethanol) along with existing co-generation Power Plant of 20 MW located at Village Machhana and Sangat Kalan, Tehsil Sangat, District Bathinda, Punjab by M/s BCL Industries Limited, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions.
- 22. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time-bound manner. The Ministry may revoke or suspend the Environmental Clearance, if the implementation of any of the above conditions is not found satisfactory.
- 23. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 24. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 25. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.
- 26. This issues with the approval of the Competent Authority.

Copy To

- 1. The Secretary, Department of Science, Technology & Environment, Government of Punjab, Chandigarh.
- 2. The Regional Officer, Ministry of Env., Forest and Climate Change, Regional Office, Bays No.24-25, Sector 31-A, Dakshin Marg, Chandigarh 160030.
- 3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi 32.
- 4. The Member Secretary, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala, 147001 (Punjab).

- 5. Compliance and Monitoring Division, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi.
- 6. The District Collector, Bathinda, Punjab.
- 7. Guard File/Monitoring File/ Parivesh Portal /Record File.

Annexure 1

Specific EC Conditions for (Distilleries)

1. Distilleries

S. No	EC Conditions
1.1	As per the Notification S.O. 2339(E), dated 16th June 2021, the project falls in category B2 and the proposed expansion capacity of 350 KLPD shall only be used for fuel ethanol manufacturing as per self-certification in the form of a notarized affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for the EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.
1.2	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented (Annexure-III).
1.3	EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of the project. Conversion of land use (CLU) certificate shall be obtained before the start of construction activities.
1.4	NOC from the Concerned Local authority shall be obtained before the start of the construction of the plant and abstraction of surface water. State Pollution Control Board shall not issue Consent to Operate (CTO) under The Air (Prevention and Control of Pollution) Act, 1981 and The Water (Prevention and Control of Pollution) Act, 1974 till the project proponent obtains such permission.
1.5	The total freshwater requirement for expansion shall not exceed 600 m3/day which will be met from the nearby canal. No groundwater recharge shall be permitted within the premises. Industry shall construct a rainwater storage pond of adequate capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.
1.6	Spent Wash/stillage shall be sent to the decanter followed by the Multiple Effect Evaporator and dryer to form DDGS. DDGS to be used as cattle feed. The MEE & Drier condensate, spent lees, WTP Rejects, Boiler & Cooling tower blowdowns, washings etc. shall be treated in the 'Condensate Polishing Unit' (CPU). STP shall be installed to treat domestic wastewater. The industry shall provide a two-stage RO system in the CPU. The plant will be based on 'Zero Liquid Discharge' system and no effluent/treated water will be discharged outside the factory premises.
1.7	APCE five-field Electrostatic Precipitators with 65 m high stack shall be installed for controlling the particulate matter emissions within the statutory limit of 50 mg/Nm3 for the existing 145 TPH Boiler using rice straw and stubble as fuel. Coal shall not be used. At no time, the emission levels shall exceed the prescribed standards. In the event of failure of any pollution control system adopted

S. No EC Conditions			
	by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices/ systems will be conducted annually.		
1.8	Boiler ash (139 TPD) is being/ will be supplied to brick manufacturers or supplied to farmers to improve the porosity of soil. PP shall install 10% of the total power requirement in the form of solar power inside plant premises/adjacent/nearby areas.		
1.9	CO2 (435 TPD) generated during the fermentation process is being collected by utilizing CO2 scrubbers and sold to authorized vendors.		
1.10	PP shall allocate at least Rs. 0.2 Crore as capital cost and Rs. 0.10 Crore as recurring cost for Occupational Health Safety for the proposed expansion. An Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.		
1.11	Training shall be imparted to all employees on the safety and health aspects of chemical handling. Safety and visual reality training shall be provided to employees.		
1.12	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. The firefighting system shall be as per the norms. PESO certificate shall be obtained. The location of ethanol storage tanks shall be placed in such a way that in the event of any fire, accident, explosion or any unforeseen conditions the impact of such event should not go beyond the boundary of the plant i.e. the risk should be tolerable (acceptable) at the boundary.		
1.13	The company shall maintain an Emergency Response Decision support system in such a way so that identification of the detector's network for the location of the leak source and the probable leaked quantity in real-time, followed by modelling of the dispersion of the plume and consequences as forecast is done in advance and thus, no leak accident may go unattended. Accordingly, Risk Mitigation plan shall be in place.		
1.14	The company shall determine the distance of fire hydrant while finalizing its location from ethanol storage tanks or any other hazardous storage substance shall be based on the dispersion of Thermal Radiation so that during any unforeseen situation fire hydrant is always available to operate manually.		
1.15	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.		
1.16	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.		
1.17	The green belt of at least 5-10 m width shall be developed in nearly 9.92 hectares i.e., 42.03 % of		

S. No	EC Conditions
	the total project area with tree density @ 2500 trees per hectare, mainly along the plant periphery. Indigenous species shall only be developed as part of greenbelt and non-indigenous / alien species shall be replaced with native species. No invasive or alien or non-native tree species shall be selected for plantation. PP shall develop at least 20 varieties of species as a part of the greenbelt. Saplings 4-6 feet high shall be planted. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map. Greenbelt development shall be completed before the commissioning of the plant. The industry must conserve all existing trees on the proposed site and ensure that no trees are cut down. Trees shall be planted in the Green Belt under the campaign #Plant4Mother #एक पेड़ माँ के नाम and uploaded on the MeriLiFE portal (https://merilife.nic.in/).
1.18	PP proposed to allocate Rs. 1.5 Crores towards extended EMP (CER) which shall be spent as submitted in CER plan Annexure-IV). Further, all the proposed activities under CER shall be completed before the commissioning of the plant in consultation with the District Administration.
1.19	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. At least 15% of the total project area shall be allotted solely for parking purposes with facilities like rest rooms etc.
1.20	Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around the biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.
1.21	Continuous online (24x7) monitoring system for stack emissions/effluent shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
1.22	A separate Environmental Management Cell (having a qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to the Head of Organization/ Director/CEO as per company hierarchy.
1.23	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of the Notification published by MOEFCC on 12th August 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to the Concerned Authority.

Standard EC Conditions for (Distilleries)

1. General Conditions

S. No	EC Conditions
1.1	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
1.2	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
1.3	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
1.4	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
1.5	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
1.6	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
1.7	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
1.8	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
1.9	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of

S. No	EC Conditions
	which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
1.10	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
1.11	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

Annexure 2

Details of Products & By-products

Name of the product /By-product	Product / By-product	Existing	Proposed	Total	Unit	Mode of Transport / Transmission
Ethanol	Ethanol	400	150	155()	Kilo Litre per Day (KLD)	Road
Captive Power Plant	Captive Power Plant	20	0	7()	Mega Watt (MW)	Transmission
Dried distillers' grains with soluble (DDGS)	Dried distillers' grains with soluble (DDGS)	72000	63000	135000	Tons per Annum (TPA)	Road
Carbon Dioxide (CO2)	Carbon Dioxide (CO2)	115200	26480	141680	Tons per Annum (TPA)	Road

The details of products and capacity are as under:

S. No	Particulars	Existing Configuration	Proposed Configuration	Final Configuration
1.	Grain based Distillery	200 KLD	150 KLD	350 KLD
2.	ENA/RS/Anhydrous Alcohol	200 KLD	Nil	200 KLD
3.	Cogeneration power plant (2 x 35 TPH + 75 TPH AFBC Boiler)	20 MW	Nil	20 MW

Annexure -III

Capital cost and recurring cost of EMP are given below:

S. No.	Particulars	Existing Capital Cost (In INR Cr)	Annual Recurring	Proposed Cost (In INR Cr)	Proposed Recurring (Cost in INR Cr)
1	Air pollution control system ESP with stack, Industrial vacuum cleaner, road sweeping machine, etc.	6.5	0.75		SS .
2	Continuous Emission Monitoring System and Ambient Air Quality Monitoring System	1.25	0.25	20	
3	Scrubbing system, compressing system, liquefying system and storage for CO ₂ removal	1.50	0.45	المحادث	Nil
4	Treatment system for spent wash, DWGS centrifuge decanter, DDGS dryer for ZLD system, Construction of Garland drains, Water Reservoir	2.75	0.1		
5	Condensate Polishing unit for water treatment and recycle	1.5	0.2		
6	Piezometer to monitor ground water level	Nil	Nil	0.02	0.001
7	Sewage Treatment Plan	Nil	0	0.25	0.10

8	Ash handling and management	0.25	0.1	Nil	Nil
9	Fire Fighting measures	0.7	0.15	0.25	0.10
10	In-house Solar power Plant	Nil	0	0.48	0.099
11	Rainwater harvesting systems	0.50	0.1	Nil	Nil
12	Occupational Health Management	0.80	0.2	0.25	0.10
13	Noise Reduction Systems	0.40	0.1	0.15	0.05
14	Green Belt Development	0.80	0.2	0.10	0.05
15	Environment monitoring		0.1		0.10
16	Environment management cell	0.50	0.05	0.10	0.05
17	CER	1.05	0	1.12	
	Total	18.50	2.75	2.72	0.65

Annexure - IV

<u>Details of extended EMP (CER) with proposed activities and budgetary allocation:</u>

S. No	Descri ption	Value in INR (Cr)
1.	Providing training for skill development to local youth in consultation with gram panchayat of Machhana and Dannewala for trades namely electrician, fitters, welders, painters, and civil construction work, etc and providing them employment after training in company in suitable grade.	20
2.	 a. Development of Village roads- Machhana Village road- 0.64 km b. Upgradation of drinking water facility in nearby in nearby Villages such as Dannewala and Gehri Buttar 	
3.	Installation of solar lights (30 nos.) in Villages such as Machhana and Dannewala	0.15
4.	Upgradation of medical facility in nearby hospital such as Donating medical equipment like Beds, Stretcher, Portable Oxygen Cylinder (330 Litre), Oxygen Concentrator (0.5 to 5 Ltr), AC (Window AC of 1.5 Ton) in nearby CHC and Government Hospitals.	

5.	Development of smart class, distribution of benches, Fans, drinking water facility, Upgradation of sanitary facility (One for male and one for female), Distribution of IT gadgets, Printers, Computers in schools present in nearby villages	0.05
6.	Awareness Programs (10 nos.) for local farmers to increase soil productivity and water conservation.	0.05
	Total	1.5



Annexure 2

Photographs of the Project













ETP







Parking Area









Fire Fighting equipments



DG Set









Green Area within premises













Photographs of Nanak Baghichi Developed











Online Continuous Monitoring System



PUNJAB POLLUTION CONTROL BOARD

Invest Punjab, PBIP, Udyog Bhawan, Sector 17, Chandigarh Website:-www.ppcb.gov.in



Office Dispatch No.: PRTP/PPCBQQ15/28/7

Date: 24 03 2025

To

KRISHAN MURARI GUPTA 22553, ST. NO. 18, BHAGHU ROAD, BATHINDA, BATHINDA - 151001

Subject:- Grant of "Consent to Establish" (NOC) for Expansion of an industrial plants u/s 25 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981.

With reference to your application for obtaining fresh 'Consent to Establish'(NOC) for Expansion of an industrial plants u/s 25 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are, hereby, permitted to establish the industrial plant to discharge the effluent(s) & emission(s) arising out of your premises subject to the Terms and Conditions as specified in this Certificate.

1. Particulars of Consent to Establish (NOC) for Expansion granted to the Industry;

PIN	241263288
Application No.:	2501150763
Date of Issue:	24-Mar-2025
Date of Expiry:	13-Jan-2026
Certificate Type:	Expansion
Certificate No:	CTE/Exp/PBIP/BTH/2025/2501150763

2, Particulars of the Industry:

Name & Designation of the Applicant:	Krishan Murari Gupta, (Authorized Signatory)	
Name of Business Entity	M/s BCL Industries Ltd	
Name of the Project/Unit:	M/s BCL Industries Ltd.(Distillery Unit) Dedicated Ethanol PLant ENA/RS/Ethanol	
Address of Project/Unit:	Village Machana and Sangat Kalan Tehsil and District Bathinda , Bathinda , Bathinda	
Capital Investment of the Industry(in lakhs):	25966	
Category of Industry:	Red	
Type of Industry:	1060 - Distillery (molasses / grain / yeast based)	
Scale of the Industry:	Large - > Rs. 50 Crore	
Office District:	Bathinda	
Consent Fee Details:	Rs. 1,44;500/- vide Ref. No. 633649011 dated 13:01.2025	
Raw Materials (Name with quantity per day):	After Expansion: Enzymes @ 773 Kgs/Day, Sodium Hydroxide @ 2320 Kgs/Day, Anti-foam agent @ 440 Kgs/Day, Yeast @ 104 Kgs/Day, Food Grains, broken rice, maize, bajra, jowar and other starch containing grains etc. @ 1500 Metric Tonnes/Day	
Products (Name with quantity	After Expansion: ENA/RS/Ethanol @ 200 Kilo Liters/Day, Ethanol @ 350 Kilo Liters/Day	

per day):	(Used Completely for EBP Programme), Co-generation Power Plant @ 20 Megawatt.
By Products, if any (Name with quantity per day) :	After Expansion: CO2 @ 141680 TPA and DDGS @ 135000 TPA
Details of the machinery and processes:	As per application form
Details of Effluent Treatment Plant:	Proposed: Trade Effluent @ 212 KLD - Treated in Effluent Treatment Plant (ETP) based on ZLD technology, Domestic Effluent @ 12.0 KLD - Treated in STP, Cooling Water blow down to CPU @ 90 KLD
Mode of disposal of Effluent:	Proposed: Treated Trade Effluent will be reused and Domestic effluent will be discharged onto land for plantation/green area/lawns to be developed under Karnal technology. Cooling water will be recirculated after CPU.
Standard to be achieved under Water(Prevention & Control of Pollution) Act, 1974:	As per effluent standards prescribed by the CPCB/MoEF&CC/PPCB, from time to time
Sources of emissions and type of pollutants:	After Expansion: Boilers: 30 TPH, 55 TPH & 60 TPH - SPM, DG sets: 1000 KVA & 2000 KVA - SPM/SOx/NOx
Mode of disposal of emissions with stack height:	After Expansion: Boilers: 30 TPH, 55 TPH & 60 TPH - 50m AGL each, DG sets: 1000 KVA & 2000 KVA - Stack of height as per following formula: H = h+0.2 (KVA)0.5 where I = height of the building in meters where the generator set is installed
Quantity of fuel required in TPD:	After Expansion: Boilers: 30 TPH - Biomass as fuel, 55 TPH - Paddy Straw as fuel & 60 TPH - Paddy Straw as fuel, DG sets: 1000 KVA & 2000 KVA - Low Sulphur Diesel used as fuel
Type of Air Pollution Control Devices to be installed:	After Expansion: Boilers: 30 TPH, 55 TPH & 60 TPH - Separate Electrostatic Precipitator as APCD, DG sets: 1000 KVA & 2000 KVA - Canopy to be provided with both DG sets
Standard to be achieved under Air(Prevention & Control of Pollution) Act, 1981:	As per emission standards prescribed by the CPCB/MoEF&CC/PPCB, from time to time

24/13/2025

Senior Environmental Engineer (PBIP) for & on behalf of Chief Environmental Engineer (PBIP)

"asa No. Ualea:	Endst. No.	Cated:
-----------------	------------	--------

A copy of the above is forwarded to the following for information and necessary action please:

- 1. Sessior Environmental Engineer, Zonal Office, Bailunda
- 2 Environmental Engineer, Regional Office, Bathinda.

_्री.. Seator Environmetital Engineer (२६१२) for a lock, 'all'of Chief Environmental Engineer (**PE**(P)

A. GENERAL CONDITIONS

- 1. The industry shall apply for consent of the Board as required under the provision of Water (Prevention & Control of Pollution) Act, 1961 & Authorization under Hazardous and other Wastes (Management and Transboundary Movement) Rules (1916) two months before the commissioning of the incustry
- The industry shall provide adequate arrangements for fighting the accidental leakages/ discharge of any air pollusant/gas/liouids from the vessels, mechanical equipments etc. which are likely to cause environmental pollution.
- The Industry shall apoly for further extension in the validity of the CTE atleast two months before the expiry
 of this CTE. If applicable.
- 4. The inclustry shall comply with any other conditions laid down or directions issued by the Board under the provisions of the Water (Prevention & Control of Hollution) Act, 1974 and the Air (Prevention & Control of Hollution) Acr, 1981 from time to time.
- The project has been approved by the Board from pollution angle and the industry shall obtain the approval
 of site from other concerned departments of need be.
- The inclusivy shall get its building plans approved under the provisions of section 3-A of Puliety Pagery.
 Rules, 1952.
- The industry shall put up display board indicating the Environment data in the prescribed format at the main enhance gate.
- The industry shall provide part-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:

i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-

- l) The sampling port shall be 7 to 10 cm in diameter.
- The industry shall discharge all gases through a stack of min mum height as specified in the following standards laid down by the Board.
- (i) Stack height for boder plants

S,No.	Boller with Steam Generating Capacity	Stack heights
1	Less than 2 ton/fir	9 maters or 2.5 times the height of neighboring building which ever is more
2	More than 2 ferths to 5 towhs	12 molers
3	More than 5 tenths to 10 tenths	15 inctors
±	Moze tean, in tenno to 15 tento	18 merers
5	More than 15 ton/hr to 20 ton/hr	21 meters
ė	More than 20 ton/br to 25 ton/hr	24 meters

7	More than 25 ton/hr to 30 tan/hr	27 meters
ð.	Mare then 30 tondir	30 meters or using the formula $H=14$ Gg0,3or $H=74$ (Qg)0.24 Where Qg = Quantity of SO2 in Kg/hr. Qp = Quantity of particulate matter in Ton/day,

Note : Minimum Stack height in all cases skall be 9,0 mtr, or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.

(iii) Stack height for diesel generating sets:

Capacity of diesel generating set		Height of the Stack
0-50 KVA	Helgat of the hullding	- 1.5 mt
50-100 KVA	-do-	1.2.0 mt
100-150 RVA	-do-	- 2,5 mt
150-200 KVA	-do-	= 3.0 mt
200-250 KVA	-do-	- 3.5 mt
250-300 KVA	-69-	= 3 h ms

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

where n=neghtial the building in meters where the generator set is installed.

- 10. The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dateri 8/6/2010.
- 11. The inclusivy shall provide flow meters at the source of water supply, at the outlet of eithern treatment plant and shall maintain the record of the daily reading and submit the same to the connerned Regional Office by the 5th day of the following month.
- 12. The industry shall make histessary arrangements for the monitoring of stack emissions and shall gall its emissions arealyzed from all approved ℓ authorized by the Board \star
- Once in Year for Small Scale Industries;
- hit Twice/thrue/hor time in a Year for Large/Medium Scale Industries.
- 12. The pullimon control devices shall be interlocked with the manufacturing process of line industry
- its. The Board reserves the right to revolve this "consect to establish" (NGC) of any unio, in case the infinance found violating any of the conditions of this "consent to establish" and/or the provisions of Water (Prevention & Control of Pollution) Acti 1974 and Art (Prevention & Control of Pollution) Acti 1974 and Art (Prevention & Control of Pollution) are 1984 by principles from time 1994.
- 15. The industry shall blant minimum of like of suitable varianes of trees at the density of not less than noot issue particles along the boundary of the industrial premises.

- 16. The issuance of this consent thes not convey any property right to other real or personal property, or any exclusive privaleges, not does it authoritie any injury to private property or any invasion of personal rights, not any infringement of Central, State or Local Laws or Cegulations.
- 17. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
- 18. Nothing in this ROC shall be deamed to neither preclide the institution of any legal action nor relieve the applicant from eny responsibilities, fieldst es or benaues to which the applicant is or may be subjected under this or any other Act
- 39. The diversion or bye wass of any discharge from facilities utilized by the applicant to maintain compliance with the fears and conditions of this consent is prohibited except.
- (i) Where unavoidable to prevent bas of Halor some property damage on
- (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this coasent. The applicant shall immediately notify the coasent issuing authority in writing of each such diversion or bye-pass.
- 20. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial members.
- 2). The industry shall comply with the conditions introosed if any by the SEIAA/MOEF in the Environmental Clearance granted to it as required under SIA notification dated 14/9/08.
- 22. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of figel ash in a scientific manner and shall maintain proper record for the same, if applicable.
- The industry shall obtain and submit insurance cover as required under the Paplic Liability Insurance. Act, 1991.
- The industry shall submit a site emergency plan approved by the Chief thepector of Factories. Punjeb as applicable.
- The industry shall provide proper and adequate air pollution control arrangements for control emission from its coal/line handling area, if applicable.
- 26. The Industry shall comply with the code of practice as notified by the Governmen: / Bhard for the type of Industries where the string gaidelines / code of practice have been notified.
- 27. Solids, is udge littler backwash or other pollutant removed from an resulting from treatment or control of waste waters shall be disposed off in such a manner so as to prevent any pollutants from such materials from entering allo natural water.
- 26. The industry shall submit a detailed plan showing therein,theid stribution system for conveying wastewaters, for application on land for imigation along with the crop pattern to be adopted throughout the year.
- 29. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
- 30. The Industry shall ensure that its production capacity & quantity of frace efficient do not exceed the quantity mentioned in the NOC and shall not carry out any expansion without the prior permission WOC of the Board,
- On. All amendments/revisions made by the Board in the emission/stack height stantiards shall be applicable to the industry from the date of such amendments/revisions.
- The industry shall not cause say norsance/befor hegard in a trimy of the area;
- 33. The industry shall maintain the following recurs to the satisfication of the Bhard is
- ital poglipopius for running of diripoliudion control de views of pumps movers used (a) at
- Register showing the result of various sests conducted by the industry for managing of stack emissions and ambient as:

- (iii) Register showing the stock of absorbents and other chemicals to be used for corubbors.
- 34. The industry shall ensure that there will not be significant visible dust emissions beyond the property bria.
- 35. The inclustry shall establish sufficient number of precometer wests in consultance with the concerned Regional Office, of the Board to monitor the incustriation state. It applicable.
- 56. The inthisity shall provide adequate and appropriate a ripoth flor control devices to contain emissions from handling, transportation and processing of raw matches & proceed of the industry.

ੁਰ∦ -Senior Er.vicormental ≢ngmeer (PBiP) ਨੇਜ਼ ਨੇ or belot in Chief Enviconmental Engliseer (PBIP)

8. SPECIAL CONDITIONS

- I. This CTD/NGC for expansion is granted to the unit for increasing the production of the Grain based. Ethodol from 300 NLD to 350 KLD and installation of 55 TPH Paddy Straw Boiler, only. In no case the prediction capacity shall exceed (200 KLD at ENA/RS/Anhydrous Alcohol + 350 KLD at Grain Based Ethodol).
- The industry shall comply with the conditions of Environmental Clearance vide no. EC24C2594PB5197253N dated 11.11.2024 earlier granted to pt.
- 3. The consent to establish for installation of 55 TPM paddy straw based boder is granted in line with the policy of the State to promote use of peddy straw as fuel. The industry shall use the boders in such a combination that the combined steam generation capacity of its bodier does not exceed 145 TPM at any time, in line with the permission granted to it vide finvironmental Clearages no 6C74C2504PB5197253N dated 11.11.2024.
- 4. The industry as per the undertaking submitted by it shall allocate the 55 TPH boiler exclusively for production purpose in the sister concernite. M/s BCL Industries-Biodiesel Unit, as and when the 55 TPH boiler is commissioned and get the same included in the Consent to Operate to be issued to the biodiesel unit.
- The industry shall apply for obtaining varied coasents to operate under the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981, before commissioning of the unit.
- 6 The industry shall get the revised building plan under the Factories Rule, 1952 from the competent authority or the authorized person of the Department of Labors and submit the same at the time of consent to operate.
- The industry shall not earry out any further expansion or modifications in the plant, without obtaining prior written permission from the Board and/or revised Environment Clearance from the Competent Authority.
- 8. The industry shall not discharge any effluent at any mainthorized place by any unanthorized means i.e. shall not discharge any wastewater in any drain / inland surface waters / drain/choe/nalleh* ento land for stagnation or outside its premises, at any time, under any circumstances.
- 9. The industry will operate & maintain its Air Pollution Control Device (APCD), regularly and efficiently, so as in achieve the stack emission standards, consistently as prescribed by the Board/MoEF&CC as amended from time to time.
- 10. The industry shall ensure that the Ash to be generated from the Botters installed in the premises, is handled in an environmentally sound manner and it shall maintain proper record regarding generation and disposal of ash, or all times.
- 11. The industry shall ensure that no black smoke should be emitted from the stack of the industry at any time.
- 12. The adequacy' efficacy of the pollution control arrangements shall be the sole responsibility of the moustry and the industry shall be bound to implement' appraish its pollution control arrangements as per the discretion of the Board to achieve the prescribed emission/ efficient standards, as amended from time to time.
- The industry shall comply with the provisions of Solid Waste Management Rules, 2016.
- 14 The industry shall comply with the provisions of the Hazardans and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- The industry shall ensure the compliance of the Solid Waste Management Roles, 2016 as well as the Construction and Demolition Roles, 2016, in true letter & spirit.
- Ro. The industry shall contally with the basended User Responsibility (IPR) responsibilities under the Plastic Waste Management Roles, 2015.
- The industry shall comply with the proxisions of Noise Pollogion (Regulation & Control) Rules 2000.
- 18. The industry shall obtain all the statuary approvals/clearances from the concerned departments

- 49 one industry such ensure that the activities of unit does not create any musaned in the surrounding areas and no public complaints are received.
- 20. The NOC is being issued to the project proponent based upon the documents/ information submitted by it along with the order application form. The Board would be at liberty to take penal action against the fadustry/project proponent and its responsible/ concerned person(s) in case information document is detected as incorrect/ false/ misleading at any point of time, without any opportunity of Personal Hearing.
- 21. In case the project proponent fails to comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1981, Environment (Protection) Act, 1980 and/or any other environmental law applicable to the project and Rules. Circulars & Directions assued by the Boord from time to time, action as deemed fit shall be taken against the project proposent

ুৱা। Semor Environitelatal Engineer (RSIP) for ঠা এব জিলাটিল। Chief Environmental Engineer (PSIP)



PUNJAB POLLUTION CONTROL BOARD

Invest Punjab, PBIP, Udyog Bhawan, Sector 17, Chandigarh Website:- www.ppcb.gov.in



Office Dispatch No.: PRIP 1/553372 2023

Date: 03-05.2027

To

SAT NARAIN GOYAL 16722/B, BATHINDA, BATHINDA - 151001

Subject:- Grant Varied 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.

With reference to your application for obtaining Varied 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act,1981, you are, hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the Industry:

PIN	210954949
Application No.:	2301105509
Date of Issue:	03-May-2023
Date of Expiry:	31-Mar-2026
Certificate Type:	Fresh
Certificate No:	CTOA/Vanied/PBIP/BTH/2023/2301105509

2. Particulars of the Industry:

Name & Designation of the Applicant:	Sat Narain Goyal, (Director)	
Name of Business Entity	M/s BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant ENA/RS/Ethanol	
Name of the Project/Unit:	M/s BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant ENA/RS/Ethanol	
Address of Project/Unit:	Village Machhana and Sangat Kalan, Tehsil and District Bathinda , Bathinda , Bathinda	
Capital Investment of the Industry(in lakhs):	34736	
Category of Industry:	Red	
Type of Industry:	1001 - Isolated storage of hazardous chemicals (as per schedule of manufacturing, storage of hazardous chemicals rules ,1989 as amended)	
Scale of the Industry:	Large - > Rs. 50 Crore	
Office District:	Bathinda	
Consent Fee Details:	Rs. 10,80,500/- vide Receipt no. 985298771 dated 21.02.2023 under the Air Act, 1981 Rs. 10,80,500/- vide Receipt no. 669691622 dated 21.02.2023 under the Water Act, 1974 Rs. 99000/- vide no. 02/5522 dated 24.04.2023 towards NOC regularization fees	
Raw Materials (Name with quantity per day):	Food grains, broken rice, maize, bajra, jowar and other starch containing grains etc. @1000Metric Tonnes/Day Enzymes @800Kgs/day Sodium Hydroxide @400Kgs/day	

	 Urea @1000Kgs/day Anti-foam agent @200Kgs/day ≌east დ80Kgs/day
Products (Name with quantity per day):	ENA/RS/Ethanol @2000(do Liters/Day Ethanol @2000(do Liters/Day fused comptalely for EBP Programme) Co-generation power plant @10Megawatt Co-generation power plant @10Megawatt
By Products, If any (Nome with quantity per day) .	CO2 @ 160Metric Tonnes/Day Fusel Oil @ 4Metric Tonnes/Day DDGS @ 100Metric Tennes/Day
Deteils of the machinery and processes:	As par application form
Sources of emissions and type of polluterits:	Boiler of capacity 30 TPM - SPM Boiler of capacity 35 TPM - SPM Boiler of capacity 60 TPH - SPM DG set of capacity 1000 KVA- SPM, SOx, NCx
Mode of disposal of emissions with stack height:	Boiler of capacity 30 TPTL - Stack of Peight 50 in AGL after APCO Boiler of capacity 35 TPHL - Stack of height 50 in AGL after APCD Boiler of capacity 50 TPTL - Stack of height 50 in AGL after APCD DG set of capacity 1000 KVA- cartopy alongwith Stack of height as per following formula: H = h+0.2 (KVA)0.9 where h = height of the building in incitors where the generator set is installed.
Qualitity of fuel required in TPD:	Boiler of capacity 30 TPF - Chal/Blomass@8Metric Tonnes/Day Belier of capacity 35 TPH - Chal/Blomass @8Metric Tonnes/Day Boiler of capacity 60 TPH - PADDY STRAW @380Metric Tonnes/Day
Type of Air Pollution Control Devices to be installed:	Boiler of capacity 30 TPH - Electrostatic Precipitator (ESP) Boiler of capacity 35 TPH - Electrostatic Precipitator (ESP) Boiler of capacity 60 TPH - Electrostatic Precipitator (ESP)
Standard to be achieved under Air(Prevention & Control of Pollution) Act, 1981:	As presended by the CPCB/PPCB/VoEF&CC, from time to time

Environmental Engineer (PBIP) for & on behalf of Chief Environmental Engineer (PBIP)

Endst. Na.	Dateo:

A copy of the above is forwarded to the following for information and necessary action please:

- 1. Senier Environmental Engineer, Zonal Office, Bathinda.
- Environmental Engineer, Regional Office. Bothinds with request to submit report to the Competent Authority of the Board targup E-Noting regarding the compliance of the decisions of the personal hearing given to the unit on 19.01.2023.

ட்டுக்கை Environmental Engineer (PBIP) for ஃ on balaif of Chief Environmental Engineer (PBIP)

A. GENERAL CONDITIONS

- 1. The incustry shall apply for consent of the Board as required under the provision of Water (Prevention & Control of Pollution) Act, 1931 & Authorization under Hazardous and other Wastes (Management and Transhoundary Movement) Rules, 2016, two months before the commissioning of the industry.
- 2 The industry shall provide adequate arrangements for lighting the accidental leakages/ discharge of any air pollutant/gas/liquids from the vessels, mechanical equipments etc. which are likely to cause environmental pollution.
- The Industry shall apply for further extension in the validity of the CTE atleast two months before the expiry
 of this CTF, if applicable.
- 4. The industry shall comply with any other conditions laid down or directions issued by the Board under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 from time to time.
- 5. The project has been approved by the Board from pollution angle and the industry shall obtain the approval of site from other concerned departments, it need be:
- The industry shall get its building plans approved under the provisions of section 3-A of Punjab Factory. Rules, 1952.
- The industry shall put up display board indicating the Environment data in the prescribed format at the main entrance gate.
- 8. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any otherway, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:

i) The sampling parts shall be provided atteast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:

- ii) The sampling portishall be 7 to 10 cm in diameter
- 9 The industry shall discharge all gases through a stack of minimum height as specified in the following standards tash riown by the Board.

Stack height for boiler plants.

S.No.	Boiler with Steam Generating Capacity	Stank heights
1	Less than 2 toruter	9 meters or 2.5 times the height of relighboring building which ever is more
2	More than 2 tan/hr to 5 tan/hr	12 meters
3	More than 6 ton/hr to 10 ton/hr	15 meters
۷	More then 10 toothr to 15 toothr	18 inclers
5	More than 15 thoubt to 20 tan/or	21 meters
6	More than 20 tonibr to 25 jen/br	24 meters

7	More than 25 ran/hr to 30 ton/hr	27 meters
В	More than 30 teathr	30 meters or using the formula H = 14 Og0.3or H = 74 (Qp)3.24 Where Og = Quantity of SO2 in Kg/hr, Qp = Quantity of part culate matter in Tog/day.

Note: Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

- (ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.
- (III) Stack height for diesel generating sets:

Capacity of diesel generating set		Height of the Stack
0-50 KVA	Height of the building	+ 1.5 mt
50-100 KVA	-dc-	+ 2.0 mt
100-150 KVA	-du-	- 2.5 mt
150-200 KVA	-do-	- 3.0 mi
200-250 KVA	-do-	- 35 ml
250-300 KVA	₄de•	- 3.5 ml

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

N = h+0.2 (KVA)0.5

where it = height of the building in meters where the generator sat is installed.

- 10. The industry shall put up compay on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin/SA-2/F,No.783/2011/448 dated 9/5/2010.
- 11. The industry shall provide flow maters at the source of water supply, at the outlet of effluent freatment plant and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th day of the following month:
- 12. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board.-
- Once in Year for Small Scale Industries.
- (ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.
- The pullution control devices shall be interligized with the manufacturing process of the industry.
- 14 The Sound reserves the right to revoke this "consent to establish" (NOC) at any time, in case the industry is found violating any of the conditions of this "consent to establish" anc/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time
- 15. The inviristry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per acre along the boundary of the industrial premises.

- 16. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any avvasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
- 17. The consent coes not authorize or approve the construction of any physical structures or isolities for undertaking of any work in any natural watercourse.
- 18. Nothing in this NOC shall be iteemed to neither preclude the institution of any legal action for relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
- 19. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is probibiled except.
- (i) Where unavoidable to prevent loss of life or some property damage or
- (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
- 20. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial otemises.
- 21. The initiality shall comply with the conditions imposed if any by the SEIAA/MOFF in the Environmental Clearance granted to it as required under EIA notification dated 14/8/06.
- 22. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
- 23. The Industry shall obtain and submit Insurance cover as required under the Public Liability insurance. Act,1991.
- 24. The industry shall submit a site emergency plan approved by the Chief hispector of Factories. Publish as applicable
- 25. The industry shall provide proper and adequate sir pollution control arrangements for control emission from its coal/fuel handling area, if applicable.
- 26. The Industry shall comply with the code of practice as notified by the Government? Board for the type of Industries where the siting goodsines / code of practice have peer notified.
- 27. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner so as to prevent any pollutants from such materials from entering into natural water.
- 28. The industry shall submit a detailed plan showing therein, the distribution system (or convuying wastewaters for application on land for inigation along with the crop pattern to be adopted throughout the year
- 29 The industry shall not irrigate the vegetable crops with the freated efficients which are used/consumed as raw.
- 30. The injuristry shall ensure that its production capacity & quantity of trade effluent coincressed the quantity mentioned in the NOC and shall not carry out any expansion without the prior permission/NOC of the Board
- 31. All amendments/revisions made by the Doard in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
- 32. The Industry shall not cause any nuisance traffic hazard in vicinity of the area.
- 33, the industry shall maintain the following record to the satisfaction of the Board in
- (i) Log books for running of air pollution control devices or purpos/motors used for it.
- (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.

- (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
- 34. The industry shall ensure that there will not be significant visible dust emissions beyond the property line.
- 35. The industry shart establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the Industrial operations, if applicable
- 36. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw materia. & product of the industry

Environmental Engineer (PBIP)

for & on behalf of

Chief Environmental Engineer (PBIP)

B. SPECIAL CONDITIONS

- This varied consent to operate has been granted for assaufacturing of ENA/RS/Ethanol (d. 200 KLD). Ethanol (d) 200 KLD (used completely for EBP Programme) & operation of two congeneration plants of capacity 10 MW cach with CO2 (d) 320 TPD, Fact Oil (d) 4 TPD, DDGS (g) 200 TPD as hy-products, only.
- 2. The industry shall only manufacture the products and limit their quantities, for which it has been granted consent to operate from the Board. It shall not manufacture any other product without the prior written permission of the Beand-Competent Authority.
- 3. The industry shall not entry out any further expansion of modifications in the plant, without obtaining prior written permission from the Board and/or revised Environment Cleanance from the Competent Authority.
- 4. The industry shall connect the 24x7 continuous emission monitoring system installed to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- 5. The industry shall use only paidly straw as fael in its new botler of capacity 60 TPH.
- The industry shall comply with the conditions of the Environmental Clearance (EC) issued to it by MoEF&CC vide letter dated 31/12/2021.
- 7. The industry shall comply with the commitments made by a under Enterprise Social Commitment, as per the EC issued to it.
- 8. The industry shall obtain all the statuury approvals/clearances from the concerned departments.
- 9. This Consent is being issued to the industry based upon the documents/ information submitted by it alongwith the online application form. The Board would be at liberty to take penal action against the industry and its responsible/ concerned person(s) in case information/document is detected as incorrect/false/misleading at any point of time, without any apportunity of Personal Hearing.
- 10. In case the industry fails to comply with the provisions at the Water (Prevention & Control of Pollution) Act, 1974. Air (Prevention & Control of Pollution) Act, 1981, Suvincement (Protection) Act, 1986 and/or any other environmental law applicable to the project and Rules. Circulats & Directions issued by the Board from time to time, action as deemed fit shall be taken against the industry

Environmental Engineer (PBIP)

for & on helialiful

Chief Environmental Engineer (PBIP)



PUNJAB POLLUTION CONTROL BOARD

Invest Punjab, PBIP, Udyog Bhawan, Sector 17, Chandigarh
Website:-www.spcb.gov.in



Office Dispatch No.: PRIP [553385 2023

Date: 03.05.3017

To

SAT NARAIN GOYAL 16722/B, BATHINDA, BATHINDA - 151001

Subject:- Grant Varied 'Consent to Operate' an Outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of Effluent.

With reference to your application for obtaining Varied 'Consent to Operate' an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act,1974, you are, hereby, authorized to operate an industrial unit for discharge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Water Act, 1974 granted to the Industry:

PIN	210954949
Application No.:	2301137808
Date of Issue:	03-Mey-2023
Date of Expiry:	31-Mar-2026
Certificate Type:	Fresh
Certificate No:	CTOW/Varied/PBIP/BTH/2023/2301137808

2. Particulars of the Industry:

Sat Narain Goyal, (Director)	
M/s BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant ENA/RS/Ethanol	
M/s BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant ENA/RS/Ethanol	
Village Machhana and Sangat Kalan, Tehsil and District Bathinda , Bathinda , Bathinda	
34736	
Red	
1060 - Distillery (molasses / grain / yeast based)	
Large - > Rs. 50 Crore	
Bathinda	
Rs. 10,80,500/- vide Receipt no. 985298771 dated 21.02.2023 under the Air Act, 1981 Rs. 10,80,500/- vide Receipt no. 669691622 dated 21.02.2023 under the Water Act, 1974 Rs. 99000/- vide no. 02/5522 dated 24.04.2023 towards NGC regularization fees	
Food grains, broken rice, maize, bajra, jowar and other starch containing grains etc. @1000Metric Tonnes/Day Enzymes @800Kgs/day Sodium Hydroxide @400Kgs/day Urea @1000Kgs/day Anti-foam agent @200Kgs/day Yeast @80Kgs/day	

Products (Name with quantity per day):	ENA/RS/Ellhanol @200Kild Uters/Doy Ethanol @200Kito Liters/Day (used completely for EBP Programme) Co-generation power plant @10Megawati Co-generation power plant @10Megawati Co-generation power plant @10Megawati
By Products, if any (Name with quantity per day) :	. CO2 @ 160Metric Tonnes/Day Fusel Oi- @ 2Metric Tonnes/Day BDGS @ 100Metric Tonnes/Day
Details of the machinery and processes:	As per application form
Cetails of Effluent Treatment Plant:	Trace Effluent @205 KLD - Effluent Treatment Plant (ETP) Demostic Hillion: @27.0 KLD - septic tank(s) Condensate @610.0 KLD - CPU (Condensate Polishing Unit) of capacity 700 KLD. Condensate @1830.0 KLD - greetly reused in the liquefaction process, RO Reject @ 85 KLD – disposed through MFF
Mode of disposal of Elliuont	Treated Trade & Domestic offluors @214.0 KLD Londo land for plantation in an area of 15.5 acres of green area/lawns and 3 acres land to be developed under Kamal technology. Frosted Condensate @610.0 KLD after CPU (Condensate Philahing Unit) of capacity 700 KLD - cooling tower makeup water. Concensate @1530.0 KLD - directly raused in the Equalaction process.
Standard to be achieved under Water(Prevention & Control of Pulletion) Act, 1974:	As prescribed by the CPCR/PPCB/MoEF&CC, from time to time.

Environmental Engineer (PBIP)
for a on tehalf of
Chief Environmental Engineer (PBIP)

Endst. Nc.	Dated:	
------------	--------	--

A copy of the above is forwarded to the following for information and necessary action please.

- Sensor Environmental Engineer, Zonal Office, Bathinda.
- Environmental Engineer, Regional Office, Bathinda with request as under:

To substit report to the Competent Ambority of the Board through E-Noting regarding the compliance of the decisions of the personal hearing given to the unit on 19,01,2023.

To verify actual generation of effluent upon commissioning of the expansion project, for which varied consent to operate under Water Act. 1974 is issued & the adequacy of the treatment facility and to submit report to concerned Zonal Office within and mouth along with compliance of conditions of consent mentioned therein. In case, if the RO reports that the effluent generated from the industry is more than proposed Environment Clearance issued to it and/ or the revised water balance submitted by it; then the consent to operate granted to the unit shall be revoked withour offering any opportunity of persimal

hearing to it.

」。。 Environmental Engineer (PBIP)。 iòr às un behalf or Chief Environmental Engineer (PBIP)

A GENERAL CONDITIONS

- This consent is not valid for gelting power load from the Punjab State Power Corporation Limited or for gelling toan from the financial institutions.
- 2. The industry shall apply for renewal/further extension in validity of consent atteast two meants before expiry of the consent.
- 3. The industry shall ensure that the effluent discharging through the authorized outlet shall confirm to the prescribed standards as applicable from time to lime.
- 4. The industry shall plant minimum of three surlable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the incustrial premises.
- The achievement of the ancipacy and efficiency of the effluent treatment plant/pollution control
 devices/rediculation system installed and be the entire responsibility of the incustry.
- 6. The industry shall ensure that the Hazardons Wastes generated from the premises are handled as per the provisions of the Hazardons Wastes(Management, Handling and Trans boundary Movement) Rules, 2008 as amended firme to time, without any adverse effection the environment, in any manner
- 7. The responsibility to improtor the offluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
- 8. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th Juno of every year.
- The industry shall submit a yearly certificate to the effect that no addition/up-gradation/ modification/modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
- 10. During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
- 11. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions
- 12. The industry shall not change or after the manufacturing process(es) so as to change the quality and/or quantity of the estuarits generated without the written permission of the Board.
- 13. Any opset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and opset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
- 14. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final curlet (s) out of the promises of the industry for measurement of flow and for taking Samples
- 16. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Prinyab Pollution Control Board of the concernad Regional Office.
- 16. The industry shall matiriain record regarding the operation of efficient treatment plant i.e. record of quantity of chemicals and energy utilized to treatment and sluege generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.

- 17 The industry shall provide online monitoring equipment for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
- 18. The pollution control devices shall be interlocked with the manufacturing process of the industry.
- 19. The authorized buttet and mode of disposal shall not be changed without the prior written permission of the Board
- 20. The industry shall comply with the conditions imposed by the SERAA / MOEF in the environmental elearance granted to it as required under EIA notification dated14/9/36, if applicable.
- 21. The industry shall obtain and submit insurance cover as required enter the Public Liability Insurance Act, 1991
- 22. The industry shall not use any unauthorized out-let(s) for discharging effluents from its promises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.
- 23. The industry shall make Addressary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:
 - (i) Once in Year for Small Scale Industries
 - (ii) Four in a Year for Large/Medium Scale (edustries)
 - (iii) The inclusibly will submit monthly reading/idala of the separate energy meter installed for running of effluent treatment plant/re-directation system to the concerned Regional Office of the Board by the 5th of the following month
- 24. The industry small provide electromagnetic flow meters at the source of water supply, at intoloutet of offluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.
- 25. The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time
- 26. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
- 27. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
- 28. Nothing in this consent anall be deemed to de ther preclude the institution of any legal action not relieve the applicant from any responsibilities, liabilities or panelties to which the applicant is or may be subjected under this or any other Act.
- 29. The influstry shall make necessary and adequate arrangements to hold back the offluant in case of failure of septic tank
- 30. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the learns and conditions of this consent is probibled except.
 - (i) Where unavoidable to prevent loss of life or some property damage or
 - (ii) Where excessive storm drainage or run off would damage tabilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or byo-pass.
- 31. The industry shall ensure that no water polletion problem is created in the area due to discharge of effluents from its industrial premises.

- 32. The industry shall comply with the code of practice as notified by the Government/ Board for the type of industries where the siting guidelines/ code of practice have been notified.
- 33. Solids, sludge. Miter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such dialogials from entering into natural water.
- 34. The industry shall re-direction the entire cooling water and shall also re-directiate/reuse to the maximum extent the treated effluent in processes.
- 35. The industry shall make necessary and adequate arrangements to held back the officiant in case of failure of re-tirculation system/ efficial treatment plant.
- 36. The industry small make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises during rainy season and no demand period
- 37. Where excessive storm water drainage or run off, would damage facilities necessary for compliance with terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
- 38. The incustry shall submit a detailed plan showing therein the distribution system for conveying waste-water for application on land for imigation along with the crop pattern for the year.
- 39. The industry shall ensure that the attinent discharged by it is toxicity free
- 40. The industry shall not wrighte the vegetable crops with the treated affiliants which are used/ consumpt as raw.
- 41. Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided to recover oil & grease from the effluent
- 42. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the Impact on the Ground Water Quantity due to the industrial operations, and the monitoring shall be submitted to the Environmental Engineer of the concerned Regional Office by the 5th of every month.
- 43. The industry shall ensure that its production capacity & quantity of stade efficient do not exceed the quantity mentioned in the consent and shall not carry out any expansion without the prior permission/NOC of the Soard.

ાં કોઇ – Environmental Engineer (PBIP) for & on behalf of Chief Environmental Engineer (PBIP)

B. SPECIAL CONDITIONS

- This varied consent to operate has been granted for manufacturing of ENA/RS/Ethanol @ 200 KLD. Ethanol @ 200 KLD (used completely for EBP Programme) & operation of two congeneration plants of capacity 10 MW each with CO± @ 320 TPD. Fuel Oil @ 4 TPD, DDGS @ 200 TPD as by-products, only.
- 7 The industry shall only manufacture the products and limit their quantities, for which it has been granted consent to operate from the Board. It shall not manufacture any other product without the prior written permission of the Board: Competent Authority.
- The industry shall not carry out any further expansioner modifications in the plant, without obtaining
 prior written permission from the Board and/ or revised Environment Clearance from the Competent
 Authority.
- 4. The industry shall comply with the conditions of the Environmental Clearance (EC) issued to it by MoEF&CC vide letter dated 31/17/3021.
- The industry shall comply with the commitments made by it under Enterprise Social Commitment, as per the EC issued to it
- 6. The industry will not exceed the discharge of effluent of more than 214 KLD (from WTP RO Reject, Borler Blowdown, coaling purge water after treatment through ETP and domestic effluent after passing through sepric took) in accordance with the terms of Sovironment Clearance granted to it. Further, the industry shall immediately provide that meter on the line(s) corrying treated. Untreated effluent within its premises and maintain proper record regarding the readings of the same, at all times.
- 7 The industry shall be bound to connect the online continuous effluent monitoring system (OCEMS) installed at ETP with the SPUB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. Further, it shall implement the guidelines/ SOP framed by the Board for operation & monitoring of OCEMS, within 07 days afterwards and submit compliance to the Board within 93 days, thereafter.
- 8. The industry shall regularly operate & maintain its offluent treatment plant and the treated offluent shall be reused in the process in accordance with the water balance submitted by it & as delineated in the Environment (Icoronec issued to it.
- 9. The industry shall develop adequate plantation area as well as permanent pipeline network for uniform distribution of wastewater in the entire plantation area, so that no stagnation of wastewater occurs inside, outside or in the plantation area at any time.
- 10. The industry shall not discharge any trade & domestic offluent (treated or unavated) into chos / drain/tryer or urland surface water at any time or any other unauthorized place by any unauthorized means and shall reuse the treated effluent in the process in accordance with the water because submitted by it. Further, the industry shall stick to the water balance submitted by it.
- 11. The industry shall obtain all the statuary approvals/clearances from the concerned departments.
- 12. This Consent is being issued to the industry based upon the documents/ information submitted by it alongwith the online application form. The Bhard would be at liberty to take penal action against the industry and its responsible/ concerned person(s) in case information/document is detected as incorrect false/misleading at any point of time, without any opportunity of Personal Hearing.
- 13. In case the industry fails to comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 and/or any other environmental law applicable to the project and Rules, Circulars & Directions issued by the Board from time to since, action as desired fit shall be taken against the industry.

Environmental Engineer (PBIP)
for & on behalf of
Chief Environmental Engineer (PBIP)

Health & Safety Policy



M/S BCL Industries & Infrastructures Limited, ...liage Sangat Kalan, Dabwali Road, Bathinda Punjab, India

www.bcl.ind.in

HEALTH AND SAFETY POLICY

The company has Prepared a Policy in respect of health and safety of workers as:

The management declares its intention and commitment of company with all the revelent statuary requirements in regard to enviorment, health and safety of workers.

Senior GM (Unit - Head): Sh. Arvind Kumar Sharma

Assistant GM:

Sh. Rajiv Vats

ABOUT US

Established in 1976, BCL Industries & Infrastructure Ltd., our presence indeed cuts across the length and breadth of India. Our employees are guided by the 'vision to be the best' in the manner in which we operate, the best in the products that we deliver and the best in our value system and ethics.

We are one of the leading vertically integrated plants in the country with the capacity of processing 1000 metric tonnes per day. Being one of the most modern and biggest oil complexes in North India, we are the proud owner of oil mills, solvent extraction plants, rice sheller, chemical refinery, physical refinery and vanaspati plant.

It was early in 1976, at Bhatinda in Punjab where Shri D.D. Mittal, the group founder laid the foundation of a small Solvent Extraction Unit. Today BCL Industries & Infrastructure Ltd., is one of the largest vertically integrated edible oil complexes established in India. Our approach to modernization has always been to strive for the ultimate in the services industry.

Since the 1990s when we diversified into the Real Estate business we've created townships, group housings, malls, multiplexes, hotels and as part of our organic growth followed by group reputation, even players like Ansals API have joined hands with us in shaping up township projects.

Our most recent achievement has been the setting up of a distillation plant at Pathankot. Introducing an eco-friendly production and distribution system in our manufacturing process, today we have become the only company in India and the South asian region that has a forward and backward integrated distillery plant.

We ventured into information technology in 2000 and set up our infotech division as Knowledge Process Outscourcing (KPO) company rendering Content - Editing, Management, Electronic Document Management and Mining services to international publishing, legal, medical, helathcare, scientific and engineerning research organizations with its development center at Chennai, India and CRM offices in London, UK and New York, USA.

POSTAL ADDRESS OF FACTORY:

BCL Industries & Infrastructures Limited

Village Sangat Kalan,

Dabwali Road, Bathinda

Punjab, India.

Cell: 098785-48628, 099150-30204

E-mail: chairman@mittalgroup.co.in

CORPORATE OFFICE:

BCL Industries & Infrastructure Limited
Hazi Rattan Link Road,
Bhatinda-151005,
Punjab, India

Phone: +91 164 2240163

Fax: +91 164 2240424

E-mail: ceo@mittalgroup.co.in

The management has implemented the health and safety policy by adopting following practices.

- It is the Policy of the factory that every responsible effort shall be made to provide and maintain safe and healthy working condition, environment and system of work all employees.
- It shall also be the endeavor of the factory establishment to ensure that surrounding environment is not adversely effected by our work activity.
- 3) The prevention of accidents or accidents or accidents or accidents or accidents hazards leading to equipment/property is recognized as essential & integral part of efficient operations.
- 4) Every employee shall follow safety rules/regulations operating procedures/safe work method design to protect people and equipment from risk or injury or damage to property.
- 5) The factory shall endeavor to adequately train all employees suitably equipped them and instruct them to perform their duties in a safe and effective way by providing first aid training.
- 6) Every employee shall discharge his personal responsibility and shall corporate and actively participate in maintaining and improving safety standards.
- 7) A main policy will be framed in consultation with the workers and the policy will be distributed amongst workers. The health policy will be displayed at prominent place so that every worker is aware of it.
- The doctor will be appointed for health check up of workers at regular intervals and related record shall be maintained.

- 9) Nose masks, refractory boots, hand gloves, fire proximity suit, fire entry suit, water jet blanket, sand scoop, safety helmets, stretcher oxygen breathing apparatus, low temperature protective clothing, low temperature rubbers and gloves, air restarting pump, fire helmets, wind cock indicator, unitized gas director hand/electric siren(m range), fire retardant suit in addition to hose quantity will be provided.
- 10) First aid boxes will be kept ready and easily available to the workers in case of emergencies. Company will provide fastest possible medical aid.
- 11) Adequate supply of clean drinking water, neat and clean toilet and washing facilities will be provided in the factory. Proper ventilation and exhaust fans will be provided in the workshop & main sheds.
- Proper safety & protection, steps and guards will be provided at all required places.
- Firefighting equipment like sand buckets and fire extinguishers will be placed at various locations in the plant.
- Emergency contact numbers will be displayed at the main entrance of the factory.

EQUIPMENT GIVEN TO WORKERS FOR SAFETY & HEALTH

- All safety equipments mention in the health and safety policy are provided.
- Adequate fresh drinking water is supplied to all workers.

FIRST AID TREATMENT

First Aid treatment is given to the effected persons. In case of an accident the following methods shall be adopted by the following persons:

- 1) The Occupier or any of the Directors of the company shall be Chief Coordinator. He will look after the arrangement. One of them shall be always available in the factory during emergency and will arrange the following:
- To shift the victims to the hospital if required
- To arrange vehicles & to bring the persons/experts required to take care of the incident like doctor, etc.
- To get in touch with the civil Hospital/Nursing Home to get prepared to take care of the victims
- · To contact with other factories
- · To inform the Govt. Authorities
- To liaison with the Govt. Authorities
- They will be assisted by the following officers

Any person from the management of the factory shall contact other Factories, Civil Hospital/Nursing Homes, ESI hospital Police station at Sunder Nagar and also contact with the Manager in charge, Ambulance, Civil Hospital.

The above said person shall be responsible for controlling the disaster, shifting of victims form the spot and provide the victims with First Aid. The Occupier or any of the Directors of the company shall take care of the incident at the site and take all the necessary steps to normalize the situations.



Maheshwari Chowk, Near 100 Ft. Road, Bathinda - 151001 (Pb.) Ph. 0164-5011301, 98150-23869 E-mail: drramangoyal1979@gmail.com

COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE

मृदिपाहां

- ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਬਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ਕਰੇਨਾ, ਡੈੰਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
 - ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜਾਂ ਦਾ ਇਲਾਜ
 - ਅਧਰੰਗ, ਮਿਰਕੀ ਅਤੇ
 ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
 - ਕੰਪਿਊਟ੍ਰਾਇਜ਼ਡ ਲੈਬ,
 ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
 - → ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੈਂਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ♦ ਡਾਇਲਸਿਸ ਲਈ AV FISTULA
- ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- HAIR TRANSPLANT
- ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਰੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ੈ ਟੈਂਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

Dr. Raman K. Goyal ਡਾ. ਰਮਨ ਗੋਇਲ

MSBS, MS, Mch Plastic Surgery Trauma, Burn & Cosmetic Super Specialist Formerly at CMC Ludhlana Regd, No. PMC-32766 Dr. Ramandeep Goyal ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MCI (Medicine) Ex. PCMS Formerly Med. Sp. Civil Hospital, Bathinda Regd. No. PMC 34070

13/12/06/24

Sueender 1942 M

CBY PAS Vernicle

Chest 1 Norm

log Typhordreum

Parent is for to

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm Evening 05:00 pm to 07:00 pm Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE



Cosmo SUPER SPECIALITY HOSPITAL ਕੋਸਮੇਂ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

Maheshwari Chowk, Near 100 Ft. Road, Bathinda - 151001 (Pb.) Ph. 0164-5011301, 98150-23869 E-mail: drzemangoyal1979@gmail.com

COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE

ਸੁਵਿਧਾਵਾਂ

- ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਬਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ∠ ਕਰਨਾ, ਭੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ
 ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ਸਪਰੇ ਅਤੇ ਸਾੱਪ ਕੱਟੇ ਮਰੀਜਾਂ ਦਾ ਇਲਾਜ
- ਅਧਰੰਗ, ਮਿਰਕੀ ਅਤੇ
 ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ਕੰਪਿਊਟ੍ਰਾਇਜ਼ਡ ਲੈਬ,
 ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ਭਾਇਲਸਿਸ ਲਈ AV FISTULA
- ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- O HAIR TRANSPLANT
- ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ♦ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery
Trauma, Burn & Cosmetic Super Specialist
Formerly at CMC Ludhlana
Regd, No. PMC-32766

Dr. Ramandeep Goyal ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS Formerly Med. Sp. Civil Hospital, Bathinda Regd. No. PMC 34070

3112/2020

Tity

No ho generallo

FRRPA

CBC Usins Cle

RBS &

Admin's Pyphoid !

Pahent a medically

for for duty

Near Dr. Mates Hydron Hospital

BATHINDA

On. 0164-5011301

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm Evening 05:00 pm to 07:00 pm Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE



Cosmo SUPER SPECIALITY HOSPITAL

Maheshwari Chowk, Near 100 Ft. Road, Bathinda - 151001 (Pb.) Ph. 0164-5011301, 98150-23869 E-mail: drramangoyal1979@gmail.com

ਕੋਸਮੋ ਸਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE

ਸਵਿਧਾਵਾਂ

- ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ਸੁਕਰ, ਬਲੱਡ ਪੈਸ਼ਰ, ਬਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ਕਰਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਕਵਾ। ਸਵਾਈਨ ਫਲ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
 - ≬ ਸਪਰੇ ਅਤੇ ਸਾੱਪ ਕੱਟੇ ਮਰੀਜਾਂ ਦਾ ਇਲਾਜ
 - ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾੜੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
 - ਕੰਪਿਊਟਾਇਜ਼ਡ ਲੈਂਬ, ਭਿਜੀਟਲ ਐਕਸ-ਵੇ
 - ੍ਰ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਪਾ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- 🌵 ਭਾਇਲਸਿਸ ਲਈ AV FISTULA
- ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- HAIR TRANSPLANT
- ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ਟੈਂਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

Dr. Raman K. Goyal ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plestic Surgery Trauma, Burn & Cosmetic Super Specialist Formerly at CMC Ludhlana Regd. No. PMC-32766

Dr. Ramandeep Goyal ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS Formerly Med. Sp. Civil Hospital, Bathinda Regd. No. PMC 34070

Blobary Darheath

Partent is medicity

pedality Hospita Losino Super 100 Feet Road, Near Dr. Maheshwari Hospital. BATHINDA. oh. 0164-5011301

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm Evening 05:00 pm to 07:00 pm Sunday: 10:09 am to 92:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE



Cosmo SUPER SPECIALITY HOSPITAL ਕੌਸਮੇ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

Maheshwari Chowk, Near 100 Pt. Road, Bathinda - 151001 (Pb.) Ph. 0164-5011301, 96150-23869 E-mail: drramangoyal1979@gmail.com

COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE

ਸੁਵਿਧਾਵਾਂ

- ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ਸੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਫ਼ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ਕਰੋਨਾ, ਡੈਂਕੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
 - ਸਪਰੇ ਅਤੇ ਸਾੱਪ ਕੱਟੇ ਮਰੀਜਾਂ ਦਾ ਇਲਾਜ
 - ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ
 ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
 - ਕੰਪਿਊਟ੍ਰਾਇਜ਼ਡ ਲੈਬ,
 ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੈਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ਭਾਇਲਸਿਸ ਲਈ AV FISTULA
- ਐਕਸੀਡੈ'ਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ♦ HAIR TRANSPLANT
- ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਰੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgory Trauma, Burn & Cosmetic Super Specialist Formerly at CMC Ludhiana Regd. No. PMC-32766 Dr. Ramandeep Goyal ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS Formerly Med. Sp. Civil Hospital. Bathinda Regd. No. PMC 34070

13/12/pay

Devilet

CALIFAN CARPAN CORPAN COM CHE

Cher 1000

bj Typhoidvacair

Pahent is medically for to join duby

ASTROCOM STATE OF THE PROPERTY OF THE PROPERTY

TIMING : MONDAY TO SATURDAY

Morning 10:00 sm to 02:00 pm Evening 05:00 pm to 07:00 pm Sunday : 10:00 sm to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE



Cosmo SUPER SPECIALITY HOSPITAL анн на нанавия

Maheshwari Chowk, Near 100 Ft. Road, Bathinda - 151001 (Pb.) Ph. 0164-5011301, 98150-23869 E-mail: drramangoyai1979@gmail.com

COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE

ਸੁਵਿਧਾਵਾਂ

- ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂਦਾ ਇਲਾਜ਼
- ਬੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਬਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ਕਰੇਨਾ, ਫ਼ੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
 - ਸਪਰੇ ਅਤੇ ਸਾਪ ਕਟਿ
 ਮਰੀਜਾਂ ਦਾ ਇਲਾਜ
 - ਅਧਰੰਗ, ਮਿਰਕੀ ਅਤੇ
 ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
 - ਕੰਪਿਊਟ੍ਰਾਇਜ਼ਡ ਲੈਬ,
 ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ਅਾਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ♦ ਭਾਇਲਸਿਸ ਲਈ AV FISTULA
- ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ♦ HAIR TRANSPLANT
- ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery Trauma, Burn & Cosmetic Super Specialist Formerly at CMC Ludhlana Regd, No. PMC-32766 Dr. Ramandeep Goyal ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS Formerly Med. Sp. Civil Hospital, Bathinda Regd. No. PMC 34070

13/12/2024

Lovemuh

Q 24/2569

CHY RBS

cheat pars

Buy Typhond vaccino
Bared No Tago 307
Partent umodically
fit to penduly

TIMING: MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm Evening 05:00 pm to 07:00 pm Sunday: 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

C. . 0701-541 (201

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।

86





13/12/24

bt-) 80 B

BP- 120/75

Sugar - 121

Name > Manpacet Shyn > 6year

Max Super Speciality Hospital, Bethinda (A unit of Hometrall Buildtech Pvt, Ltd.) NH - 64, Near District Civil Hospital, Mansa Road, Bathinda, Punjab - 151 001 For medical service queries or appointments. call: +91-164 521 2000 www.maxhealthcare.in

Hometrall Buildbeck Pvt. Ltd. Rogd, Office: N - 310, Panchsheel Park, New Delhi - 110 017 T +91-11 4609 7254

E. secretarialhoplumaxhealthcare.com

ICM: U45400DL2008P1C1765625



A Signal Specially Hospital Action of the Control o

Charles Villa B. Don 191 554 57176



18/12/24

BP-130/90 Sugar - 88

Name - Sushil Kuman

Emmarchia GE

Max Super Speciality Hospital, Bathinda (A unit of Hometrall Buildtech Pvt. Ltd.) NH - 64, Near District Civil Hospital Marina Road, Bathinda, Punjab - 151 001 For medical service queries or appointments, call +91-164 521 2000 --- maxhealthcare.in

NU 164, New Device 15107 (18 https://doi.org/16.164.52.13000 Hometrail Buildtech Pvt. Ltd. Regd. Office: N - 110, Panchsheel Pank. New Delhi - 110 017 T +91-11 4609 7254 E. secretarialhboldmaxhealthcare com

(CIN: U45400DL2008PTC176962)



Wax Super Speciality Hospital (A Und of Place of all Late, also Page Link



13/12/24

Nt > 64 kg Sugar- 95 Bp-120/70

Name - Balynden Koman Age - 36 year

Post Polar Cateract GE

Vax b/12 Du 6/90

Adv Aldalle Tel Phaco o foldable Tel Browdy De.

of thyle

List Super Speciality Hospital
College Property Control Control
Control Name Property Control
Control Name Property Control
Co

Max Super Speciality Hospital, Bathinda (A unit of Hemetral Buildech Pvt. Ltd.) NH - 64. Near District Civil Hospital. Mansa Road, Brithings, Punjab - 151 001 Por medical service queries of appointments. call - 91-164 521 2000 www.maxhealthcare.in

Hometrall Bulldfeck Pvt. Ltd.

18-yd. 190: – N. 190, Panchole & Park,
Now Delle: 190 017

1 - 91-11 4609 7254

E. secretarialhopismashealthcare.com

(Cirk. U45400DL2008PTCI76962)



N-56



13/12/24

Wt-> 62 kg 13P-110/60 Sugar-101

Name - Bota sign

Agy - 50 yen

Lantindar Changes LAR

Vac 6/18

ENT NIE

Proceed folker En

Max Super Specialty Hospital or that of their continuous but the payor. Now, the continuous care

Mex Super Speciality Hespital, Bethinda (A unit of Hometrall Buildtech Pvt. Ltd.) NH - 64. Near District Civil Hospital. Nartsa Road, Bethinda. Punjab - 151 DDI For medical Service queries or appointments. Call: +91.164 521 2000

www.maxhealthcare.in

Hometrell Bulldtech Pvt. Ltd.

Regit Office: N 110. Panchsheel Pink,
New Delle - 110 017
1: +91-11 4609 7754
E. secretarial/hbp/il/max/realthcare.com/

(CIN; U45400DL2008PTC176962)





wto 60kg BP-120/15 Sugar - 197

Nane - Sanjay Againal Agy - 5749

> Susc & E Vol 6/12

omy or 18 year fort a yyer

7 Turds town Place & foldable Tic JE

Lax Super Speciality Hospital on Control Remercial Qualitiesh PVI. 120) 131 6 1 New Deltact (vill 154 Pc) Array Road Dubyod

103.104.5217000

Max Super Speciality Hospitel, Bethinds (A unit of Hometrall Bullidtech Pvt. Ltd.) NH - 64, Neor District Civil Hospital. Marrisa Road, Bathinda, Punjab - 151 001 For medical service queries or appointments. cell: +91.164 521 2000 www.maxhealthcare.in

Rood Office N - 11G, Panchshey Park, New Della - 110 017 1: +91-11 4609 7254

Hometrali Buildtech Pvt. Ltd.

E: socretaris/hbp/@minkhes/thcare.com

(CIN: U45400DL2008PTC176962)



	The Satety. The Sallown					
The second second	Name of Emp	The state of the s	The second section is a second		Department	
1 8	b pevendro s	Bigh	So. DG 1	2	Tabinian.	Short
	H.K. Varme		4		Process	Q.V-
	mony kum			e.	GHS	men
	Amil Tyage	A CONTRACTOR OF THE PARTY OF TH	Dan		project	100
	Deepak Ram		11		RTP	
	Shyam laf		Sr-minge	V	Admin	0.0
	Gursewak C		1)		power plant	710
The state of the s	man joet Cing		*	1.0	Elcetrical	Le .
and the second	Dankey Saxon			1120	12 to Hotion	7-11
1 /	gay Trakux		H	+ 11		My
	Enjay Aggon				HR	17.
2 3.	Harprest C	2	manager		HR	1/4
3 05.0	Whit Grenn		0 0		Deehanical	TIP
	Wkit Singh		Dy. MER	1000	phillation	No Ma
	arm Supta	10	gest-mag		re Safety	3 Vin
1	1007 70079	6	ngneer	16	PIVI)	13
				-	All Joseph	- 5-0
				_		
1200		Charles II	or windy	-		3+
usonse	of member					
Name o	+ workers	-	1 1 250		H 15	
111110	s women	Des	rignation	De	paratment	Agnahre
Sh. Pra	VC+0 Kumar	Opera	tov	120	E.	orași -
St. B.L	meet singh	fitte	~	120		
14/5	hod sings	Se Gle			etrical Sur	who con
classma	4.0		6.8	6/1	croscy News	117 500

141			DATE	
	21 7- Jan 2 in	Fitter	Jom Plant	Jahrens
	Sh. Daggleep Singh	OPERATOR	Omit chillesph	
5	sh Swran Singh	Operator	11	
C	Sh. Pontay Kuman	- 31	Distilbation	
	sh. Arvind Keimax			Day.
8	Sh. Agay Kumar	3-1	Proceps	Charles
9	Sh. Changen Bosh		M	dingh ;
10	Sh. Gurushabib Ringn	u u	Didra	
11	Ch. Bablu xayport	- 11	BID	Sucher July
11 -	Sh. Sukhveer Singh	Supervisor	Pine	- The
12	sh Dacharath	y-1	- NOTE -	702
100	en- Bhala Singh	ASD	Security	-10,000
- 17	sh. Regan bermar	Technician	Electrical	ento
-13	ch. Gulab Singh	Electrician.	W	Callelin
16		Traince	Operation (PP)	- the
13_	Sh. Har preet Pingh	FITTER	1. Mech . (D. P.)	Vinadkumas
18	on Vinod Kuman		" "	
15	sh. Manish rumar	Fitter	mech,	1/
20	Sip - Karingta Kum	FIFTER	2 D. L. Adura	fresh 15mo
24,	sh Strong Kinar		Bay lad , wholmy	7 Hoham Sing
72	sh Whansingh	Cow	prossce	1 01 1. 1
23	Bhilpham 10 -	438181HE	power Poland	Philopole
- 3	Rady Jelan	Alser	I did now	1/10/18
(54)	Kand Javan			
	The fallowing	paint 0190	cuased in the	preting.
1)	/		working working	
2)			15 Plant Pern	
3)	All Staff and a Safety ppes . wh	werkman in	plant promises	shaud were
-	Safety ppEs. Wh	ut on our	y company.	
	classmate		1	PAGE


DATE DATE	
4) M/s R.K Contractor worker workery at Height cuthout Salety Belt and Helmet.	- <i>y</i>)
Project area Bio diegel and solvent plant fire Again,	5)
Project are electrical OB. Board found open and	6)
Detrois Taker Report Raised on Safety Committee	
The plant permiseg loope clothing is prohibited.	
Proper using of Safety coursement of per work	2) 1
Safety 849 tem 19 good andetion	
Eauspement have been provided.	3) m/
and many joint was not sound.	A 700
The state of the s	-



25-01-2025 FIRST ALD TRAINING




25-01-2025 FIRST AID TORAINING



25-01-2025 FIRST AID, TRAINING



25-01-2025 FIRST AID TRAINING



25-01-2025 FIRST 9109TRAINING



St. John Ambulance (India) Indian Red Cross Society National Headquarters. 1. Red Cross Road, New Delhi - 110 001



President The President of India

Chairman Minister of Health & Family Welfare Government of India


Secretary General



This is to certify that MALKIT SINGH

Son / Wife / Daughter of

has been awarded this certificate





EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA
SUBJECT	FIRST AID	DATE OF EXAMINATION	25/01/2025
VALID UP TO		24/01/2028	101-67-1-6

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.

1--

NARESH PATHANIA

Trainer

Sh. S.D.S DHILLON, IAS (Retd.)

State Secretary

Minis

MALKIT SINGH

Candidate

Plane May Polic

Date of Issue : 31/01/2025

-8-

Dr. VIKAS GOYAL

Examiner

R.K. JAIN, IAS (Retd.) Secretary General

Disclaimer: This certificate is issued in recognition of First Aid and allied subjects training and cannot be considered as a proof of identity or age.



St. John Ambulance (India) Indian Red Cross Society



National Headquarters, 1, Red Cross Road, New Delhi - 110 001

President.

The President of India

Secretary General



This is to certify that MANOJ KUMAR PRAJAPATI

Son / Wife / Daughter of

Chairman

Minister of Health & Family Welfare Government of India

has been awarded this certificate





EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA		
SUBJECT	FIRST AID	DATE OF EXAMINATION	25/01/2025		
VALID UP TO		24/01/2028			

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.

NARESH PATHANIA

Trainer

Sh. S.D.S DHILLON, IAS (Retd.)

State Secretary

MANOJ KUMAR PRAJAPATI

Candidate

Date of issue : 31/01/2025

Dr. VIKAS GOYAL

Examiner

R.K. JAIN, IAS (Retd.) Secretary General

Disclaimer:- This certificate is issued in recognition of First Aid and allied subjects training and cannot be considered as a proof of identity or age.



St. John Ambulance (India) Indian Red Cross Society



National Headquarters, 1, Red Cross Road, New Delhi - 110 001

President The President of India

Chairman Minister of Health & Family Welfare Government of India

Secretary General



This is to certify that Mohit Joshi

Son / Wife / Daughter of

has been awarded this certificate.

MOHIT JOSHI DARSHAN KUMAR



EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA		
SUBJECT	FIRST AID	DATE OF EXAMINATION	25/01/2025		
VALID UP TO		24/01/2028			

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.



NARESH PATHANIA

Trainer

Sh. S.D.S DHILLON, IAS (Retd.)

State Secretary

proof of identity or age.

Matel Josh

MOHIT JOSHI

Candidate



Place: New Dath Date of Issue: 31/01/2025

Dr. VIKAS GOYAL Examiner

-varimier.

7--

R.K. JAIN, IAS (Retd.) Secretary General

Disclaimer:- This certificate is issued in recognition of First Ald and allied subjects training and cannot be considered as a



Chairman

Minister of Health & Family Welfare Government of India

St. John Ambulance (India) Indian Red Cross Society



President

The President of India

Secretary General



This is to certify that NAVEEN UPADHAYAY

Son / Wife / Daughter of has been awarded this certificate MADAN MOHAN UPADHAYAY



EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA		
SUBJECT	FIRST AID	DATE OF EXAMINATION	25/01/2025		
VALID UP TO		24/01/2028			

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.



NARESH PATHANIA

Trainer

Sh. S.D.S DHILLON, IAS (Retd.)

State Secretary

NAVEEN UPADHAYAY

Candidate

Date of Issue : 31/01/2025

Dr. VIKAS GOYAL

Examiner

R.K. JAIN, IAS (Reld.)

Secretary General

Disclaimer:- This certificate is issued in recognition of First Aid and allied subjects training and cannot be considered as a proof of identity or age.



St. John Ambulance (India) Indian Red Cross Society



National Headquarters, 1, Red Cross Road, New Delhi - 110 001

President The President of India

Secretary General

Chairman Minister of Health & Family Welfare Government of India



This is to certify that PARDEEP KUMAR SHARMA

Son / Wife / Daughter of

has been awarded this certificate



EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA	
SUBJECT	FIRST AID	DATE OF EXAMINATION	25/01/2025	
VALID UP TO		24/01/2028		

BINDERPAL

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.

\-__

NARESH PATHANIA

Trainer

Sh. S.D.S DHILLON, IAS (Retd.)

State Secretary

Part por

PARDEEP KUMAR SHARMA

Candidate

Date of Jasue : 31/01/2025

-8-

Dr. VIKAS GOYAL

Examiner

R.K. JAIN, IAS (Retd.)

R.K. JAIN, IAS (Retd.) Secretary General

Disclaimer:- This certificate is issued in recognition of First Aid and allied subjects training and cannot be considered as a proof of identity or age.





National Headquarters, 1, Red Cross Road, New Delhi - 110 001

President The President of India

Secretary General

Chairman Minister of Health & Family Welfare Government of India



This is to certify that RAJAN KUMAR

Son / Wife / Daughter of

has been awarded this certificate

RAJAN KUMAR SUBHASH CHANDER



EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA
SUBJECT	FIRST AID	DATE OF EXAMINATION	25/01/2025
VALID UP TO		24/01/2028	

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.

1-

NARESH PATHANIA

Trainer.

Sh. S.D.S DHILLON, IAS (Retd.)

State Secretary


RAJAN KUMAR Candidate



Date of issue 31/01/2025

-8-

Dr. VIKAS GOYAL Examiner



R.K. JAIN, IAS (Retd.) Secretary General

Disclaimer: This certificate is issued in recognition of First Aid and allied subjects training and cannot be considered as a proof of identity or age.





National Headquarters, 1, Red Cross Road, New Delhi - 110 001

President The President of India

Secretary General

Chairman Minister of Health & Family Welfare Government of India



This is to certify that RAJPAL

Son / Wife / Daughter of

PARAMJEET SINGH

has been awarded this certificate



EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA
SUBJECT	FIRST AID	DATE OF EXAMINATION	25/01/2025
VALID UP TO		24/01/2028	

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.



NARESH PATHANIA

Trainer

Sh. S.D.S DHILLON, IAS (Retd.)

State Secretary

RAJPAL Candidate



Date of lease: 31/01/2025

Dr. VIKAS GOYAL

Examiner

R.K. JAIN, IAS (Retd.)

Secretary General

Disclaimer:- This certificate is issued in recognition of First Ald and allied subjects training and cannot be considered as a proof of identity or age.





National Headquarters, 1, Red Cross Road, New Delhi - 110 001

President The President of India

Chairman Minister of Health & Family Welfare Government of India

Secretary General



This is to certify that

Son / Wife / Daughter of

has been awarded this certificate

SANDEEP SINGH BALVEER SINGH



EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA
SUBJECT	FIRST AID	DATE OF EXAMINATION	25/01/2025
VALID UP TO		24/01/2028	

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.

NARESH PATHANIA

Trainer

Sh. S.D.S DHILLON, IAS (Retd.)

State Secretary

SANDEEP SINGH Candidate

Date of issue : 31/01/2025

Dr. VIKAS GOYAL

Examiner

R.K. JAIN, IAS (Retd.)

Secretary General

Disclaimer:- This certificate is issued in recognition of First Aid and allied subjects training and cannot be considered as a proof of identity or age.





National Headquarters, 1, Red Cross Road, New Delhi - 110 001

President

The President of India

Secretary General



This is to certify that SATISH KUMAR

CHOKEY SINGH

Son / Wife / Daughter of

has been awarded this certificate

Chairman

Minister of Health & Family Welfare Government of India

EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA
SUBJECT	FIRST AID	DATE OF EXAMINATION	25/01/2025
VALID UP TO		24/01/2028	BIEW ELLOWING

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.

NARESH PATHANIA

Trainer

SATISH KUMAR

Candidate

Date of issue: 31/01/2025

Dr. VIKAS GOYAL

Examiner

R.K. JAIN, IAS (Retd.) Secretary General

Sh. S.D.S DHILLON, IAS (Retd.) State Secretary

Disclaimer:- This certificate is issued in recognition of First Aid and allied subjects training and cannot be considered as a proof of identity or age.





National Headquarters, 1, Red Cross Road, New Delhi - 110 001

President The President of India

Chairman Minister of Health & Family Welfare Government of India Secretary General



This is to certify that SUKHDEEP SINGH

Son / Wife / Daughter of

has been awarded this certificate

SUKHDEEP SINGH BANTA SINGH



EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA
SUBJECT	FIRST AID	DATE OF EXAMINATION	26/01/2025
VALID UP TO		24/01/2028	

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.

1--

NARESH PATHANIA

Trainer

Sh. S.D.S DHILLON, IAS (Retd.)

State Secretary

SUKHDEEP SINGH Candidate



Date of lasue: 31/01/2025

-8-

Dr. VIKAS GOYAL

Examiner

R.K. JAIN, IAS (Retd.) Secretary General

Disclaimer:- This certificate is issued in recognition of First Aid and allied subjects training and cannot be considered as a proof of identity or age.





National Headquarters, 1, Red Cross Road, New Delhi - 110 001

President The President of India

Secretary General

Chairman Minister of Health & Family Welfare Government of India



This is to certify that sukhdev singh

DARSHAN SINGH

has been awarded this certificate

Son / Wife / Daughter of



EXAMINATION	SENIOR PROFESSIONAL	CENTRE	BCL INDUSTRIES LIMITED BATHINDA
SUBJECT	FIRST AID	DATE OF EXAMINATION	25/01/2025
VALID UP TO		24/01/2028	

Note:- This is a system generated certificate, verification link is https://ircsfa.org/.

The holder may undergo training & examination for the next level certificate within the period of validity of this certificate.

\<u>____</u>

NARESH PATHANIA Trainer

Trainer

Sh. S.D.S DHILLON, IAS (Retd.)

State Secretary

SUKHDEV SINGH

Candidate

Date of issue : 31/01/2025

-8-

Dr. VIKAS GOYAL

Examiner

2--

R.K. JAIN, IAS (Retd.)

Secretary General

Disclaimer:- This certificate is issued in recognition of First Aid and allied subjects training and cannot be considered as a proof of identity or age.



Punjab Fire Services (Bathinda MC)



FIRE SAFETY CERTIFICATE ਫਾਇਰ ਸੇਫਟੀ ਪ੍ਰਮਾਣ ਪੱਤਰ

NOC No 321-94344-Fire/71127

NOC Type: Renew

Dated 28-Jun-2024

Certified that the BCL INDUSTRIES LTD at BCL INDUSTRIES LTD, VILL MACHANA, SANGAT KALAN, BATHINDA comprised of 0 basements and 2 (Upper floor) owned/occupied by K M GUPTA have compiled with the fire prevention and fire safety requirements of National Building Code and verified by the officer concerned of fire service on 27-Jun-2024 in the presence of K M GUPTA (Name of the owner or his representative) and that the building / premises is fit for occupancy group GROUP- G subdivision G2 (As per NBC) for period of one year from issue date. Subject to the following conditions.

Issued on 28-Jun-2024 at Bathinda MC

ਤਸਦੀਕ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ BCL INDUSTRIES LTD ਜੋ ਕਿ BCL INDUSTRIES LTD, VILL MACHANA, SANGAT KALAN, BATHINDA ਸਮੇਤ ਹ ਬੇਸਮੈਂਟ ਅਤੇ 2 (ਉੱਪਰਲੀ ਮੰਜ਼ਿਲ) ਮਲਕੀਅਤ/ਕਾਬਜ਼ਦਾਰ K M GUPTA ਨੂੰ ਅੱਗ ਬੁਝਾਉਣ ਦੇ ਪ੍ਰਭਾਵੀ ਅਤੇ ਬਰਾਅ ਦੇ ਰਾਸ਼ਟਰੀ ਬਿਲਡਿੰਗ ਕੋਡ ਅਨੁਸਾਰ ਜਿਸ ਨੂੰ ਸਬੰਧਤ ਅੱਗ ਬੁਝਾਉ ਅਧਿਕਾਫ਼ੀ ਵੱਲੋਂ ਪ੍ਰਮਾਇਤ ਕੀਤਾ ਗਿਆ 27-Jun-2024 ਮੇਜੂਦਗੀ ਵਿੱਚ K M GUPTA (ਮਾਲਕ ਦਾ ਨਾਮ ਜਾਂ ਉਸ ਦਾ ਪ੍ਰਤੀਨਿਧੀ) ਅਤੇ ਇਮਾਰਤ / ਬਿਲਡਿੰਗ ਆਬਾਦੀ ਲਈ ਯੋਗ ਹੈ। Occupancy Group GROUP- G subdivision G2 (ਐਨ. ਬੀ. ਸੀ. ਦੇ ਅਨੁਸਾਰ) ਦੇ ਪ੍ਰਭਾਵੀ ਸਮੇਂ ਤੋਂ ਇੱਕ ਸਾਲ ਤੱਕ। ਜਿਸ ਲਈ ਨਿਮਨ ਅਨੁਸਾਰ ਹਦਾਇਤਾਂ ਹਨ।

ਜਾਰੀ ਕਰਨ ਦੀ ਮਿਤੀ 28-Jun-2024 ਕਿੱਥੇ Bathinda MC .

- Fire Safety arrangements shall be kept in working condition at all the times. ਹਰ ਸਮੇਂ ਅੱਗ ਤੋਂ ਬਚਾਅ ਦੇ ਯੰਤਰਾਂ ਨੂੰ ਚਾਲੂ /ਚੰਗੀ ਹਾਲਤ ਵਿੱਚ ਰੱਖਿਆ ਜਾਵੇ।
- No, alteration/ addition/ change in use of occupancy is allowed. ਕਿਸੋਂ ਵੀ ਤਰ੍ਹਾਂ ਦੇ ਬਦਲਾਅ/ ਵਾਧੇ/ ਕਾਬਜਕਾਰ ਵਿੱਚ ਬਦਲਾਵ ਦੀ ਮਨਾਹੀ ਹੈ।
- Occupants/ owner should have trained staff to operate the operation of fire safety system provided there in.

ਉਪਲੱਬਧ ਅੱਗ ਬੁਝਾਉਣ ਦੇ ਯੰਤਰਾਂ ਦੀ ਵਰਤੋਂ ਤੋਂ ਰਹਿਣ ਵਾਲੇ ਲੋਕਾਂ / ਮਾਲਕਾਂ ਨੂੰ ਜਾਣੂੰ ਕਰਵਾਇਆ ਜਾਣਾ ਯਕੀਨੀ ਬਣਾਇਆ ਜਾਵੇ।

 Fire Officer can check the arrangements of fire safety at any time, this certificate will be withdrawn without any notice if any deficiency is found.

ਫਾਇਰ ਬ੍ਰਿਗੇਡ ਅਧਿਕਾਰੀ ਕਿਸੇ ਵੀ ਵਕਤ ਇਨ੍ਹਾਂ ਸਾਰੇ ਪ੍ਰਬੰਧਾਂ ਨੂੰ ਚੈੱਕ ਕਰ ਸਕਦਾ ਹੈ, ਜੋ ਕਰ ਕੋਈ ਕਮੀ ਪਾਈ ਗਈ ਤਾਂ ਬਿਨ੍ਹਾਂ ਕਿਸੇ ਨੇਟਿਸ ਦੇ ਇਹ ਸਰਟੀਫਿਕੇਟ ਰੰਦ ਸਮਝਿਆ ਜਾਵੇਗਾ।

Occupants/ owner should apply for renewal of fire safety certificate one month prior to expiry of this certificate.

ਮਾਲਕ ਜਾਰੀ ਕੀਤੇ ਗਏ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਦੀ ਮਿਤੀ ਖਤਮ ਹੋਣ ਤੋਂ ਇੱਕ ਮਹੀਨਾ ਪਹਿਲਾਂ ਚੀਨੀਊ ਕਰਵਾਉਣ ਲਈ ਪਾਬੰਦ ਹੋਵੇਗਾ।

* Above Details cannot be used as ownership proof.

ਉਪਰੋਕਤ ਦਰਸਾਈ ਗਈ ਜਾਣਕਾਰੀ ਨੂੰ ਮਾਲਕਾਨਾ ਦੇ ਸਬੂਤ ਵਜੋਂ ਨਹੀਂ ਵਰਤਿਆ ਜਾਵੇਗਾ।

* This is digitaly created cerificate, no signatue are needed ਇਹ ਡਿਜੀਟਲੀ (ਕੰਪਿਊਟਰਾਈਜ਼ਡ) ਤਿਆਰ ਕੀਤਾ ਗਿਆ ਸਰਟੀਫਿਕੇਟ ਹੈ, ਜਿਸ ਵਿੱਚ ਦਸਤਖਤ ਦੀ ਕੋਈ ਲੋੜ ਨਹੀਂ ਹੈ।



भारत सरकार Government of India वाणिज्य और उद्योग मंत्रालय histry of Commerce & India

Ministry of Commerce & Industry पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो) Petroleum & Explosives Safety Organisation (PESO) हात संख्या 502 एवं 507, तेवल-5, व्लाक ॥, पुराना सी.जी.ओ. काम्प्लेक्स, एन.एच.४ फरीदाबाद- 121001

Hall No. 502 & 507, Level 5, Block B, Old CGO Complex, NH-4, Faridabad - 121001

E-mail: jtccefaridabad@explosives.gov.in

Phone/Fax No: 0129 - 2410734, 2410732

दिनांक /Dated : 17/10/2022

संख्या /No P/HQ/PB/15/2012 (P430444)

सेवा में /To,

> it/s. BCL Industries Ltd, Hazi Rattan Link Road,, Bathinda City-151001, PB., Bathinda,

Taluka: Bathinda, District: BATHINDA, State: Punjab PiN: 151001

विषय /Sub: Khasra No, 148/1/2, 148/2/2 & 149/2, Village Sangat Kalan, Dabwall Road, Bathinda Bathinda, Punjab, Bathinda, Machhana/ Sangat Kalan, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 में स्थित विद्यमान

पेटोलियम वर्ग A अधिष्ठापन में अनुरुप्ति सं P/HQ/PB/15/2012 (P430444) के नवीकरण के संदर्भ में I

Existing Petroleum Class A Installation at Khasra No, 148/1/2, 148/2/2 & 149/2, Village Sangat Kalan, Dabwall Road, Bathinda Bathinda, Punjab, Bathinda, Machhana/ Sangat Kalan, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab,

PIN: 151005 - Licence No. P/HQ/PB/15/2012 (P430444) - Renewal regarding.

महोदय /Sir(s).

#पया आपके पत्र क्रमांक OIN1180184 दिनांक 12/10/2022 का अवलोकन करें ।

Please refer to your letter No.: OIN1180184, dated 12/10/2022

अनुप्रचित संख्या P/HQ/PB/15/2012 (P430444) दिनांक 19/12/2018 को दिनांक 31/12/2027 तक नवीनीकृत कर इस पत्र के साथ अग्रबित की जा रही है ।

Licence No. P/HQ/PB/15/2012 (P430444) dated 19/12/2018 is forwarded herewith duly renewed upto 31/12/2027.

कृषया पेट्रोलियम निषम 2002 के अधीन बनाए गए निषम 148 में दी गई प्रक्रिया का कठाई से पालन करें । अनुजधि के नवीकरण हेतु समस्त दस्तावेजों को अनुजधि की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व Dy. Chief Controller of Explosives, Chandigarh कार्यातय को प्रेषित करें । Piesse follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to Dy. Chief Controller of Explosives, Chandigarh, so as to reach his office on or before the date on which Licence expires.

कृषपा पावती दें। Please acknowledge the receipt.

भवदीय /Yours faithfully,

((आर.एन.मीना) (R.N.Moena)) संयुक्त मुख्य विस्फोटक नियंत्रक Jt. Chief Controller of Explosives फरीदाबाद/Faridabad

Note:-This is system generated document does not require signature.

(अधिक जानकारी जैसे आवेदन की स्थिति, खुत्क तथा अन्य विवरण के तिए हमारी वेबसाइट : http://peso.gov.in देखें) [For more information regarding status,fees and other details please visit our website: http://peso.gov.in)

प्ररूप XV (प्रथम अनुसूरी का अनुष्केद ६ देखिए) FORM XV (see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुराप्ति LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुजाप्ति सं. (Licence No.) : P/HQ/PB/15/2012(P430444)

पर्नस रूपए (Fee Rs.) 50000/- per year

M/s. BCL industries Ltd, Hazi Rattan Link Road., Bathinda City-151001, PB., Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, Pin: 151001 को केवल इसमें यथा विनिर्दिष्टु वर्ग और मात्राओं में पेट्रोलियम 1135.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/HQ/PB/15/2012(P430444) तारीख 17/10/2022 जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपाबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज़प्ति की अतिरिक्त श्वर्तों के अधीन रहते हुए, यह अनुज़प्ति अनुदत्त की जाती हैं ।

Licence is hereby granted to M/s. BCL Industries Ltd, Hazi Rattan Link Road, Bathinda City-151001, PB., Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151001 valid only for the importation and storage of 1135.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/PB/15/2012(P430444) dated 17/10/2022 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुश्राति 31st day of December 2027 तक प्रवृत रहेगी । The Licence shall remain in force till the 31st day of December 2027

अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
1135.00 KL
NIL
1135,00 KL

December 19, 2018

For Chief Controller of Explosives HQ, Nagpur

अनुज्ञप्त परिसरों का विवरण और अवस्थान DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिशर जिसकी विन्यास सीमाएं अन्य विशिष्ट्यां संतग्न अनुमोदित नक्ती में दिखाई गई हैं Khasra No: 148/1/2, 148/2/2 & 149/2, Village Sangat Kalan, Dabwall Road, Bathinda Bathinda, Punjab, Bathinda, Machhana/ Sangat Kalan, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 स्थान पर अवस्थित है तथा उसमें निम्नतिखित 3 Above Ground tank(s) for CLASS A , सम्मिलित हैं |

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Khasra No: 148/1/2, 148/2/2 & 149/2, Village Sangat Kalan, Dabwall Road, Bathinda Bathinda, Punjab, Bathinda, Machhana/ Sangat Kalan, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 and consists of 3 Above Ground tank(s) for CLASS A, together with connected facilities.

Note:-This is system generated document does not require

signature.

अनुज्ञप्ति संख्या-(Licence No.) P/HQ/PB/15/2012 (P430444)

नवीनीकरण के पृष्ठांकन के लिए स्थान SPACE FOR ENDORSEMENT OF RENEWALS

चेटोलियम अधिनियम, १९३४ के उपबन्धों या नवीकरण की तारीख उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञप्ति फ़िस में बिना किसी छट के दस वर्ष तक नवीकत की जा सकेगी।

This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

Date of Renewal Date of

समाप्ति की तारीख अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प

Expiry of license Signature and office stamp of the licencing authority.

1).

17/10/2022 31/12/2027

R.N.Meena Jt. Chief Controller of Explosives Faridabad

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरुप नहीं पाए जाते है और जिन नियमों और शर्तों के अधीन यह अनुराप्ति मंजूर की गई है उनमे से किसी का उल्लंघन होने की दशा में यह अनुराप्ति रद्द की जा सकती है और अनुराप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है. या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This is system generated document does not require signature.

Scanned with Oken Scanner

IL BOL WOUSTRIES LTD, (DISTILLERY UNIT).

Khaya ng, 1982,1992,1272,19912,1991 A., 1941 A. K. Machriga Kh. ng. 2004,200,200,300 by 2.,2001 A., 200 V. Sangat Kalan, elachhana a sangat kalan, berinda. Talaha Bathinda, darindaga sangat perjadi pertabah a tyibur dia na Jerut Angila ad atti berti berti berti. Perdalah Casa A helimba si Khara ng, 1282,13612,13012,1301 A., 1241 A., Machhana Kh. 200, 2004,2001 (2001 A.), 2001 A., 2001 K. Sangat Kalan, Bathada, Talaha Bathada, Talaha Debert Bathada, Sanc Purjab, Pin: 181401 Gaset of License regarding.

शनके पर जमांक Open 288430 दिशांत 2500 N3623 का अवटियन करें।

No. ORN1282430 dates 25/01/2023

SQPB/16/2502 (P529034) cased 04/02/2622 glanted in Form XV under the Pubblicum Rules, 2002 and valid till 31/15/2027 for the storage of the following similar transaction a travellist innew th. guardies of

59 690 / Total Capacity	ਹਨ ਦਾ ਸ਼ਾਤੂਰ ਸੋਟ੍ਰੋਜ਼ਿੰਦਸ ਸਾਚਾਰਗਦਾਨ Class A in bulk ਬੁਨੰ ਦਾ ਸ਼ਾਤੂਰ ਸੋਟ੍ਰੋਜ਼ਿੰਦਸ ਸਾਚਾਰਗਦਾਨ Class A, otherwise then in bulk ਹਨ ਗੁੜ੍ਹ ਸੋਟ੍ਰੇਜ਼ਿੰਦਸ ਸਾਚਾਰਗਦਾਨ Class B in bulk ਗਈ ਹਾ ਸ਼ਾਤੂਰ ਸੋਟ੍ਰੋਜ਼ਿੰਦਸ ਦੇ ਜ਼ਿੰਦ ਸਾਚਾਰਗਦਾਨ Class B, stherwise then in bulk ਗਈ ਹਾ ਸ਼੍ਰਾਂਤ ਸੋਟ੍ਰੇਜ਼ਿੰਦਸ ਸੰਚਾਰਗਦਾਨ Class C in bulk ਸ਼ਾਈ ਹਾ ਸ਼੍ਰਾਂਤ ਸੋਟ੍ਰੇਜ਼ਿੰਦਸ ਦੇ ਜ਼ਿੰਦ੍ਰ ਸੁੱਖਦਾਰਗਦਾਨ Class C otherwise then in bulk	चेडुरियम का विकास (Description of Peacebour)
4200 TO KIT	NHC NHC NHC NHC NHC	र्वत्रक्षेत्रीहरू में अनुष्ठत क्षणा /Guardy lowcood in KL

हे अपने क्या गर विमा 145 में भी भी प्रीमा का करतों से पता करे और अधुनींके में नकेंद्रण हेंचु सम्बद्ध दरतारेखों को अनुनित्र भी केन्द्र समान्त्री में उत्तरिक पा उससे पूर्व Dy. Charl Controller on जो प्रीमा करें।

of the licence to By. Chief Controller of Explosives.

अनुनंदर अनुनंत अब प्रश्निकतियों ने अवकात अनुनंतिकतियल ज्ञान काने ने या वस वसू अन विभिन्ने से पुत्र को देती है।

ANTHRE SHOW DESH

্ৰতীয়া ৰাগৰাতী নীই আহিলে কী নিৰ্বাই যুক্ত পথা এলৰ নিৰ্বাহ কি তিত্ব চন্দাৰী নীৰান্তই চন্দ্ৰকোকত বুকানা বঁতী। 'যে সামত প্ৰধানসকলে সন্ধানবাল্য প্ৰকাশ,কৰা লাখ বাচল বন্ধানাত চন্দ্ৰকাত ভাল চন্দ্ৰ তথাকৈ নায়-সঁচন্দ্ৰকাত্ৰতানা

Nate: This is system generated document does not require signature.

प्ररूप XV (प्रथम अनुसूची का अनुच्छेद ६ देखिए) FORM XV (see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञान्ति LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

এনুয়ানি रा. ¡Licence No.) : P/HQ/PB/15/2032(P529659)

फीस रूपए (Fee Rs.) 50000/- per year

M/s. BCL INDUSTRIES LTD. (DISTILLERY UNIT), HAZI RATAN LINK LINK ROAD., Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 161005 को केवल इसमें यथा विनिर्देश्ट वर्ग और मात्राओं में पेट्रोलियम 4200.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नवशा संख्या P/HQ/PB/15/2032(P529659) तारीख 06/02/2023 जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान घर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुस्रप्ति की अतिरिक्त कर्तों के अधीन रहते हुए, यह अनुस्रप्ति अनुदत्त की जाती हैं।

Licence is hereby granted to M/s. BCL INDUSTRIES LTD. (DISTILLERY UNIT), HAZI RATAN LINK ROAD, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 valid only for the importation and storage of 4200.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/PB/15/2032(P529659) dated 06/02/2023 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2027 तक प्रवृत रहेगी । The Licence shall remain in force till the 31st day of December 2027

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	4200.00 KL
वर्ग क प्रयुज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेटोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपंज पेटोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C,otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	4200.00 KL

February 6, 2023

For Chief Controller of Explosives HQ, Nagpur

अनुज्ञप्त परिसरों का विवरण और अवस्थान DESCRIPTION AND LOCATION OF THE LICENSED PREMISES


अनुजाप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्ट्यां संलग्न अनुमीदित नवशी में दिखाई गई हैं Khasra No: 125/2,126/2 ,127/2,132/1/2 ,133/1 /2, 134/1 /2, V. MACHHANA KH. NO. 2894,2895,2900,2901/1/2 ,2902/1 /2, 2903 V. SANGAT KALAN, MACHHANA & SANGAT KALAN, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151401 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 5 Above Ground tank(s) for CLASS A समितिस हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Khasra No: 125/2,126/2,127/2,132/1/2,133/1/2,,134/1/2, V. MACHHANA KH. NO. 2894,2895,2900,2901/1/2,2902/1/2,2903 V. SANGAT KALAN, MACHHANA & SANGAT KALAN, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151401 and consists of 5 Above Ground tank(s) for CLASS A together with connected facilities.

Note:-This is system generated document does not require

signature.

Digitally signed by SHIVCHANDRA DAYAKANT MISHRA Reason: Licence No.: P/HC/PB/15/2032 Location:Nagpur (P529659) Date 06-02-2023 18:13:20 PM



_{अनुइ}द्धि संख्या-(Licence No.) P/HQ/PB/15/2032 (P529659)

नवीनीकरण के पृष्ठांकन के लिए स्थान SPACE FOR ENDORSEMENT OF RENEWALS

पेटोलियम अधिनियम, १९३४ के उपबन्धों या नवीकरण की तारीख उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुरुप्ति फ़िस में बिना किसी छुट के दस वर्ष तक नवीकत की जा सकेगी। This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

समाप्ति की तारीख अनुज्ञापन प्राधिकारी के हस्ताक्षर और Date of Date of Renewal Expiry of license Signature and office stamp of the

licencing authority.

पदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शतों के अनुरुप नहीं पाए जाते है और जिन नियमों और शतों के अधीन यह अनुरुप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुरूप्ति रद्द की जा सकती है और अनुरूप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुमनि से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This is system generated document does not require signature.



M. K. M. Cupla

PUNJAB POLLUTION CONTROL BOARD

Zonal Office, Street no. 12, Power House Road, Bathinda Websites- www.ppcb.gov.in

Office Dispatch No: 1429

Registered/Speed Post

Industry Registration ID:

R17BT15059897

Application No:

To,

Rajinder Mittal

BCL Industries Ltd. (Distillery Unit), Hazi Rattan Link Road, Bathinda

Bathinda, Bathinda-151005

Subject:

Fresh Authorization for operating a facility for Collection, Generation, Reuse, of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 .

Rajinder Mittal of Bel industries ltd. (distillery unit) dedicated ethanol plant is hereby granted an authorisation based on the enclosed signed inspection report for Collection, Generation, Reuse, on the premises situated at Village machhana and sangat kalan, tehsil and district bathinda, Bathinda, Bathinda-151401

1. Particulars of Authorization granted to the Industry

Authorization No	HWM/Fresh/BTI/2022/17783699
Date of issue :	18/03/2022
Date of expiry:	17/03/2027
Authorization Type:	Fresh

2. Particulars of the Industry

Name & Designation of the Applicant	Sqt Navain Goyal, (Whole Time Director)
Address of Industrial premises	Bcl industries ltd. (distillery unit) dedicated ethanol plant Village machhana and sangat kalan, tehsil and district bathinda, Bathinda,Bathinda-151401
Capital Investment of the Industry	41378.0 lakhs
Category of Industry	Red
Type of Industry	Distilleries
Scale of the Industry	Large
Office District	Bathinda

"This is computer generated document from OCMMS by PPCB"

Bcl industries ltd. (distillery unit) dedicated ethanol plant, Village machhous and sangat kalan, tehsil and district bothinda, Bathinda, Bathinda, 151401



3. Particulars of Wastes

culars of Wastes		Quantity (ton/annum)
Category of Hazardous Waste as per the Schedules LII and III of these	Authorised mode of disposal or recycling or utilisation or co- processing, etc	0.01 KL/Annum
Schedule 1 5.1-Used or spent oil	Generation , Collection , Reuse	0.01 KB

4. The authorisation is subject to the general and specific conditions as appended with the Authorization.

18/03/2022

(Ruby Sidhu) Asstt Environmental Engineer

For d on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

A copy of the above is forwarded to the Environmental Engineer, Punjab Pollution Control Board, Regional office, Bathunda for information.

18/03/2022

(Ruby Sidhu) Asstt Environmental Engineer

For & on behalf

(Punjab Pollution Control Board)

TERMS AND CONDITIONS

GENERAL CONDITIONS

- The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the 1. 2.
- The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by 3.
- The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other
- Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by 4. 5.
- The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time; 6.
- The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on 161/2 Implementing Liabilities for Environmental Damages due to Handling and Disposal of 7.
- It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close 8.
- The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation, 9.
- The record of consumption and fate of the imported hazardous and other wastes shall be maintained. 10.
- The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific 11.
- The importer or exporter shall bear the cost of import or export and mitigation of damages if any. 12.
- An application for the renewal of an authorisation shall be made as laid down under these Rules.
- Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest 13. and Climate Change or Central Pollution Control Board from time to time." 14,
- Annual return shall be filed by June 30th for the period ensuring 31st March of the year,

B. SPECIFIC CONDITIONS

The industry will make an arrangement with the authorized dealer for lifting of hazardous waste of category 5.1, in case it fails to reuse the same and shall maintain proper record of the hazardous waste generated

18/03/2022

(Ruby Sidhu) Asstt Environmental Engineer

For & on behalf

al

(Punjab Pollution Control Board)

Annexure 8

Detail of Expenditure incurred under Corporate Environment Responsibility (CER) Activities for the period from 01/04/2021 to 31/03/2025.

S. No.	Period	Amount (Rs.)
1.	01/04/2021 to 31/03/2022	7,46,328/-
2.	01/04/2022 to 31/03/2023	72,31,000/-
3.	01/04/2023 to 31/03/2024	2,79,540/-
4.	01/04/2024 to 31/03/2025	12,73,280/-
	Total	95,30,148/-

A R S RECEIPT (Ct) Recounts of Passed by Entered by CAR Accounts of Checked by Checked by CAR Accounts of Checked by Checked by Checked by CAR ACCOUNTS OF CHECKED CH	1	BCL II	Regd. Office: Hazi Rattan Link Road, BATHINDA	Oad, BATHINDA.	C. C.	-
A R T I C U L A R S A R T I C U L A R S A R T I C U L A R S A R T I C U L A R S A R T I C U L A R S A R T I C U L A R S A R T I C U L A R S A R T I C U L A R S R T I C U L A R	-		PAYMENT(Dr)		421121	<u></u>
Sing the Mars and scharge of the Standard of Pavee Colored from/Paid to Passed by Checked by Checke	<u>ت</u> 0	ARTICULA	s	Head of Account		Ta:
Sing the Total Total Ceived from/Paid to Passed by Checked by Checked by Checked by Checked by Checked by	1 5	2319 B.M 2319 For A	U X	\ \ \	9838	
Sing the Total Total Ceived from/Paid to Passed by Accounts officer Cashier Entered by Checked by Checked by	7				1	
ceived from/Paid to Passed by Accounts officer Officer Cashier Entered by Checked by	} }		RECEIPT (Cr)	OT TO	Ç	П
Sing the Line of Payed from/Paid to Payee Cashier Entered by Checked by Checked by						
ceived from/Paid to Passed by Organicer Cashier Entered by Checked by				\ <u>\</u>		
m/Paid to Passed by Accounts officer Passed by Cashier Entered by Checked by	s. S.	Thom	0	TO	TAL	
Cashier Entered by Checked by	lecei	ved from/Paid to	Draft.		· ż	j
	ig. of	f Payee	Fassed by Entered by	Checked by	\$ 8°	ditor





M.G.D SCHOOL FOR SPECIALLY ABLED

(under the aegis of Distt.Red Cross Society) Opposite Thermal Lake No.3, Goniana Road Bathinda

Ref. No. 70.45.....

Dated.03-07-2024

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the

Month of July

2025 through the bearer of this letter for M.G.D. School for 2023-20

Specially Abled Bathinda. Advance receipt is enclosed herewith for the month

Priperpal M.G.D School for Specailly abled Bathinda

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda

Chemicals Pvt/Ltd Bathinda. July

2023-2024

M.G.D School for Specially Abled Bathinda

123

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO PAN:

AAACB5510B

10012063000074 **FSSAI**

Regd.Office : Hazi Rattan Link Road, Bathinda BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail: bcl@mittalgroup.co.in, Fax No.: 5003638

Invoice No Invoice Date

Lic.No.

Name

CSTIN

Address :

12/07/2024

BCL/BH/GST/02319 Transport

By Road BY RICKSHAW Vehicel No. 1

Date of Supply:

12/07/2024 PUNJAB

RETAIL SALE

GR No. Place of Supply: Date :

State State Code

Delivery Type Ex-Mill

CREDIT

Reverse Charges Applicable: No PO No.: Dated:

Details of Receiver/Billed To

Details of Consignee/Shipped To RETAIL SALE

Address :

GSTIN :

Go i Stat		State 0	Code :		State :			State Code :		
SN.		HSN/ SAC	UOM	Qty	Weight	Rate	Amount	Less Discount	Taxable Value	
1	Cotton Seed Refind Oil Home Cook 15 Ltr Tin &	151229	NOS	1 4	0.540	1500.00	6000.00	0.00	6000.00	
								2		
,	M.G.D SCHOOL FOR SPECIA	LLY AB		THINDA						
2020	nt in Words : Six Thousand The		Total	4	0.540	1500.00	6000.00	0.00	6000.	

Amount in Words: Six Thousand Three Hundred Only

Bank Name:

PUNJAB NATIONAL BANK

Bank Account Number:

0050008700005977

Bank Branch IFSC:

PUNB0005000

Total: Add cgst @2.50% On 6000.00: Add sgst @2,50% On 6000.00:

150.00 Round Off:

Bill Amount,

6300.00

6000.00

150.00

0.00

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions :-

1. Goods once sold are not returnable

Interest @ 18%p.a. will be charged after 7 days

3. Our responsibility ceases after handing over the goods to carrier

All subject to BATHINDA Jurnisdiction only. E.&.O.E.

For BCL INDUSTRIES LIMITED

Authorised Signatory

Regd. Office : Hazi Rattan Lin	NDA.	Voucher No.	. 11
CASH RECEIPT/PAYMENT VOUCHER		Dated 25 18 124	>18/24
PARTICULARS	Head of Account	82	Rs. Amount P.
Joseph 3238 Runsochool	3K ALL		(6363
RECEIPT (Cr)		TOTAL	(6363-
			,
the sale of the three		TOTAL	
Passed by Shier Entered by	Accounts officer		Director

Ph. 0164-2272639



GURBANTA DASS SCHOOL

FOR DEAF DUMB AND BLIND CHILDREN Opposite Thermal Lake No. 3, Goniana Road, Bathinda

Ref. No. 70.88.....

Dated 24-08-2024

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the Month of August _2024 through the bearer of this letter for M.G.D. School for Specially Abled Bathinda. Advance receipt is enclosed herewith for the month

> M.G.D School for Specailly abled Bathinda

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda

Chemicals Pvt. Ltd Bathinda. August (my Jews will)

M.G.D School for Specially Abled

Bathinda

15W2-@-159g.,
Sent-1/13/21/21/21/23/23/8/21/21



TAX INVOICE

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

AAACB5510B PAN:

10012063000074 **FSSAI**

Lie.No.

State Code

Address :

GSTIN :

Name

Regd.Office: Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail: bel@mittalgroup.co.in, Fax No.: 5003638

BCL/BH/GST/01219 Invoice No

25/05/2024 Invoice Date 25/05/2024 Date of Supply:

Transport By Road Vehicel No. BY CAR

GR No.

Date: 25/05/2024

PUNJAB State

RETAIL SALE

Place of Supply:

Delivery Type Ex-Mill

CREDIT

Reverse Charges Applicable: No. PO No.: Dated:

Details of Receiver/Billed To

SAC

Details of Consignee/Shipped To

: RETAIL SALE Name Address :

GSTIN :

State Code State State Code : State Less Name of Product/Service HSN/ UOM Weight Rate Amount Qty

Cook 151229	NOS	4	0.540	1500.00	6000.00	0.00	6000.00
				-	- 1		
				24.00			
h i			-				*
			36			- 87	
	1						
						*	
DA FOC						-	
	Total	4	0.540	1500.00	6000.00	0.00	6000.00
	DA FOC	Total	Total 4	DA FOC	DA FDC Total 4 0 540 1500.00	DA FOC Total 4 9 540 1500 00 6000 00	DA FOC

PUNJAB NATIONAL BANK

Bank Account Number:

0050008700005977

Bank Branch IFSC :

PUNB0005000

Add cgst @2.50% On 6000.00: Add sgst @2,50% On 6000.00:

Round Off: Bill Amount:

0.00 6300.00

150.00

Taxable

Value

Discount

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions :-

Goods once sold are not returnable

2. Interest @ 18%p.a. will be charged after 7 days

 Our responsibility ceases after handing over the goods to carrier 4. All subject to BATHINDA Jurrisdiction only. E.&.O.E.

For BCL INDUSTRIES LIMITED

sed Signatory



MAHANT GURBANTA DASS

FOR DEAF DUMB AND BLIND CHILDREN Opposite Thermal Lake No. 3, Goniana Road, Bathinda

Ref. No. 1062

Dared 15-05-2024

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the

Month of Mal

2024 through the bearer of this letter for M.G.D. School for

Specially Abled Bathinda. Advance receipt is enclosed herewith for the month May

Principal

M.G.D School for Specailly abled

Bathinda

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda

Chemicals Pvt. Ltd Bathinda. Mal

2024

Principal

M.G.D School for Specially Abled

Bathinda

A HELK	Amount P.	6360	1		_		70959,					Director	9	Auditor
Regd. Office: Hazi Rattan Link Road, BATHINDA. Voucher No. 12-14 CASH RECEIPT/PAYMENT VOUCHER Dated 22/14/22	PAYMENT(DI)		Buy on 19 530 Lex	made School			RECEIPT (Cr) TOTAL			MINOT	by Henry State 10	baid to	Passed by Accounts officer	Cir of Davies Cashier Entered by Checked by
		Sr. No.	_	-		7		1	-	7	Rs.	12		



MAHANT GURBANTA

FOR DEAF DUMB AND BLIND CHILDREN Opposite Thermal Lake No. 3, Goniana Road, Bathinda

		per 100	
mat No	10	200	<u> </u>

Dated 22-04-2024

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the 2024 through the bearer of this letter for M.G.D. School for Month of Aluil

Specially Abled Bathinda. Advance receipt is enclosed herewith for the month Alui 2024

Principal

M.G.D School for Specailly abled

Bathindac/

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda

Chemicals Pvt. Ltd Bathinda. Abay 2024

Principal 3. has

M.G.D School for Specially Abled

1542 Cate- 15902 Samuely

131

GSTIN: 03AAACB5510B1ZO

AAACB5510B PAN: **FSSAI**

10012063000074

Lic.No.

State

Name

State Code

Address :

GSTIN :

PO No.; Dated;

BCL INDUSTRIES LIMITED Regd.Office : Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624 Phone No.: 01642240163

EMail: bel@mittalgroup.co.in, Fax No.: 5003638

By Road

Invoice No. Invoice Date

BCL/BH/GST/00530 22/04/2024

Details of Receiver/Billed To

Date of Supply: 22/04/2024 : PUNJAB

RETAIL SALE

Vehicel No. BY SCOOTET GR No. Place of Supply:

Transport

Date: 22/04/2024

Delivery Type Ex-Mill

Reverse Charges Applicable : No

Details of Consignee/Shipped To

RETAIL SALE Address :

CREDIT

GSTIN :

ate :	State	Code :		State :			State Code	
i. Name of Product/Service	HSN/ SAC	UOM	Qty	Weight	Rate	Amount	Less Discount	Taxable Value
Cotton Seed Refind Oil Home Co 15 Ltr Tin	ok 151229	NOS	4	0.540	1514.28	6057,12	0.00	6057.12
MGD SCHOOL FOC								
		Total		4 0.540	1514.2	8 6057.1	12 0.00 Total	6057.1

Amount in Words: Six Thousand Three Hundred Sixty Only

Bank Name:

PUNJAB NATIONAL BANK

Bank Account Number : Bank Branch IFSC:

0050008700005977

PUNB0005000

Add cgst @2.50% On 6057.12; Add sgst @2.50% On 6057.12:

Round Off: Bill Amount

0.02 6360.00

151.43

151.43

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Terms & Conditions :-

1. Goods once sold are not returnable

Interest @ 18%p.a. will be charged after 7 days

Our responsibility ceases after handing over the goods to carrier

All subject to BATHINDA Jurrisdiction only. E.&.O.E.

Remarks If Any :-

For BCL INDUSTRIES LIMITED

Authorised Signatory

BCL INDUSTRIES LIMITED

Regd.Office : Hazi Rattan Link Road, Bathinda BATHINDA Page No.: 1

Ledger For The Period from 01/04/2024 to 31/03/2025

Date	Vehr No.	Particulars	Debit(Rs.)	Credit(Rs.)	Balance (Rs.)
	ame: BH	OJRAJ LAJWANTI JAIN P.SCHO	L,BATHINDA		
03/04/2024		To Ch No.538673 Of Pnb Tuition Fee Childrens Of Company Employees For The Month Of April 2024	10,400.00		Dr 10,400.00
02/05/2024	B15	To Ch No.263213 Of Pnb Tuition Fee Childrens Of Company Employees For The Month Of May 2024	10,400.00		Dr 20,800.00
04/06/2024	B2	To Ch No.537485 Of PNB Tution Fee For The Month Of June 2024	10,400.00		Dr 31,200.00
30/06/2024	385	Being Tution Fee For June 24 QTR		31,200.00	Cr 0.00
02/07/2024	B8	To Ch No. 539153 Of PNB For NEFT Against Tution Fee For The Month OF July 2024	10,400.00		Dr 10,400.00
02/08/2024	817	To Ch No. 537173 OF PNB For NEFT Against Tution Fee For The Month Of August 2024	10,400.00		Dr 20,800.00
03/09/2024	B12	To Ch No.768488 Of PNB For Company Emp,s ChildrenTuition Fee For Month Of Sep 2024	10,400.00		Dr 31,200.00
30/09/2024	J128	Being Tution Fee For September 2024 OTR		31,200.00	Cr 0.00
04/10/2024	B4	To Ch No. 368575 Of PNB Tution Fee For The Month Of October 2024	10,400.00		Dr 10,400.00
02/11/2024	B5	To Ch No. 769195 Of PNB Tution Fee For The Month Of November 2024	10,400.00		Dr 20,800.00
02/12/2024	B16	To Ch No.768847 Of PNB Tution Fee For The Month Of November 2024	10,400.00		Dr 31,200.00
31/12/2024	J121	Tution Fee For The December 2024 QTR		31,290.00	C)r 0.00
02/01/2025	B4	To Ch No. 039341 Of PNB Tution Fee For The Month Of Jasuary 2024	10,400.00		Dr 10,400.00
04/02/2025	B3	To Ch No. 404098 Of PNB Tution Fee For The Month Of February 2025	10,400.00		Dr 20,800:00
04/03/2025	В9	To Ch No. 210042 Of PNB Tution Fee For The Month Of March 2025	8,400.00		Dr 29,200.00
31/03/2025	1162	Being Tution Fee For The March 2025 QTR		29,200.00	Cr 0.00
			1,22,800.00	1,22,800.00	

TAX INVOICE

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

PAN: AAACB5510B

FSSAL 10012063000074

Lic.No.

State

Name

GSTIN

Address :

Regd.Office: Hazi Rottan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail: bel@mittalgroup.co.in, Fax No.: 5003638

Invoice No Invoice Date

: 22/10/2024

BCL/BH/GST/04762 Transport

Vehicel No. 1

By Road BY RICKSHAW

Date of Supply: 22/10/2024

GR No.

PUNJAB

Date:

State Code

Place of Supply:

Delivery Type Ex-Mill

CREDIT

RETAIL SALE

PO No.: Dated:

Details of Receiver/Billed To

RETAIL SALE

Reverse Charges Applicable : No

Details of Consignee/Shipped To

Name Address :

GSTIN :

N. Name of Product/Service	HSN/ SAC	UOM	Qty	Weight	Rate	Amount	W. C. C.	Section 1997
					45050	Amount	Less Discount	Taxable Value
Cotton Seed Refind Oil Home Co	A 151229	NOS	4	0.540	1966.60	7866,64	0,00	7866,64
MAHANT GURBANTA DAS	S SCHOO	L (FOC)	4	0.540	1966.66	7866,64	0.00	7866,6

Amount in Words: Eight Thousand Two Hundred Sixty Only

Bank Name:

PUNJAB NATIONAL BANK

Bank Account Number: Bank Branch IFSC:

0050008700005977

PUNB0005000

Total: Add egst @2.50% On 7866,64:

Add sgst @2.50% On 7866.64:

196.67 196,67 0.02

Round Off: Bill Amount:

8260,00

7866.54

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no low of additional consideration directly or indirectly from the buyer.

Remarks if Any 2-

Cerms & Conditions :-

- Goods once sold are not returnable
- L Interest @ 18%p.a. will be charged after 7 days
- . Our responsibility ceases after handing over the goods to carrier
- . All subject to BATHINDA Jurnisdiction only, E.&.O.E.

For BCL INDUSTRIES LIMITED

Authorised Signatory



FOR DEAF DUMB AND BLIND CHILDREN Opposite Thermal Lake No. 3, Goniana Road, Bathinda

Dated ... 2.7 ... 10 ... 2.4

To

M/s BCL Industries Ltd Bathinda

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the Month of Oclober 2024 through the bearer of this letter for M.G.D. School for

Deaf & Dumb Bathinda. Advance receipt is given below.

Principal

M.G.D School for Deaf & Dumb

Bathinda &L

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s BCL

Industries Ltd Bathinda for the month of . o. cla bas . ユーシュ

Principal

M.G.D School for Deaf & Dumb

Bathinda S

CSKW2-2067 CSKW2-2067



tional bank - punjab

बैक स्ट्रीट, बडिसा (पणाव) Bank Street, BATHINDA (Pb) - 151001

RTGS/NEFT IFS Code: PUNB0005000

THE THORNE THE BY PAYABLE AT ALL BRANCH 07/11/2024

या धारक को OR BEARER

रूपये RUPEES Five Lakh Only

PAY Guru Nanak Sports Club***

**500,000.00

0050008700005977

चालू खाला CURRENT A/c

0050008700008977

For BCL INDUSTRIES LTD

MKTSUU

IRT

Authorised Signatory(ies)

76866 7m 1510240021 29

punjab national bank

बेक स्ट्रीट, गरिया (पनार) Bank Street, BATHINDA (Pb) - 151001 RTGS/NEFT IFS Code: PUNB0005000 SPAN STREET BY BY BAYABLE AT ALL BRANCHS 111 M M

या धारक को OR BEARER

Shaheed Baha Deep Singh Samaj Bhalai Club sea

रूपये RUPEES

Five Lakh Only

₹ कर्र अदा

**500,000.00

anar de Alt Na

0050008700005977

चल क्रमा CURRENT AL

0050008700005977

Ale Payee's Only

Ale Payee's Only

For BCL INDUSTRIES LTD

Authorised Signatory(ies)

YINX8Q

IRT

1910 2400 21: # 758666"

25

Neirmo

ਸ਼ਹੀਦ ਬਾਬਾ ਦੀਪ ਸਿੰਘ ਸਮਾਜ ਭਲਾਈ ਕਲੱਬ

ਗਹਿਰੀ ਬੁੱਟਰ (ਬਠਿੰਡਾ)।

(ਰਜਿ: ਨੰ: 328)

ਪ੍ਰਧਾਨ : ਬਲਜਿੰਦਰ ਸਿੰਘ ਕਾਲੀ

ਮੌਬ: 96531-02223

- 0	de-
लजा	O
	ਸਦਾ ਵਿਖ

ਮਿਤੀ.....

ਮੈਨੇਜਿੰਗ ਡਾਇਰੈਕਟਰ ਸਾਹਿਬ ਬੀਸੀਐੱਲ ਇੰਡਸਟਰੀਜ਼ ਲਿਮਟਿਡ ਬਠਿੰਡਾ।

ਵਿਸ਼ਾ: ਪਿੰਡ ਗਹਿਰੀ ਬੁੱਟਰ ਜ਼ਿਲ੍ਹਾ ਬਠਿੰਡਾ ਦੇ ਖੇਡ ਕਲੱਬ ਨੂੰ ਵਿੱਤੀ ਸਹਾਇਤਾ ਦੇਣ ਸਬੰਧੀ ਬੇਨਤੀ ਪੱਤਰ।

ਸ੍ਰੀ ਮਾਨ ਜੀ,

ਬੇਨਤੀ ਹੈ ਕਿ ਅਸੀਂ ਪਿੰਡ ਗਹਿਰੀ ਬੁੱਟਰ ਜ਼ਿਲ੍ਹਾ ਬਠਿੰਡਾ ਵਿਖੇ ਸ਼ਹੀਦ ਬਾਬਾ ਦੀਪ ਸਿੰਘ ਸਮਾਜ ਭਲਾਈ ਕਲੱਬ ਰਜ਼ਿ ਨੰਬਰ 328 ਚਲਾ ਰਹੇ ਹਾਂ। ਜਿਸ ਦੀ ਮਦਦ ਨਾਲ ਅਸੀਂ ਪਿੰਡ 'ਚ ਖੇਡ ਗਤੀਵਿਧੀਆਂ ਅਤੇ ਹੋਰ ਸਮਾਜ ਭਲਾਈ ਦੇ ਕੰਮਾਂ ਨੂੰ ਅੰਜ਼ਾਮ ਦਿੰਦੇ ਹਾਂ। ਸੋ ਅਸੀਂ ਆਪ ਜੀ ਨੂੰ ਬੇਨਤੀ ਕਰਦੇ ਹਾਂ ਕਿ ਬੇਨਤੀ ਕਰਦੇ ਹਾਂ ਪਿੰਡ 'ਚ ਹੋਰ ਖੇਡ ਗਤੀਵਿਧੀਆਂ ਨੂੰ ਉਤਸ਼ਾਹਿਤ ਕਰਨ ਅਤੇ ਹੋਰ ਸਮਾਜ ਭਲਾਈ ਦੇ ਕੰਮਾਂ ਲਈ ਕਿਰਪਾ ਕਰਕੇ ਤੁਹਾਡੀ ਕੰਪਨੀ ਦੀ ਤਰਫੋਂ ਸਾਡੀ ਵਿੱਤੀ ਮਦਦ ਕੀਤੀ ਜਾਵੇ। ਅਸੀਂ ਉਮੀਦ ਕਰਦੇ ਹਾਂ ਕਿ ਤੁਸੀਂ ਸਾਡੀ ਇਸ ਬੇਨਤੀ ਪੱਤਰ ਨੂੰ ਪ੍ਰਵਾਨ ਕਰਦੇ ਹੋਏ ਸਾਨੂੰ ਯੋਗ ਮਦਦ ਦੇਵੋਗੇ। ਇਸ ਉਪਰਾਲੇ ਲਈ ਅਸੀਂ ਸਮੂਹ ਪਿੰਡ ਵਾਸੀ ਆਪ ਜੀ ਦੇ ਤਹਿ ਦਿਲੋਂ ਧੰਨਵਾਦੀ ਰਹਾਗੇਂ।

> ਵੱਲੋਂ : ਸ਼ਹੀਦ ਬਾਬਾ ਦੀਪ ਸਿੰਘ ਸਮਾਜ ਭਲਾਈ ਕਲੱਬ ਰਜ਼ਿ ਨੰਬਰ 328 ਪਿੰਡ ਗਹਿਰੀ ਬੁੱਟਰ ਜ਼ਿਲ੍ਹਾਂ ਬਠਿੰਡਾ।

> > The see the the normalist something of the see the see the the normalist something of the see the se

ਪ੍ਰਧਾਨ : ਗੁਰਤੇਜ ਸਿੰਘ ਸ਼ੁੱਟਰ 98725-46716

ਗੁਰੂ ਨਾਨਕ ਸਪੋਰਟਸ ਕਲੰਬ

ਗਹਿਰੀ ਬੁੱਟਰ (ਬਠਿੰਡਾ)

ਰਜਿ: ਨੰ: 112 ਆਫ 2024-25

ਲੜੀ	ਨੰ:	***********

ਮਿਤੀ

ਸੇਵਾ ਵਿਖੇ,

ਮੈਨੇਜਿੰਗ ਡਾਇਰੈਕਟਰ ਸਾਹਿਬ ਬੀਸੀਐੱਲ ਇੰਡਸਟਰੀਜ਼ ਲਿਮਟਿਡ ਬਠਿੰਡਾ।

ਵਿਸ਼ਾ: ਪਿੰਡ ਗਹਿਰੀ ਬੁੱਟਰ ਜ਼ਿਲ੍ਹਾ ਬਠਿੰਡਾ ਦੇ ਖੇਡ ਕਲੱਬ ਨੂੰ ਵਿੱਤੀ ਸਹਾਇਤਾ ਦੇਣ ਸਬੰਧੀ ਬੇਨਤੀ ਪੱਤਰ।

ਸ੍ਰੀ ਮਾਨ ਜੀ,

ਬੇਨਤੀ ਹੈ ਕਿ ਅਸੀਂ ਪਿੰਡ ਗਹਿਰੀ ਬੁੱਟਰ ਜ਼ਿਲ੍ਹਾ ਬਠਿੰਡਾ ਵਿਖੇ ਗੁਰੂ ਨਾਨਕ ਸਪੋਰਟਸ ਕਲੱਬ ਰਜਿ ਨੰਬਰ 112 ਚਲਾ ਰਹੇ ਹਾਂ। ਜਿਸ ਦੀ ਮਦਦ ਨਾਲ ਅਸੀਂ ਪਿੰਡ 'ਚ ਖੇਡ ਗਤੀਵਿਧੀਆਂ ਅਤੇ ਹੋਰ ਸਮਾਜ ਭਲਾਈ ਦੇ ਕੰਮਾਂ ਨੂੰ ਅੰਜ਼ਾਮ ਦਿੰਦੇ ਹਾਂ। ਸੋ ਅਸੀਂ ਆਪ ਜੀ ਨੂੰ ਬੇਨਤੀ ਕਰਦੇ ਹਾਂ ਕਿ ਬੇਨਤੀ ਕਰਦੇ ਹਾਂ ਪਿੰਡ 'ਚ ਹੋਰ ਖੇਡ ਗਤੀਵਿਧੀਆਂ ਨੂੰ ਉਤਸ਼ਾਹਿਤ ਕਰਨ ਅਤੇ ਹੋਰ ਸਮਾਜ ਭਲਾਈ ਦੇ ਕੰਮਾਂ ਲਈ ਕਿਰਪਾ ਕਰਕੇ ਤੁਹਾਡੀ ਕੰਪਨੀ ਦੀ ਤਰਫੋਂ ਸਾਡੀ ਵਿੱਤੀ ਮਦਦ ਕੀਤੀ ਜਾਵੇ। ਅਸੀਂ ਉਮੀਦ ਕਰਦੇ ਹਾਂ ਕਿ ਤੁਸੀਂ ਸਾਡੀ ਇਸ ਬੇਨਤੀ ਪੱਤਰ ਨੂੰ ਪ੍ਰਵਾਨ ਕਰਦੇ ਹੋਏ ਸਾਨੂੰ ਯੋਗ ਮਦਦ ਦੇਵੋਗੇ। ਇਸ ਉਪਰਾਲੇ ਲਈ ਅਸੀਂ ਸਮੂਹ ਪਿੰਡ ਵਾਸੀ ਆਪ ਜੀ ਦੇ ਤਹਿ ਦਿਲੋਂ ਧੰਨਵਾਦੀ ਰਹਾਗੇਂ।

ਵੱਲੋਂ : ਗੁਰੂ ਨਾਨਕ ਸਪੋਰਟਸ ਕਲੱਬ ਰਜ਼ਿ ਨੰਬਰ 112

ਪਿੰਡ ਗਹਿਰੀ ਬੁੱਟਰ ਜ਼ਿਲ੍ਹਾਂ ਬਠਿੰਡਾ

Kolonuel Para Below Sings

ਪ੍ਰਧਾਨ (guels) Simpl ਗੁਰੂ ਨਾਨਕ ਸਪੋਰਟਸ ਕਲੰਬ ਗਹਿਰੀ ਬੁੱਟਰ (ਬਠਿੰਡਾ) Mob.-98725-46716

Additional Registra	Cotyl Butter (Battinda) Ruttaber 54403 Plas IIIS day bearing Store of config active Seglected in Activity of Cotyl and experiments Plands Afternoonal Activity of Cotyl and Experiments Plands Activity of Cotyl and Experi	GURUWANAK SPORTS CLUB	CK No. 1/12 of 2024-2025	OF REGISTRATION O,
mar OP Societies Barninda	The same and the s		00 C/E3/ES	



MAHANT GURBANTA DASS SCHOOL

FOR DEAF DUMB AND BLIND CHILDREN Opposite Thermal Lake No. 3, Goniana Road, Bathinda

Ref No 7108

Dated 11-11-2024

To

M/s BCL Industries Ltd Bathinda

Subject: - Refined Oil for School M. G. A. School For Deaf and Dumb School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the Month of November 2024 through the bearer of this letter for M.G.D. School for Deaf & Dumb Bathinda. Advance receipt is given below.



Principal
M.G.D School for Deaf & Dumb
Bathinda

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s BCL

Industries Ltd Bathinda. November 2024

Principal

M.G.D School for Deaf & Dumb

Bathinda

15 MCHE-2170/

Savi, 2/11/20

140

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

Regd.Office: Hazi Rattan Link Road, Bathinda BATHINDA

PAN:

AAACB5510B

10012063000074

CIN No.: L24231PB1976PLC003624

FSSAL Lic.No.

Phone No.: 01642240163

EMail: bel@mittalgroup.co.in, Fax No.: 5003638

Invoice No

BCL/BH/GST/05259

By Road

Invoice Date : 12/11/2024

Transport Vehicel No. :

BY RICKSHAW

Date of Supply: 12/11/2024 State

: PUNJAB

GR No.

Date:

State Code

03

Place of Supply:

Delivery Type Ex-Mill CREDIT

PO No.:

Name-

Reverse Charges Applicable : No

Details of Receiver/Billed To

Details of Consignee/Shipped To

RETAIL SALE

Name

RETAIL SALE

Address : GSTIN :

Address : GSTIN :

SN. Name of Product/Service HSN/ SAC UOM Qty Weight Rate Amount Less Discount Value Cotton Seed Refind Oil Home Cook 151229 NOS 4 0.540 2066.66 8266.64 0.00 \$206.6 MAHANT GURBANTA DASS SCHOOL FOC)	State	ė i	State Co	ode :		State :			State Code	.03
15 Lte Tin	SN.	Name of Product/Service		UOM	Qty	Weight	Rate	Amount		
MAHANT GURBANTA DASS SCHOOL (FOC)	1	Cotton Seed Refind Oil Home Cook 15 Ltr Tin	151229	NOS	4	0.540	2066.66	8266.64	0.00	8266.64
		MAHANT GURBANTA DASS	SCHOOL.	(FOC)	/					

Amount in Words: Eight Thousand Six Hundred Eighty Only

Total:

8266.64

Bank Name:

PUNJAB NATIONAL BANK

Add egst @2,50% On 8266,64: Add sgst @2.50% On 8266.64: 206.67 206.67

Bank Account Number: Bank Branch IFSC:

0050008760005977 PUNB0005000

Round Off: Bill Amount :

0.02 8680.00

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks If Any :-

Terms & Conditions :-

- 1. Goods once sold are not returnable
- 2. Interest @ 18%p.a. will be charged after 7 days
- 3. Our responsibility ceases after handing over the goods to carrier
- 4. All subject to BATHINDA Jurnisdiction only. E.&.O.E.

For BCLINDUSTRIES MMITED

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

PAN: AAACB5510B

FSSAL 10012063000074

Lie.No.

Regd.Office: Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail: bel@mittalgroup.co.in, Fax No.: 5003638

Invoice No Invoice Date

11/12/2024

BCL/BH/GST/06337 Transport : Vehicel No. : BY RICKSHAW

By Road

Date of Supply: 11/12/2024

: PUNJAB

GR No.

Date:

State State Code

03.

Piace of Supply: Delivery Type Ex-Mill

CREDIT

PO No.: Dated : Reverse Charges Applicable : No



	Details of Receive	r/Billec	d To		I	Details of 6	Consignee	Shipped T	0
Add GST Stat	ress : IN :	State	Code :	Name : RETAIL SALE Address : GSTIN : State : State Code :					
SN.	Name of Product/Service	HSN/ SAC	HOM	Qty	Weight	Rate	Amount	Less Discount	Taxable Value
	Cotton Scod Refind Oil Home Cook 15 Ltr Tin	151229	NOS	4	0.540	1962.00	7848.00	0.00	7848,00

MAHANT GURBANTA DASS SCHOOL (FOC)

Total Amount in Words: Eight Thousand Two Hundred Fourty Only

0.00 Total: 7848.00 7848.00

Bank Name:

PUNJAB NATIONAL BANK

Bank Account Number :

0050008700005977

Bank Branch IFSC:

PUNB0005000

Add ogst @2.50% On 7848.00; Add sgst @2.50% On 7848.00:

7848.00

196,20 196.20

Round Off: Bill Amount :

8240,00

-0.40

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

1962.60

0.540

Terms & Conditions :-

- 1. Goods once sold are not returnable
- Interest @ 18%p.a. will be charged after 7 days.
- Our responsibility ceases after handing over the goods to carrier
- 4. All subject to BATHINDA Jurnisdiction only, E.&.O.E.

For BCL INDUSTRIES

form of Lakhewinder Sings makeunt of he 15000 eith thanks

P

School Bus Driver Have. Cakhuinder



01-12-808)

Buch



Heave notione the cheek In form of School Bus Driner. extensives total Amond 15,000 in family Colchementer Singh (Bus. (Drivery) BCL Dishilling unit Sayot Kodgu Bothing - Toest of unquis creita though s from Punty for to of menhane, as Tofin In Joy to V is monthly which is Alah Aller of the South of Solometers.

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

AAACB5510B PAN:

10012063000074 **FSSAI**

Lic.No.

Regd.Office: Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail : bel@mittalgroup.co.in, Fax No.: 5003638

Invoice No Invoice Date Date of Supply: BCL/BH/GST/08730 18/02/2025

Transport

By Road

Vehicel No. 1

BY RICKSHAW

GR No.

Date:

State State Code

PUNJAB 03

Place of Supply:

Delivery Type Ex-Mill

CREDIT

PO No.: Dated:

18/02/2025

Reverse Charges Applicable: No

Details of Consignee/Shipped To

Ninme: RETAIL SALE

: RETAIL SALE Name Address

Address GSTIN

State

Details of Receiver/Billed To

GSTIN State

State Code ::

SERV	0 1	State a	Code		SATISTIC :		State Code		
SIN.	Name of Product/Service	HSN/ SAC	UOM	Qty	Weight	Rate	Amount	Less Discount	Taxable Value
I	Conon Seed Refind Oil/Home Cook 15 Ltr Tin	151229	NOS	4	0.540	1995.23	7980.92	0.00	7980.93
	MAHANT GURBANTA DASS	SCHOO!	L (FOC)						Q*
			Total	4	0.540	1995:23	7980.92	0.00	7980.5

Amount in Words: Eight Thousand Three Hundred Eighty Only

Rank Name:

PUNJAB NATIONAL BANK

Bank Account Number:

0050008700005977

Bank Branch IFSC:

PUNB0005000

Total: Add egst @2.50% On 7980.92:

Add sgst @2.50% On 7980.92:

199.52 0.04

Round Off :: Bill Amount:

8380,00

7980.92

199,52

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions :-

- 1. Goods once sold are not returnable
- 2. Interest @ 18%p.a. will be charged after 7 days
- 3. Our responsibility ceases after handing over the goods to carrier
- 4. All subject to BATHINDA Jurrisdiction only. E.&.O.E.

For BCL INDUSTRIES LIMITED

Ph. 0164-2272639



MAHANT GURBANTA DASS SCHOOL

FOR DEAF DUMB AND BLIND CHILDREN Opposite Thermal Lake No. 3, Goniana Road, Bathinda

Ref. No. 7244

Dated 17 - 02-2025

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the 2025 through the bearer of this letter for M.G.D. School for Specially Abled Bathinda. Advance receipt is enclosed herewith for the month february 2023

Principal

M.G.D School for Specailly abled Bathinda.

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda

Chemicals Pvt. Ltd Bathinda. February 2025

Principal

M.G.D School for Specially Abled

Bathinda

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

Date of Supply: 07/03/2025

PANI AAACB5510B

FSSAI 10012063000074

Lic.No.

State

Regd.Office: Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail: bck@mittalgroup.co.ln, Fax No.: 5003638

Invoice No. Invoice Date BCL/BH/GST/09295

: PUNJAB

RETAIL SALE

: 07/03/2025

Details of Receiver/Billed To

Transport

Vehicel No. : BY RICKSHAW

GR.No.

Place of Supply:

State Code PO No.: Dated:

Address :

Delivery Type Ex-Mill Reverse Charges Applicable : No

Details of Consignee/Shipped To RETAIL SALE Name

Address : CONTRACT

Date:

CREDIT

GST State		State	Code		GSTIN : State :	1100		State Code	2. 4
SN.	Name of Product/Service	HSN/ SAC	UOM	Qty	Weight	Rate	Amount	Less Discount	Taxable Value
	Cotton Seed Refind Oil Home Cook 15 Ltr Tin	15[229	NOS	4	0.540	2038,09	8152.36	0.00	8152,36
	MAHANT GURBANTA DASS	SCHOO	L (FOC)						
			Total	4	0.540	2038.09	8152.36	0.00	8152.36

Amount in Words: Eight Thousand Five Hundred Sixty Only

Bank Name :

PUNJAB NATIONAL BANK

Bank Account Number: 0050008700005977

Bank Branch IFSC :

PUNB8005000

Total: Add cgst @2.50% On 8152.36: Add sgst @2.50% On 8152.36:

Round Off: Bill Amount :

203.81 0.02 8560.00

8152.36

203.81

Certified that the particulars gives above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions :-

- 1. Goods once sold are not returnable
- 2. Interest @ 18%p.a. will be charged after 7 days
- 3. Our responsibility ceases after handing over the goods to carrier
- 4. All subject to BATHINDA Jurnisdiction only, E.&.O.E.

For BCL INDUSTRIES LIMITED



MAHANT GURBANTA DASS SCHOOL

FOR DEAF DUMB AND BLIND CHILDREN
Opposite Thermal Lake No. 3, Goniana Road, Bathinda

		ALC: U.S.	12000	10000	
	- 1	71	1.77	<i>a</i>	consultation (
Section 1991.	Million	1.1	245	T	
12.00	PARTY I	15 15		All residence	

Dated 7-03-2025

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the Month of Morto 2025 through the bearer of this letter for M.G.D. School for Specially Abled Bathinda. Advance receipt is enclosed herewith for the month Morto 2025

Principal
M.G.D School for Specailly abled
Bathinda/∫

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda

Chemicals Pyt. Ltd Bathinda. Manch 2025

Principal

M.G.D School for Specially Abled

Bathinda :

CS-15/18/10-

149

Dear Sir. Please 185 me the cheek exponeire 15000 for driver Lakhwinde For BCL Industries Linguist / S

For BCL Industries Linguisted / S

Public Revision of the Date: 11/3/25 Is kay \$ 15000 | & m Luklonde 35 The Empros account for Donne Horton olla mintlemen Evannor entire Tyre Erroce, of welling charge of Boo Prand to H Mo Feb 25 Comb



Phone : 011-26131577 - 78, 80 011-29581000 Website : www.alcte-india.org

F.No. AICTE/IDC/IDEA Lab/482/2022



अखिल भारतीय तकनीकी शिक्षा परिषद

(भारत सरकार कर एक साविधिक निकास) (मानव संस्थान विकास बंधानय, धारत सरकार) रंजान बंद्रेस बार्ग, जबत क्यां, वह विश्ली-110070

ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

(A Statutory Body of the Govt. of India) (Ministry of Human Resource Development, Govt. of India) Nelson Mandela Marg. Vasant Kuni, New Dethi-110070

Dated: 30-03-2022

To,

The Vice Chancellor, Maharaja Ranjit Singh Punjab Technical University, Dabwali Rd, Lal Singh Nagar, Bathinda, Punjab 151001

Subject: AICTE - IDEA Lab Project Offer/ Acceptance Letter (AQIS ID - IDEA 202000482)

Madam/Sir,

We are pleased to inform that your institution in selected for establishing an AICTE IDEA Lab with following budget and fund flow.

Total	Contribution, Rs. (in lakh)										
Project		AICTE		Industry/ Institute							
Cost, Rs. (in lakh	NR	R	Total	NR	R	Total					
111.00	40.00	15.00	55.00	41.00	15.00	56.00					

(NR - Non-Recurring Expenditure, R- Recurring Expenditure)

AICTE shall be, as per scheme document, releasing 80% of its contribution as first instalment, only after matching grant (80% of contribution from industry/ institution) is deposited in an exclusive Bank Account of AICTE IDEA Lab and proof submitted to us. Further it may be noted that your institution had agreed to contribute Rs. 6.76 Lakh for IDEA Lab project over and above the amount towards sustenance of IDEA Lab beyond 2 years. You must honour this commitment and ensure this flow of funds, to be eligible for grants from AICTE in future.

As the Scheme is basically aimed at AICTE approved colleges, AICTE wants that your university should:

- Set up few more similar IDEA Labs in affiliated/ constituent colleges in the regions where there
 is no AICTE IDEA Lab, so that maximum students and faculty associated with university are able
 to get experience of IDEA Lab. AICTE will recognize and admit them in the national IDEA Lab
 network, if they fulfil all conditions for an AICTE IDEA Lab.
- Introduce IDEA Lab in the curriculum of UG course. It has been recommended as an audit course
 in the first year, by the AICTE Board for UG, studies in Engineering Technology (UGET).
- III. Offer upto 100 internships to its students every year based on IDEA Lab facilities, through AICTE Internship portal

We would also like to recall, among other things, the following towards smooth initiation of project.

- Your institution must provide a built-up furnished space of at least 3000 sq. to house the IDEA Lab (2000sq ft for Lab & 1000 sq ft for student activities).
- b. Your institution should open a separate savings bank account for this project within a week and the same be intimated us through the Mandate Form (enclosed). This is required for issuing the Sanction Order from our end.



c. Your institution must abide by Terms and Conditions provided in the Scheme Document (accessible from our website).

d. The institution must observe Code of Conduct for AICTE - IDEA Lab, given in the Scheme

Document.

e. The logo of AICTE IDEA Lab can be used by the institution as long as it has a valid Extension of Approval (EoA).

We will shortly be organising an online awareness programme for selected institute to detail the

subsequent steps toward effective implementation of the project.

We look forward to an Acceptance Letter (giving reference to this Offer Letter) within a week and hope that the institute will implement the prestigious project with all sincerity and commitment.

Advisor - I (IDC)



GOVERNMENT OF INDIA MINISTRY OF CORPORATE AFFAIRS OFFICE OF THE REGISTRAR OF COMPANIES

Dated: 12-05-2022

NOTE - THIS LETTER IS ONLY AN APPROVAL FOR REGISTRATION OF THE ENTITIES FOR UNDERTAKING CSR ACTIVITIES.

F** HARAJA RANJIT SINGH PUNJAB TECHNICAL UNIVERSITY, MRSPTU, DABWALI RUAD, BATHINDA, PB02, PB, 151001

PAN: AAAGT0124M

Subject: In Reference to Registration of Entities for undertaking CSR activities

Reference: Your application dated 12-05-2022 (SRN-F00501585)

Sir/Madam,

With reference to the above, it is informed that the entity has been registered for undertaking CSR activities and the Registration number is CSR00029598. Please refer the registration number for any further communication.



Registrar of Companies

ROC-DELHI

Note: The corresponding form has been approved and this letter has been digitally signed through a system generated digital signature.

BCL- AICTE IDEA LAB



Maharaja Ranjit Singh Punjab Technical University,

Badal Road, Bathinda - 151001

Court of Purpole vide Pringite Act No. 5 of 2015 and are 2019 and 12 B of UGC Act. 1956). ਮਹਾਰਾਜਾਂ ਰਣਜੀਤ ਸਿੰਘ ਪੰਜਾਬ ਟੈਕਨੀਕਲ ਯੂਨੀਵਰਸਿਟੀ, ਬਾਦਲ ਰੋਡ, ਬਠਿੰਡਾ Duc. 25 | 64 | 22

Ref No. 1191

To

Shri Kushal Mittal Joint Manging Director BCL Industries Ltd. Hazi Rattan Link Road. Bathinda - 151005

Sub: Setup of BCL- AICTE IDEA LAB.

Ref.:- Approval of BCL- AICTE IDEA LAB by AICTE

Dear Str.

I am privileged to extend my heartfelt thanks to you and your organization for commitment of a contribution of Rs. 56.0 Lacs (Fifty Six Lucs, in words) towards setting BCL- AICTE Idea Lab at MRSPTU Campus.

I am happy to share that AICTE has approved a matching grant of 55.0 Lacs (fifty five lacs, in words) for this novel initiative. Approval letter is attached as Annexure-1.

It is to rejoice that this lab is first of its kind in India, in which any industry has contributed more than AICTE. Now, in order to make BCL- AICTE Idea Lab functional for each and every student and faculty from the region, you are requested to transfer the committed contribution of Rs. 56.0 Lacs (Fifty Six Lacs, in words) in following bank account of the University:

A/c No. : 5228082582

Name of A/c; BCL- AICTE IDEA LAB

Bank : Central Bank of India

Branch

: GZS Engg. College, Bathinda

IFSC Code : CBIN0283469

Your generous help and guidance will surely lead this Idea Lab to be one of the best functioning Idea Lab in the country.

Thanking you once again.

Kind regards.

Registrar

Mahagin Ranjit Singh Punjah Technical University

Bathinda (Pb.)

BCL INDUSTRIES LIMITED

Regd.Office : Hazi Rattan Link Road, Bathinda BATHINDA Page No. : 1

Ledger For The Period from 01/04/2022 to 31/03/2023

Date	Vehr No.	Particulars	Debit(Rs.)	Credit(Rs.)	Balance (Rs.)
Account N	Name: BH	OJRAJ LAJWANTI JAIN P.SCHO)L,BATHINDA		
05/04/2022	B15	To Ch No.076885 Of PNB Given To Bhoj Raj Lajwanti Jain Public School	15,000.00		Dr 15,000.00
09/05/2022	B8	To Ch No 918099 Of Pab For Tution Fee Of Company Employees Childrens For The Month Of May 2022	15,000.00		Dr 30,000.00
02/06/2022	B9	To Ch No.573277 Of PNB For Tution Fee Of Company Employees Childrens For The Month Of June 2022	15,000.00		Dr 45,000.00
30/06/2022	J109	Being Amount Tution Fee To Bhojraj Lajwanti Jain School For Poor Childrens For The Month Of April, May & June 2022		45,000.00	Cr 0.00
05/07/2022	B11	To Ch No.581146 Of PNB For Tution Fee Of Company Employees Childrens For The Month Of July 2022	15,000.00		Dr 15,000.00
04/08/2022	BI	To Ch No.522805 Of PNB For Tution Fee Of Company Employees Childrens For The Month Of August 2022	15,000.00		Dr 30,000.00
02/09/2022	B7	To Ch No.267825 of PNB For Tution Fee Of Company Employees Childrens For The Month Of August 2022	15,000.00		Dr 45,000.00
30/09/2022	190	Tution Fee Foe The Month July To September 22		45,000.00	Cr 0.00
01/10/2022	В9	To Ch No.267754 of PNB For Tution Fee Of Company Employees Childrens For The Month Of Sept 2022	15,000.00		Dr 15,000.00
02/11/2022	V15823	Adv. Payment To Ch-No.805758 of PNB(BH/BP/07)	15,000.00		Dr 30,000.00
06/12/2022	V20192	Adv. Payment TO CH NO. 862237 OF PNB(BH/BP/01)	15,000,00		Dr 45,000,00
31/12/2022	V23808	TUTION FEE FOR THE MONTH OCT TO DEC 2022(BH/JV/84)		45,000.00	Cr 0.00
03/01/2023	V24247	Adv. Payment TO CH NO. 582592 OF PNB(BH/BP/09)	15,000.00		Dr 15,000.00
20/01/2023	V26711	Being Amount Transfer to CSR(BH/JV/022)		15,000.00	Cr 0.00
02/02/2023	B10	Adv. Payment To Ch No. 835627 Of PNB	15,000.00		Dr 15,000,00
04/03/2023	B6	To Ch No. 863296 Of PNB	15,000.00		Dr 30,000.00
31/03/2023	J200	BEING TUTION FEE FOR THE MONTH FEB TO MAR 2022	1	30,000.00	Cr 0.00
			1,80,000.00	1,80,000.00	





REF. NO. : BCL/2022-23/8697

DATED

: 01/03/2023

Regd. Office:

Hazi Rattan Link Road, Bathinda-1510 Ph.: 0164-2240163, 2240443, 221162

Fax: 0164-5003638 Website: www.bcl.ind.in E-mail: bcl@mittalgroup.co.in CIN: L2423IPB/976PLC003624

President, Indian Red Cross Society, District Branch. Bathinda

Sub: Funds under CSR/sponsorship for meeting the expenditure for CSR Activities hold by Indian Red Cross Society, Bathinda.

Sir,

Please refer D. O. No. 1331 dated 16/02/20223 from the Deputy Commissioner, Bathinda on the above mentioned subject matter. In this regard please find enclosed herewith a Cheque No. 891893 dated 01/03/2023 for Rs. 4,00,000/- (Rupees Four Lacs only) of Punjab National Bank in favour of Indian Red Cross Society, Bathinda towards CSR activities. Your goodself is requested to kindly issue us your official receipt for our record.

Thanking you


Yours faithfully For BCL Industries Limited

(S. N. Goval)

Director (Finance)

Encls: As above.

Perial Ofer-



BCL INDUSTRIES LIMITED

Regd.Office : Hazi Rattan Link Road, Bathinda BATHINDA Page No.: 1

Ledger For The Period from 01/04/2023 to 31/03/2024

Date	Vehr No.	Particulars	Debit(Rs.)	Credit(Rs.)	Bulance (Rs.)
Account N	Name: BH	OJRAJ LAJWANTI JAIN P.SCHO	OLBATHINDA		
04/04/2023	B9	To Ch No.756140 Of PNB For Childrens Tuition Fee For The Month Of April 2023	15,000.00		Dr 15,000.00
02/05/2023	B5	Adv. Payment To Ch No. 072090 Of PNB	15,000.00		Dr 30,000.00
03/06/2023	В6	To Ch No.211818 OF PNB For Childrens Tuition Fee For The Month Of JUNE 2023	15,000.00		Dr 45,000.00
30/06/2023	165	Tution Fee For The June 2023 QTR		45,000.00	Cr 0.00
01/07/2023	B11	Adv. Payment To Ch No. 768162 Of PNB Tution Fee For The Month July 2023	15,000.00		Dr 15,000.00
04/08/2023	B7	To Ch No. 305841 Of PNB Tution Fee For The Month August 2023	15,000.00		Dr 30,000.00
04/09/2023	B6	To Ch No. 668430 Of PNB Tution Fee For The Month September 2023	15,000.00		Dr 45,000.00
30/09/2023	J102	Tution Fee For The Sept. 2023 QTR		45,000.00	Cr 0.00
03/10/2023	B8	To Ch No. 665533 Of PNB Tution Fee For The Month Of October 2023	15,000.00		Dr 15,000.00
02/11/2023	B6	To Ch No. 305346 Of PNB For NEFT Tution Fee For The Month Of November 2023	15,000.00		Dr 30,000.00
02/12/2023	BII	To Ch No. 665408 Of PNB For NEFT Tution Fee For The Month Of December 2023	15,000.00		Dr 45,000.00
31/12/2023	J93	Tution Fee For The Dec 23 QTR		45,000.00	Cr 0.00
04/01/2024	В8	To Ch No. 585893 Of PNB For NEFT Tution Fee For The Month Of January 2024	15,000.00		Dr 15,000.00
01/02/2024	B18	To Ch No. 305998 Of PNB For NEFT Tution Fee For The Month Of Feb 2024	15,000.00		Dr 30,000.00
01/03/2024	B9	To Ch No. 538579 Of PNB For NEFT Tution Fee For The Month Of March 2024	15,000.00		Dr 45,000.00
31/03/2024	J239	Tution Fee For The QTR March 2024	1.80.000.00	45,000.00 1,80,000.00	Cr 0.00

BCL INDUSTRIES LIMITED

Regd, Office: Hazi Rattan Link Road, Bathinda BATHINDA

BANK PAYMENT VOUCHER

Voucher No.:

Bank: P.N.B.,CC/0050008700005977,BATHINDA

Date: 20/06/2023 a Amount p

	Weight Particulars	Rs. Amount P.
No Head of Account CORPORATE SOCIAL RESPONSIBILITY	To Ch No.744576 OF PNB Given To SAHAI JAN SEWA.	PCST.
	To	tal: 51,000.00
Fifty One Thousand Only	Prepared &	Entered By : Mulakhraj Sing
Checked By Account	Officer Auditor	Director



M.G.D SCHOOL FOR SPECIALLY ABLED

(under the aegis of Distt.Red Cross Society) Opposite Thermal Lake No.3, Goniana Road Bathinda

Ref. No. 6.9.9.4...

Dated 21 - 8-2023

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the 2023 through the bearer of this letter for M.G.D. School for Month of August Specially Abled Bathinda. Advance receipt is enclosed herewith for the month August 2023

1535 Isuacch

ol for Specailly abled Bathinda

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda Chemicals Pvt. Ltd Bathinda. August 2023

Free Of Cost (9) For Reformed

M.G.D School for Specially Abled Bathinda

84377-46850

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

PAN: AAACB5510B

FSSAI 10012063000074

Lic.No.

Regd,Office : Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail : bel@mittalgroup.co.in, Fax No.: 5003638

Invoice No. BCL/BH/GST/04092 Invoice Date :

11/09/2023

Transport : Vehicel No. :

GR No.

By Road BY RICKSHAW

Date of Supply: 11/09/2023

Date:

State State Code

Name

Address :

GSTIN :

PUNJAB

RETAIL SALE

Place of Supply:

Delivery Type Ex-Mill

CREDIT

PO No.: Dated:

Reverse Charges Applicable : No Details of Receiver/Billed To

Details of Consignee/Shipped To

Name RETAIL SALE Address

GSTIN

Stat	The state of the s	State			State :			State Code	
SN.	Name of Product/Service	HSN/ SAC	UOM	Qty	Weight	Rate	Amount	Less Discount	Taxable Value
1	Cotton Seed Refind Oil Home Cook 15 Ltr Tin	151229	Nos	4	0.540	1461.90	5847.60	0.00	5847.60
			-						
						-			
-		-			-				
1	FOR M.G.D SCHOOL								
			Total	4	0.540	1461.90	5847.60	0.00	5847.60

Amount in Words: Six Thousand One Hundred Fourty Only

Total :

5847.60 146.19

Bank Name: Bank Account Number:

PUNJAB NATIONAL BANK

0050008700005977

Bank Branch IFSC:

PUNB0005000

Add sgst @2.50% On 5847.60:

Round Off: Bill Amount :

Add cgst @2.50% On 5847.60:

146.19 0.02 6140.00

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions

1. Goods once sold are not returnable

decement of Affrica will be charged after 7 200

Ph. 0164-227263



MAHANT GURBANTA DASS SCHOOL

FOR DEAP DUMB AND BLIND CHILDREN
Opposite Thermal Lake No. 3, Goniana Road, Bathinda

Ref. No. Too T

Dated 8-9-2023

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the Month of September 2023 through the bearer of this letter for M.G.D. School for Specially Abled Bathinda. Advance receipt is enclosed herewith for the month September 2023

M.G.D School for Specailly abled Bathinda

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda Chemicals Pvt. Ltd Bathinda. Sebtember 2023

Philopal M.G.D School for Specially Abled Bathinda

Ti ally i some oy tris (Pfoil es complimentsy.

Mr. Coslash - mpw Das _ melmol 25/5-2023

BCL INDUSTRIES LIMITED

GSTIN: 03AAAC35510B1ZO

PAN: AAACB5510B

FSSAL 10012063000074

Lie.No.

Name

Address :

GSTIN

Regd.Office: Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail: bcl@mittalgroup.co.in, Fax No.: 5003638

Invoice No BCL/BH/GST/04328

invoice Date 25/09/2023 Transport By Road

Vehicel No. : BY RICKSHAW

Gate of Supply: 25/09/2023

Date:

State State Code PUNJAB

Details of Receiver/Billed To

03

RETAIL SALE

Place of Supply:

Delivery Type Ex-Mill

GR No.

CREDIT

RETAIL SALE

PO No.: Reverse Charges Applicable : No Dated:

Details of Consignee/Shipped To

Name

Address :

GSTIN

Stat	Control of the Contro	State (State :			State Code	
SN.	Name of Product/Service	HSN/ SAC	UOM	Qty	Weight	Rate	Amount	Less Discount	Taxable Value
1	Cotton Seed Refind Oil Home Cook 15 Ltr Tin	151229	NOS	4	0.540	1400.00	5600.00	0.00	5600.00
6. To 0.72 50 A									
7	MAHANT GURBANTA DASS	SCHOOL	(FOC)						
			Total	4	0.540	1400.00	5600.00	0.00	5600.00

Amount in Words: . ive Thousand Eight Hundred Eighty Only

5600.00

PUNJAB NATIONAL BANK

Add cgst @2.50% On 5600.00 Add sgst @2.50% On 5600.00; 140.00 140.00

0050008700005977

PUNB0005000

Bill Amount :

Round Off:

0.00 5880.00

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions :-

Bank Name:

Bank Account Number :

Bank Branch IFSC :

- 1. Goods once sold are not returnable
- 2. Interest @ 18%p.a. will be charged after 7 days
- 3. Our responsibility ceases after handing over the goods to carrier

4. All subject to BATHINDA Jurrisdiction only. E.&.O.E.

For BCL INDUSTRIES LIMITED



MAHANT GURBANTA DASS SCHOOL FOR DEAF DUMB AND BLIND CHILDREN

Opposite Thermal Lake No. 3, Goniana Road, Bathinda

Ref. No. 7013

Dated 31-10-2023

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the Month of October 2023 through the bearer of this letter for M.G.D. School for Specially Abled Bathinda. Advance receipt is enclosed herewith for the month October 2023

> M.G.D School for Specailly abled Bathinda

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda Chemicals Pvt. Ltd Bathinda. October 2023

> M.G.D School for Specially Abled Bathinda

plantier as for en 15th

165

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

PAN: AAACB5510B

10012063000074 **FSSAI**

Lic.No.

Pine

Address :

GSTIN :

Regd.Office: Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail: bel@mittalgroup.co.in, Fax No.: 5003638

Invoice No BCL/BH/GST/05392

Invoice Date : 31/10/2023 Date of Supply: 31/10/2023 Transport Vehicel No. :

By Road BY RICKSHAW

GR No.

Date:

State State Code

: PUNJAB 03

RETAIL SALE

Place of Supply:

Delivery Type Ex-Mill

CREDIT

PO No.: Dated: Reverse Charges Applicable : No

Details of Receiver/Billed To

Details of Consignee/Shipped To RETAIL SALE

Name Address

GSTIN

Stat		State Code :		State :			State Code	1
SN.	Name of Product/Service	HSN/ UOM SAC	Qty	Weight	Rate	Amount	Less Discount	Taxable Value
1	Cotton Seed Refind Oil Home Cook 15 Lir Tin	151229 NOS	4	0.540	1428.57	5714.28	0.00	5714-21
2.								
							-	
	MAHANT GURBANTA DASS	SCHOOL (FOC)						
		Total	4	0.540	1428.57	5714.28	0.00	5714.28

Bank Name:

PUNJAN NATIONAL BANK

Bank Account Number: 0050008700005977 Bank Branch IFSC:

PUNB0005000

Add cgst @2,50% On 5714.28:

Add sgst @2.50% On 5714.28:

Round Off: Bill Amount :

0.00 6000.00

142.80

142.8t

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions :-

- 1. Goods once sold are not returnable
- 2. Interest @ 18%p.a. will be charged after 7 days
- 3. Our responsibility ceases after handing over the goods to carrier
- 4. All subject to BA THINDA Jurrisdiction only, E.&.O.E.

For BCL INDUSTRIES LUSTITE!



MAHANT GURBANTA DASS SCHOOL

FOR DEAF DUMB AND BLIND CHILDREN Opposite Thermal Lake No. 3, Goniana Road, Bathinda

Ref. No. 1023

Dated 15-11-2023

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the Month of Navernber 2023 through the bearer of this letter for M.G.D. School for Specially Abled Bathinda. Advance receipt is enclosed herewith for the month November 2023

> M.G.D School for Specailly abled Bathinda

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda Chemicals Pvt. Ltd Bathinda. November 2023

M.G.D School for Specially Abled

Bathinda

M Deur Dayel.

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

AAACB5510B PAN: ESSAL

10012063000074

Lic.No.

Regd.Office: Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail: bel@mittalgroup.co.in, Fax No.: 5003638

Invoice No Invoice Date :

BCL/BH/GST/05998 17/11/2023

Transport

By Road Vehicel No. : BY RICKSHAW

Date of Supply: 17/11/2023

GR No.

Date :

State

: PUNJAB

Place of Supply:

State Code

Delivery Type Ex-Mill

CREDIT

PO No.: Dated:

Reverse Charges Applicable: No

Details of Receiver/Billed To

Details of Consignee/Shipped To

Address :

RETAIL SALE

Name

RETAIL SALE

GSTIN :

Address : GSTIN :

Name of Product/Service otton Seed Refind Oil Home Cook Ltr Tin	State (HSN/ SAC 151229	NOS	Qty 4	Weight :	Rate 1485.71	Amount 5942.84	Less Discount	Taxable Value 5942.84
	151229	NOS	4	0.540	1485.71	5942.84	0.00	5942.84
OR MAHANT GURBANTA D	ASS SCI	1000000		0.540	1405.71			5942.84
			Total			Total 4 0.540 1485.71	Total 4 0.540 1485.71 5942.84	Total 4 0.540 1485.71 5942.84 0.00

Bank Name:

PUNJAB NATIONAL BANK

Bank Branch IFSC:

Bank Account Number: 0050008700005977

PUNB0005000

Add cgst @2,50% On 5942.84:

Add sgst @2.50% On 5942.84:

148.57 Round Off: 0.02 6240.00

148.57

Bill Amount :

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions :-

- 1. Goods once sold are not returnable
- Interest @ 18%p.a. will be charged after 7 days
- 3. Our responsibility ceases after handing over the goods to carrier
- 4. All subject to BATHINDA Jurrisdiction only, E.&.O.E.

For BCL INDUSTRIES LIMITED



M.G.D SCHOOL FOR SPECIALLY ABLED

(under the aegis of Distt.Red Cross Society) Opposite Thermal Lake No.3, Goniana Road Bathinda

Ref. No. 7026

Dated. 11-12-2023

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the Month of December 2023 through the bearer of this letter for M.G.D. School for Specially Abled Bathinda, Advance receipt is enclosed herewith for the month December 2023

> M.G.D School for Specailly abled Bathinda

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda Chemicals Pvt. Ltd Bathinda. December, 2023

as for faculty M.G.D School for Specially Abled Bathinda

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO PAN:

AAACB5510B

10012063000074

Regd.Office : Hazi Rattun Link Road, Bathinda BATHIND A

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail : bel@mittalgroup.co.in, Fax No.: 5003638

Invoice No Invoice Date :

Name

GSTIN

Address :

Date of Supply:

FSSAL

Lic.No.

RETAIL SALE

BCL/BH/GST/07391 Transport 18/12/2023

By Road Vehicel No. : BY RICKSHAW

GR No.

Date :

State PUNIAB State Code

Place of Supply: Delivery Type

Ex-Mill

CREDIT

PO No.: Dated: Reverse Charges Applicable : No Details of Receiver/Billed To

18/12/2023

Details of Consignee/Shipped To

Name RETAIL SALE Address

CSTIN

-	tate :	State	Code :		State :				
SI	N. Name of Product/Service	HSN/ SAC	UOM	Qty	Weight	Rate	Amount	State Code Less	Taxable
Ţi	Cotton Seed Refind Oil Home Cook 15 Ltr Tin	151229	NOS	4	0.540	1419.04	5676.16	Discount 0.00	Value 5676.1
ŀ									
			-						
-	FOR M.G.D. SCHOOL (FOC)					4			
Amo	ount in Words : Five Thousand No		Total	4	0.540	1419.04	5676.16	0.00	5676.16

Thousand Nine Hundred Sixty Only

Bank Name :

PUNJAB NATIONAL BANK

Bank Account Number: 0050008700005977 Bank Branch IFSC:

PUNB0005000

Total: Add cgst @2.50% On 5676.16: Add sgst @2.50% On 5676,16:

141.90 Round Off: 0.04 Bill Amount : 5960.00

5676.16

141.90

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions :-

- 1. Goods once sold are not returnable
- Interest @ 18%p.a. will be charged after 7 days
- 3. Our responsibility ceases after handing over the goods to carrier
- 4. All subject to BATHINDA Jurisdiction only. E.&.O.E.

For BCL INDUSTRIES L

MG.D SCHOOL FOR DEAF AND DUMB BATHINDA

Ref. No. 7.032

Dated 24-01-2014

To

The Managing Director Baffinda Chemicals Pvt. Ltd. Bathioda

Subject:- Befined Oil for School

Sir.

(Cotton seed) Kindly arrange to supply four tins of refined oil quota for the month of January2024 hrough the bearer of this letter for M.G.D. School for Deaf & Dumb Bathinda. Advance receipt is enclosed herewith.

Principal

M.G.D School for Deaf & Dumb

Bathinde

Advance Recepit

Received four hins of refined oil for school from M/s Bathinda Chemicals Pvt.

Ltd Bathinda January

Principal

M.G.D School for Deaf & Dumb

Bathinda

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

PAN: AAACB5510B

10012063000074 FSSAL

Lic.No.

Regd.Office: Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail: bcl@mittalgroup.co.in, Fax No.: 5003638

By Road

Invoice No BCL/BH/GST/08733

Invoice Date 29/01/2024

29/01/2024

Transport Vehicel No. :

BY RICKSHAW

GR No.

Date:

: PUNJAB

RETAIL SALE

State Code

Place of Supply:

Delivery Type Ex-Mill

CREDIT

PO No. : Dated :

Address :

GSTIN

Date of Supply:

Reverse Charges Applicable : No

Details of Receiver/Billed To

Details of Consignee/Shipped To

RETAIL SALE Address

GSTIN

State		State (Code :		State :			State Code	1
SN.	Name of Product/Service	HSN/ SAC	UOM	Qty	Weight	Rate	Amount	Less Discount	Taxable Value
1	Cotton Seed Refind Oil Home Cook 15 Ltr Tin	151229	NOS	4	0.540	1428.57	5714.28	0.00	5714.28
					25				
		/							
	M.G.D. SCHOOL (FOC)	1		-	0.540	1429 57	6714.30	0.00	5714.2
-	ount in Words: Six Thousand O		Total	4	0.540	1428.57	5714.28	Total:	5714.2

Bank Name : Bank Account Number : PUNJAB NATIONAL BANK

PUNB0005000

Bank Branch IFSC:

0050008700005977

Total: Add cgst @2.50% On 5714.28: Add sgst @2.50% On 5714.28:

Round Off:

0.00 Bill Amount : 6000.00

142.86

142.86

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions :-

- 1. Goods once sold are not returnable.
- Interest @ 18%p.a. will be charged after 7 days
- 3. Our responsibility ceases after handing over the goods to carrier
- 4. All subject to BATHINDA Jurrisdiction only. E.&.O.E.

FOR BCL INDUSTRIES LIMITED



MAHANT GURBANTA DASS SCHOOL

FOR DEAF DUMB AND BLIND CHILDREN Opposite Thermal Lake No. 3, Goniana Road, Bathinda

Ref. No. 7037

Dated 19-02-2024

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Kindly arrange to issue four tins of refined Oil (cotton seeds) for the Month of February 2023 through the bearer of this letter for M.G.D. School for Specially Abled Bathinda. Advance receipt is enclosed herewith for the month February 2023-2024

> Principal M.G.D School for Specailly abled Bathinda

Advance Receipt

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda

Chemicals Pvt. Ltd Bathinda. February 2023/ 2024

My Jon 50 sults

Principal M.G.D School for Specially Abled Bathinda.

M.G.D. School for Deal & Dump BATHINDA

muser 15th 714

173

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

PAN: AAACB5510B Regd.Office: Hazi Rattan Link Road, Bathinda

BATHINDA

FSSAI 10012063000074

CIN No.: L24231PB1976PLC003624

Lic.No.

Phone No.: 01642240163 EMail: bel@mittalgroup.co.in, Fax No.: 5003638

Invoice No Invoice Date BCL/BH/GST/09405

Details of Receiver/Billed To

Transport

By Road

Date of Supply:

19/02/2024 19/02/2024

Vehicel No. : GR No.

BY RICKSHAW

Date :

State Code

PUNJAB

Place of Supply: Delivery Type Ex-Mill

CREDIT

PO No. 1 Dated: Reverse Charges Applicable : No

Details of Consignee/Shipped To

Name Address

RETAIL SALE

RETAIL SALE Name Address

GSTIN

Name of Product/Service HSN/ SAC UOM Qty Weight Rate Amount Less Discount Val Cotton Seed Refind Oil Home Cook 151229 NOS 4 0.540 1409.52 5638.08 0.00 5 FOR MAHANT GURBANTA DASS SCHOOL (FOC)	State :	State C	ode :		State :			State Code	:
FOR MAHANT GURBANTA DASS SCHOOL (FOC)	i. Name of Product/Service		UOM	Qty	Weight	Rate	Amount	3-100000	Taxable Value
FOR MAHANT GURBANTA DASS SCHOOL (FOC)		151229	NOS	4	0.540	1409.52	5638.08	0.00	5638,08
FOR MAHANT GURBANTA DASS SCHOOL (FOC)									
FOR MAHANT GURBANTA DASS SCHOOL (FOC)			6		/				
Total 4 0.540 1409.52 5638.08 0.00 50		DASS SCH	DOL (F	ос)					
Amount in Words: Five Thousand Nine Hundred Twenty Only Total: 56			Total	-	0.540	1409.52	5638.08	0.00	5638.08

Add egst @2.50% On 5638.08:

Bank Name:

PUNJAB NATIONAL BANK

140.95 140.95

Bank Account Number:

0050008700005977

Add sgst @2.50% On 5638.08:

Bank Branch IFSC :

PUNB0005000

Round Off: Bill Amount :

0.02 5920.00

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Remarks if Any :-

Terms & Conditions :-

- 1. Goods once sold are not returnable
- Interest @ 18%p.a. will be charged after 7 days
- 3. Our responsibility ceases after handing over the goods to carrier
- 4. All subject to BATHINDA Jurrisdiction only, E.&.O.E.

For BCLANDUSTRIES LAMITED



MAHANT GURBANTA DASS SCHOOL

FOR DEAF DUMB AND BLIND CHILDREN
Opposite Thermal Lake No. 3, Goniana Road, Bathinda

Ref. No. 7043

Dated 28 | 03 | 2024

To

The Managing Director Bathinda Chemicals Pvt. Ltd. Bathinda

Subject:- Refined Oil for School

Sir

Month of Most Land 2029 through the bearer of this letter for M.G.D. School for Specially Abled Bathinda. Advance receipt is enclosed herewith for the month Most 20234

Principal
M.G.D School for Specailly abled
Bathinda

Advance Receipt

Inderois Elfri

Received four tins of refined oil (Cotton Seeds) for school from M/s Bathinda

Chemicals Pvt. Ltd Bathinda. March 2023 - 2024

m Over Days

Principal M.G.D School for Specially Abled

e 1600/ seeich

January of

175

BCL INDUSTRIES LIMITED

GSTIN: 03AAACB5510B1ZO

AAACB5510B

PAN: 10012063000074 **FSSAI**

Lie.No.

Regd.Office : Hazi Rattan Link Road, Bathinda

BATHINDA

CIN No.: L24231PB1976PLC003624

Phone No.: 01642240163

EMail : bcl@mittalgroup.co.in, Fax No.: 5003638

Invoice No Invoice Date

State Code

Name

BCL/BH/GST/10455

28/03/2024 Date of Supply:

28/03/2024

: PUNJAB : 03

RETAIL SALE

GR No. Place of Supply:

Delivery Type Ex-Mill

Vehicel No. :

Transport

By Road BY RICKSHAW

Date :

CREDIT

Dated: PO No.:

Reverse Charges Applicable : No Details of Receiver/Billed To

Details of Consignee/Shipped To : RETAIL SALE

Name Address :

GSTIN :

ST		Code :		GSTIN : State :		State Code : Amount Less Taxable			
tate	Name of Product/Service	HSN/	UOM	Qty	Weight	Rate	Amount	Discount	Value
2811		SAC		4	0.540	1523.80	6095.20	0.00	6095.20
	Cotton Seed Refind Oil Home Cook 15 Ltr Tin	151229	NOS						
		-							
		1							
	MAHANT GURBANTA DAS	SS SCHO	OL (FOC	2)		1633.0	0 6095.2	0 0.00	6095
-	MARKET CO.		Tets	al	4 0.54	0 1523.8	007244	Total:	6095 152

Amount in Words: Six Thousand Four Hundred Only

Bank Name :

PUNJAB NATIONAL BANK

Bank Account Number: Bank Branch IFSC:

0050008700005977 PUNB0005000

Add cgst @2.50% On 6095.20: Add sgst @2.50% On 6095.20;

Round Off: Bill Amount :

152.38 0.04 6400.00

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Terms & Conditions :-

- 1. Goods once sold are not returnable
- Interest @ 18%p.a. will be charged after 7 days
- 3. Our responsibility ceases after handing over the goods to carrier

All subject to BATHINDA Jurrisdiction only, E.&.O.E.

Remarks if Any :-

FORBET INDUSTRIES LIMITED

Regd.Office: Hazi Rattan Link Road, Bathinda BATHINDA

BANK PAYMENT VOUCHER

Voucher No.: Date: 20/08/2022

k : P.N.B.,CC/0050008700005977,BATHI o Head of Account	Weight Particulars	Rs. Amount P 1000000.00
ORPORATE SOCIAL RESPONSIBILITY	To Ch No.387357, Of PNB Given To Indian Red Cross Society District Branch, Bathlinda For CSR Activities	Tuunniss
	Tota	1,000,000.0
s.Ten Lakh Only	Prepared & E	ntered By : Mulakhraj Sin
aecked By Ac	ounts Officer Auditor	Director Page 1 of 1

BCL INDUSTRIES LIMITED

Regd.Office : Hazi Rattan Link Road, Bathinda BATHINDA Page No.: 1

		Ledger For The Period from 01/04/2021 to 31/03/2022							
Date	Vehr No.	Particulars	Debit(Rs.)	Credit(Rs.)	Balance (Rs.)				
Account N	ame: BH	OJRAJ LAJWANTI JAIN P.SCHOL	BATHINDA		ANNO SECURIO SE POR				
07/04/2021	811	To Ch No 008927 Of Pnb Tution Fee For The Month Of April 2021	15,000.00		Dr 15,000.00				
18/05/2021	B10	To Ch No 893689 Of Pnb Tution Fee For The Month Of May 2021	15,000.00		Dr 30,000.00				
08/06/2021	B14	To Ch No 046568 Of Pnb Tution Fee For The Month Of June 2021	15,000.00		Dr 45,000.00				
30/06/2021	159	Being Amount Tution Fee Of Poor Childrens For The Month Of April May & June 2021		45,000.00	Cr 0.00				
06/07/2021	B2	To Ch No 491841 Of Pnb Tution Fee For The Month Of July 2021	15,000.00		Dr 15,000.00				
04/08/2021	BI	To Ch No 517156 Of Pnb Tution Fee For The Month Of August 2021	15,000,00		Dr 30,000,00				
03/09/2021	B17	To Ch No 524965 Of Pnb For Tution Fee Of Company Employees Childrens For The Month Of Sept 2021 & 2 New Admissions	17,060.00		Dr 47,000.00				
30/09/2021	150	Being Tution Fee To Bhojraj Lajwanti Jain School Of Poor Childern For The Month Of Jul-21 To Sep-21		47,900.00	Cr 0.00				
06/10/2021	B5	To Ch No 595893 Of Pnb For Tution Fee Of Company Employees Childrens For The Month Of Oct 2021	15,000.00		Dr 15,000.00				
09/11/2021	B2	To Ch No 584544 Of Pnb For Tution Fee Of Company Employees Childrens For The Month Of NOV 2021	15,000.00		Dr 30,000.00				
10/12/2021	B3	To Ch No 526931 Of Pob FORTUITION FEE FOR THE MONTH OF DEC 2021	15,000.00		Dr 45,000.0				
31/12/2021	J63	Being Tution Fee To Bhojraj Lajwanti Jain School Of Poor Childem For The Month Of Oct-21 To Dec-21		45,000.00	Cr 0.0				
05/01/2022	B10	Adv. Payment To Ch No 532547 Of Phb FORTUITION FEE FOR THE MONTH OF JAN 2021	15,000.00		Dr 15,000.0				
09/02/2022	B9	To Ch No 010718 Of Pnb For Tution Fee Of Company Employees Childrens For The Month Of Feb 2021	15,000.00		Dr 30,000.0				
04/03/2022	B17	To Ch No 463519 Of Pnb For Tution Fee Of Company Employees Childrens For The Month Of March 2021	15,000.00		Dr 45,000.0				
31/03/2022	J153	Being Tution Fee To Bhojraj Lajwanti Jain School Of Poor Childern For The Month Of Jan 22 To March 22		45,000.00	Cr 0.0				
			1,82,000.00	1,82,000,00					

Tax Invoice

PAUJA IRON STORE	Invoice No. 6	Dated
Sadar Bazar	4841	27-Mar-2021
Bathinda GSTIN/UIN: 03AHIPK6195M1ZW	Delivery Note	Mode/Terms of Payment
State Name: Punjab, Gode: 03 E-Mail: bhushan5770@yahoo.com	Supplier's Ref.	Other Reference(s)
Buyer	Buyer's Order No.	Dated
3 C L Industries Ltd	Secretary contraction and	
łazi Rattan Bathinda (Fac) Ship to Comunity Health Centre	Despatch Document No.	Delivery Note Date
Sangat	Despatched through	Destination
SSTIN/UIN : 03AAACB5510B1ZO State Name : Punjab, Code : 03		Sangat
rangeo, code. ou	Terms of Delivery	VIV

SI No.	Description of Goods	HŞN/SAC	Quantity	Rate	per	Disc in Rs.	Disc. %	Amount
4345	Wall Putty 40 Kg. Cement Color Quick Lime BRUSH 4" BRUSH 3"tt.	3214 3209 2622 9603 9306	15 Bag 10 Bag 10 Bag 10 PC 5 PC	576.27 364.41 66.67 127.12 84.75	Bag Bag PC			8,644.05 3,644.10 666.70 1,271.20 423.75
	ods Rocatred cods Rocatred cods c	T	80V.	/				14,649.80 1,275.15 1,275.15 (-)0.10
	me-7) To	tal _	12/24	1	Н			₹ 17,200.00

Amount Chargeable (in words)

E. & O.E

Inc	fian Ru	pees	Seventeen	Thousand	Two	Hundred	Only
11114	STREET, SQUARE	the part and	Property of the party of the pa	A LING GROUNG	1 11 0	riuniui eu	CHILLY

HSN/SAC		Taxable Ce		tral Tax	State Tax		Total	
			Rate	Amount	Rate	Amount	Tax Amount	
3214 7109 322 303 9306	VH	Taxable Value 8,644.05 3,644.10 666.70 1,271.20 423.75 14,649.80	1100000	777.96 327,97 16.67 114.41 36.14	9% 9% 2.50% 9% 9%	777,96 327,97 16,67 114,41 38,14	1,555.92 655.94 33.34 228.82 76.28	
	Total	14,649.80		1,275.15		1,275.15	2,550.30	

Tax Amount (in words) | Indian Rupees Two Thousand Five Hundred Fifty and Thirty paise Only

Rs 17 200/-

In Words Rs B. Eventeen Thousand Two

Checked By...M-1.....

Declaration

We declare that this invoice shows the actual price of the goods described a RESERVE Price of the correct.

for PACCA IRON STORE

Authorised Signatory

INDA JURISDICTION

Generated Invoice



Regd. Office:

Hazi Rattan Link Road, Bathinda-151005 Ph.: 0164-2240163, 2240443, 2211628

Fax:0164-5003638 Websice : www.bcl.ind.in E-mail:bel@mittalgroup.co.in CIN:L24231PB1976PLC003624

Delivery at: Community Health Centre, Sangat (Bathinda)

PO No. BCLIL/2020-21/619/ Date 26.03.2021

M/s Pacca Iron Store, Sadar Bazar, Bathinda - 151001 Ph no. 0164 - 2250161

Kind Attn; Mr. Bhushan Goyal (98151-11350)

Subject: Purchase order for Paint Material.

Dear Sir,

This has reference to your telephonic discussion with undersigned regarding the paint material. We are pleased to place our purchase order for the same as under: -

S. No.	Description	Qty	Rate	Amount
1.	Wall Putty, Make JK / Birla, Pack Size: 40 Kg	15 Bags	680 / Bag	10200.00
2	Snowcem, Teracotta, Make Good Quality Pack Size: 20 Kg	10 Bags	430 / Bag	4300.00
3.	Lime	10 Bags	70 / Bag	700.00
4.	Paint Brush, Size: 4"	10 Pcs	150 / Pc	1500.00
5.	Paint Brush, Size: 3"	05 Pcs	100 / Pc	500.00
	Total			17200.00

Terms & Conditions: -

- (a) GST: Inclusive in above prices.
- (b) Freight: Extra.
- (c) Delivery: Immediately.
- (d) Payment: 7 days after receipt of material.
- (e) Billing Address: M/s BCL Industries Ltd., Hazi Rattan Link Road, Bathinda.
- (f) Indent no. for Community Health Centre, Sangat (Bathinda).
- (g) GST No. 03AAACB5510B1ZO.

Thanks & Regards For BCL Industries Ltd.

Vijay Bansal Manager (Purchase) 09915030208

Col. M S Gaur (Retd.) Vice President 09915030236

Kushal Mittal Jt. MD

BCL

HAZI RATAN LINK ROAD BATHINDA

RECEIVE VOUCHER =

RV No : 50 Date : 12/04/2021 Party Name : PACCA IRON STORE Bill No. : 4841 Date : 27/04/2021 SADAR BAZAR, BATHINDA. P.O. No : 619 Indent M. R. No : 77 Date : 12/04/2021 G.R. No Date : 27/04/2021

BATHINDA G.R. No : Date : 27/04/2021 1 03431020111 Challan No : Date : 27/04/2021

Transport :

Freight Type : Paid Amount : 0.00

			1,10,8,11,135			comité : c.c	
Code	Product Name HSNCode	Unit	Bill Qty	Qty	Shortage	Rate	Amount
1	BIRLA PUTTY 40 KG	BAG	15.00	15.00	0.00	576.27	8844.05
2	CEMENT COLOR	BAG	10.00	10.00	0.00	364.41	3644,10
1	LIME	BAG	10.00	10.00	0.00	66.67	666.70
4	PAINT BRUSH 100MM	PCS	10.00	10.00	0.00	127.12	1271.20
5	PAINT BRUSH SOMM	PCS	5.00	5.00	0.00	84.75	423.75

			Round Off	:	-0.10
			Other Expenses		0.00
Shortage	:	0.00	Cash Discount	4	0.00
Actual Wt	:	0.00	SGST	33	1275.15
Wt As Per Bill		0.00	CGST		1275.15
Mar de Pres Mill		0.00	Freight		0.00
			Other Amt		0.00
			Discount		0.00
Remark			Cost		14649.80

For BCL

[ADMIN]

GSTN

Checked By

Store Manager

Received By

Authorised Signatory

G 714: 03AAOPB2559F1Z0

TAX INVOICE

Original Copy

BANSAL ENTERPRISES

751, OPP. HOTEL AMSUN PRIDE,, AMRIK SINGH ROAD **BATHINDA - 151005**

Tel.: 9915162611, 9646562611 email: bansal.enterprises13@yahoo.com

Invoice No.

: 9097

Date of Invoice

: 27-03-2021 Place of Supply : Punjab (03)

Reverse Charge : N GR/RR No.

Transport

: By Tempo

Vehicle No.

Station

SANGANT

PAYMENT MODE : CREDIT

Billed to :

BCL INDUSTRIES LTD.

Shipped to:

BCL INDUSTRIES LTD.

SIDE AT COMMUNITY HEALTH CENTRE

SANGAT, (BATHINDA)

GSTIN / UIN

± 03AAACB5510B1ZO

GSTIN / UIN

: 03AAACB5510B1ZO

310-1	THAT TO THE TO THE TOTAL THE T	100120			OSTINY OIL		UJMM	.02220		<
LN.	Description of Goods	HSN/SAC Code	Qty.	Unit	Price	CGST Rate	CGST Amount	SGST Rate	SGST Amount	Amount(*
5	Ceiling Fan 46" Brizair (WH) Cro Deptt- 1 Received ture	84145120	20.900	Pcs.	1,063.56	9.00 %	1,914.41	9.00 %	1,914.41	25,100.0
	9	Mon		109/:		10000	17.7			
	1 MR-76 / 2		Chec	ked E	es Turning	enly				

Tax Rate 18%

Taxable Amt. CGST Amt. SGST Amt. Total Tax

21,271,18 1,914,41 1,914,41

RupeesTwenty Five Thousand One Hundred Only Party - 25,100.00

Bank Details: A/c No. 01350200002385, UCO BANK, IFSC: UCBA0000135

Terms & Conditions

E.&. O.E.

1. Goods once sold will not be taken back.

2. Interest @ 18% p.a. will be charged if the payment is not made with in the stipulated time.

3. Subject to 'Punjab' Jurisdiction only.

Receiver's Signature 1

For BANSAL ENTERPRISES

Authorised Signatory



Regd. Office:

Hazi Rattan Link Road, Bathinda-151005 Ph.: 0164-2240163, 2240443, 2211628

Fax: 0164-5003638 Website: www.bcl.ind.in E-mail: bcl@mittalgroup.co.in CIN: L24231PB1976PLC003624

PO No. BCLIL/2020-21/618/ Date 26.03.2021 Delivery at: Community Health Centre, Sangat (Bathinda)

M/s Bansal Enterprises, 751, Opp. Hotel Amsun Pride, Amrik Singh Road, Bathinda – 151001

Kind Attn: Mr. Sukhdev Bansal (099151 - 62611)

Subject: Purchase order for Ceiling Fan Make Crompton.

Dear Sir.

This has reference to your telephonic discussion with undersigned regarding the ceiling fans. We are pleased to place our purchase order for the same as under: -

S. No.	Description	Qty	Rate	Amount
	Crompton Make Ceiling Fan, Size: 1200 mm, Colour: White, Model: BRIZAIR	20 Pcs	1255 / Pc	25100.00

Terms & Conditions: -

- (a) GST: Inclusive in above prices.
- (b) Freight: Extra.
- (c) Delivery: Immediately.
- (d) Payment: immediately after receipt of material.
- (e) Billing Address: M/s BCL Industries Ltd., Hazi Rattan Link Road, Bathinda.
- (f) Indent no, for Community Health Centre, Sangat (Bathinda).
- (g) GST No. 03AAACB5510B1ZO.

Thanks & Regards For BCL Industries Ltd.

Vijay Bansal Manager (Purchase) 09915030208 Col. M S Gaur (Retd.) Vice President 09915030236 Kushal Mittal Jt. MD

BCL

HAZI RATAN LINK ROAD BATHINDA

RECEIVE VOUCHER

Party Name

GSTN

RV No : 49

: 12/04/2021 Date

: BANSAL ENTERPRISES

Bill No : 9097 Date : 12/04/2021

P.O. No

: 618 Indent :

RAMPURA PHUL

M. R. No : 76

: 12/04/2021 Date

G.R. No Challan No

1 12/04/2021 Date : 12/04/2021 Date

Transport

Amount: 0.00

			Freight Typ	e : Paid	d An	Amount: 0.00		
Code	Product Name	Unit	Bill Qty	Qty	Shortage	Rate	Amount	
	HSNCode							
	CILING FAN 481	PCS	20.00	20.00	0.00	1053.56	21271.20	

Remark			Cost		21271.20
			Discount	:	0.00
			Other Amt	2	0.00
			Freight	1	0.00
Wt As Per Bill	1	0.00	CGST	1	1914.41
Actual Wt	1	0.00	SGST		1914.41
Shortage		0.00	Cash Discount		0.00
1000000			Other Expenses		0.00
			Round Off	4	-0.02
			Net Amount		25100.00

For BCL

[ADMIN]

Prepared By Checked By Store Manager 184

Received By

Authorised Signatory

TAX INVOICE PARAS PP0247J126 96464-06789 96464-64789 PARAS ELEC All Kinds off Electrical Goods Near Gurudwara Sahib, Guru Gobind Singh Nagar, St. No. 10/25 Corner, Barnala Rd. Bathinda-151001(Pb.) 037 GR Not Ong 620 Vehicle No HSN Code Amount. PARTICULES Qty Rate Water Stone South 1800.8 5 90041 3925 7006 3601.69 180081-3915 Wode- Stone (asolh Mores Depti. RV No. 76 ods Regarded FOI PARAS ELECTION (" Rs.33575) In Words Rs. Historic Resultant Signet Checked By 7012 Amount Defiver at: CGST@ 9 1431.5 SGST@4 2431.5 IGST@ 96 Total 31875 Grand Total FOR PARAS ELECTRIC HUR Subject to Sethinsts Jurisdiction only Our Responsibility coases and goods leave or premises: Wasses will be charged 2% per screen if bit is not paid will be sweet. place Englistory



Road, Office :

Hazi Rattan Link Road, Bashinda-151005 Ph.: 0164-2240163, 2240443, 2211628

Fax: 0164-5003638

Website: www.bcLind.in

E-mail: bcl@mittalgroup.co.in

CIN: L24231PB1976PLC003624

PO No. BCLIL/2020-21/620/ Date 26.03.2021 Delivery at: Community Health Centre, Sangat (Bathinda)

M/s Paras Electric Hub, MCB-Z-5-03242, Street No. 10/25, Balla Ram Nagar, Bathinda – 151001 GST No. 03ETZPP0247J1Z6

Kind Attn: - Mr. Vicky Shukla (83603 – 32806) Mr. Paras

Subject: Purchase order for Water Storage Tank.

Dear Sir,

This has reference to your telephonic discussion with undersigned regarding the Water Storage Tank. We are pleased to place our purchase order for the same as under: -

S. No.	Description	Qty	Rate	Amount
1.	Water Stone Make Water Storage Tank, 5 Layer, Colour: White			
a.	Capacity: 500 Ltr	05 Nos.	2125 / No.	10625.00
b.	Capacity: 1000 Ltr	05 Nos.	4250 / No.	21250.00
	Total	31875.00		

Terms & Conditions: -

- (a) GST: Inclusive in above prices.
- (b) Freight: The material is FOR at BCL Industries Ltd., Hazi Rattan Link Road, Bathinda.
- (c) Delivery: Immediately.
- (d) Payment: 7 days after receipt of material.
- (e) Billing Address: M/s BCL Industries Ltd., Hazi Rattan Link Road, Bathinda.
- (f) Indent no. for Community Health Centre, Sangat (Bathinda).
- (g) GST No. 03AAACB5510B1ZO.

Thanks & Regards For BCL Industries Ltd.

Vijay Bansal Manager (Purchase) 09915030208 Col. M S Gaur (Retd.) Vice President 09915030236 Kushal Mittal Jt. MD

BCL

HAZI RATAN LINK ROAD BATHINDA

RECEIVE VOUCHER

David Name	. DADAS DI FOTDIO LIUR	RV No	: 46	Date	: 12/04/2021
Party Name	; PARAS ELECTRIC HUB	Bill No	: 37	Date	: 27/03/2021
	BATHINDA	P.O. No	: 620	Indent	:
		M. R. No	: 73	Date	: 12/04/2021
	BATHINDA	G.R. No		Date	: 27/03/2021
GSTN		Challan No	33	Date	: 27/03/2021
Control of the Contro	-	Transport	:		
		Freight Type	: Paid	Amount	: 0.00

			1117 / 200 (2) 200 (2)				
Code	Product Name	Unit	Bill Qty	Qty	Shortage	Rate	Amount
	HSNCode						
1	WATER TANK 500 LTR PVC	PCS	5.00	5.00	0.00	1800.80	9004.00
2	WATER TANK 1000 LTR PVC	PCS	5.00	5.00	0.00	3601.69	18008.45

Remark				Cost	*:	27012.45
			2	Discount	:	0.00
			-	Other Amt		0.00
Valmentoomoogsu				Freight	:	0.00
Wt As Per Bill	- 1	0.00		CGST	4.	2431.12
Actual Wt	:	0.00		SGST	\$	2431.12
Shortage	1	0.00		Cash Discount	:	0.00
				Other Expenses		0.00
				Round Off	1	0.31
				Net Amount	:	31875.00

For BCL

Prepared By

Checked By

Store Manager

Received By

Authorised Signatory

जार की माता
जार क

Voucher No.: 9 Date: 17/06/2021	Rs. Amou	20000.000	Total: 50,000.60	Prepared & Entered By : Mulakhrnj Singlu	
NDUSTRIES LIMITE ce: Hazi Rattan Link Road, Buthinda BATHINDA K PAYMENT VOUCHER	Weight	To Ch No 665740 Of PNBGiven To Sahara Jan Sewa, Regd Bathinda	To	Accounts Officer Auditor	7
Regd.Offi Regd.Offi Bank: P.N.B. CC/0050008700005977,BATHINDA	S.No Head of Account	1 CHARITY & DONATION A/C	De 1750s, Thomsond Only	Checked By	




Site : Village Sangat Kalan Dabwall Road, Belhinda. Regd. Office:

Hazi Rattan Link Road, Bathinda-151 005 Ph.: 0164-2240163, 2240443, 2211628

Fex: 0164-5003638 Website: www.bcl.ind.in E-mail: bcl@mittalgroup.co.in

E-mail: boldistillery@mittalgroup.co.in CIN: L2423IPBI976PLC003624





Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

TEST REPORT





ULR No : NA		T	TC-11818			
		Test Report No : NAAL080525NA059 Date of reporting : 17/05/2025				
Type of Sample # : Ambie	ent Air					
Reference Type : Email		Reference No : Dt.: 05/04/2025				
Customer#	Expansion of Grain Based Distillery from 200 KLPD to 400 KLPD and Cogeneration Power Plant (from 1 to 20 MW) by M/s BCL Industries Limited, Hazi Ratan Link road, Bathinda-151001, Punjab					
Sampling Protocol	IS 5182, EL-MSP-7.3	Mode of Collection of Sample	Sample collected by Laboratory Mr. Honey			
Period of Sampling	07/05/2025 - 08/05/2025	Date of Receipt of Sample	08/05/2025			
Sampling Location	Project Site	Period of Analysis	08/05/2025 - 16/05/2025			
Standard/Specifications	National Ambient Air Quality: G.S.R.No.B- 29016/20/90/PCI-L dated 18 Nov, 2009	Environmental Condition	Clear sky			
Testing Location	On Site & Permanent Facility					

RESULTS

1. Chemical Testing

L Atmospheric Pollution (Ambient Air)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Respirable Suspended Particulate Matter as PM10	µg/m3	84	100(max.)	IS 5182 (Part 23)
2	Particulate Matter as PM2.5	ра/ш3	46	60(max.)	IS 5182 (Part 24)
3	Sulphur Dioxide as SO2	µg/m3	17	80(max.)	IS 5182 (Part 2)
4	Oxides of Nitrogen	µg/m3	23	80(max.)	IS 5182 (Part 6)
5	Ammonia as NH3	рд/т3	18	400(rnax.)	IS 5182 (Part 25)
6	Ozone as O3	µg/m3	41	180(max.)	(S 5182 (Part 9)
7	Carbon Monoxide as CO	mg/m3	0.62	4(max.)	IS 5182 (Part 10) NDIR method

Remarks: NA

""End of Report"

EL-FMT-7.82-AA


Page No.1/2

Authorized Signatory-Chemical









TEST REPORT





ULR No: NA

Test Report No: NAAL080525NA059

Date of reporting: 17/05/2025

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable Terms & Conditions :

The results relate only to the items tasted.

Type of Sample # : Ambient Air

2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.

The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.

4. Complaint log book is with Quality Call. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavaran.org

5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.

6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling

In case where sample is provided by the customer, the reported results shall apply to the sample as received.

· VIII-B hand Agerwalo? Authorized Signatory-Chemical

EL-FMT-7.8.2-AA

Page No.2/2



Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

TEST REPORT





		日の存在が	15-11818			
ant Maine	Test Report No : NANLOBO	Test Report No : NANLOB0525NA080				
IIII NOISIR	Date of reporting : 17/05/2025 Reference No : Dr.: 05/04/2025					
Expansion of Grain Based Distille to 20 MW) by M/s BCL Industries	ery from 200 KLPD to 400 KLPD and C	ogeneration Power Pl	ant (from 10 MW)			
Hazi Ratan Link road, Bathinda-10		on them in man				
		4				
	Mode of Collection of	Sample collected by	Laboratory			
07/05/2025 - 07/05/2025		Mr. Honey				
	The state of the s	08/05/2025				
	Period of Analysis	08/05/2025 - 09/05/2	7025			
EPA 1986 Schedule-III	Environmental Condition		.02.0			
Testing Location On Site & Permanent Facility		7				
	Expansion of Grain Based Distille to 20 MW) by M/s BCL Industries Hazi Ratan Link road, Bathinda-1 IS 9989, EL-MSP-7.3 07/05/2025 - 07/05/2025 Refer below* EPA 1986 Schedule-III On Site & Permanent Facility	Expansion of Grain Based Distillery from 200 KLPD to 400 KLPD and C to 20 MW) by M/s BCt. Industries Limited Hazi Ratan Link road, Bathinda-151001, Punjab IS 9989, EL-MSP-7.3 Mode of Collection of Sample 07/05/2025 - 07/05/2025 Refer below* EPA 1986 Schedule-III Environmental Condition	Reference No : Dt.: 05/04/2025 Expansion of Grain Based Distillery from 200 KLPD to 400 KLPD and Cogeneration Power PI to 20 MW) by M/s BCt. Industries Limited Hazi Ratan Link road, Bathinda-151001, Punjab IS 9989, EL-MSP-7.3 Mode of Collection of Sample collected by Mr. Honey 07/05/2025 - 07/05/2025 Refer below* Period of Analysis 08/05/2025 - 09/05/2 EPA 1986 Schedule-III Environmental Condition			

RESULTS

I. Chemical Testing

1. Atmospheric Pollution(Ambient Noise Levels)

Sr.No		Location A			
		cocation	Unit	Result (Day)	Test Method
1	At project site		0004000	100000000000000000000000000000000000000	. vor metricu
	HISTORY CONTROLS		dB(A)	72.8	EL/SOP/AN/01

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

A		regulation and Control) Rules, 2000			
Category of Area/Zone	Limits in dB(A) Leq*	Limits in dB(A) Leg*			
Industrial Area	and the same of th	Night Time			
	75	70			
Commercial Area	65	ee.			
Residential Area		0.0			
	55	45			
Silence Zone	50	40			
	Category of Area/Zone Industrial Area Commercial Area Residential Area Silence Zone	Industrial Area 75 Commercial Area 65 Residential Area 55			

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed average of the lavel of sound in decibers on scale. At which is relatable to human hearing.

"End of Report"

EL-FMT-7.8.2-AN

Authorized Signatory-

Page No.1/2





TEST REPORT





ULR No : NA

Test Report No: NANL080525NA060

Date of reporting: 17/05/2025

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable Terms & Conditions:

The results relate only to the items tested.

Type of Sample #: Ambient Noise

2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.

3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.

4. Complaint log book is with Guality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoperysystam.org

5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer of regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.

6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling

In case where sample is provided by the customer, the reported results shall apply to the sample as received.

hand Agarwal Authorized Signatory- Chemical

EL-FMT-7.8.2-AN

Page No.2/2



Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

TEST REPORT





ULR No : NA				TC-11818		
Type of Sample # : Soil		Test Report No ; NSL080525NA06†				
Reference Type : Email		P. (
Customer Name #	Emperior VA : a	Reference No : Dt.: 05/04/2	025			
	to 20 MW) by M/s BCL Industries Limited	m 200 KLPD to 400 KLPD and Cogeneration Power Plant (from 10 I				
Address #	Hazi Ratan Link yand Dulli July 15	Secretary of the second	to be death the study			
11-1-0-care-research	Hazi Ratan Link road, Bathinda-151001, Punjab	Period of Sampling	07/05/2025 - 07/05/2025			
Sampling Protocol	USEPA/600/R-92/128, EL-MSP-7.3		1 200	507752		
Sample Collection Mode		Date of Receipt of Sample	08/05/2025			
	Sample collected by Laboratory Mr. Honey	Period of Analysis	08/05/2025 - 17/05/	2025		
Testing Location	Permanent Facility	D. L.		35		
Sampling Location	Project Site	Date of reporting	17/05/2025			
Sample Description	Brown coloured soil.					
Standard/Specifications	Manual- Dept. of Agriculture (Gol), 2011					
Packing, Markings, Seal & Qty.	10 Kg Poly Bag Marked (B/08/S1)					

RESULTS

Chemical Testing

I. Pollution & Environment (Soil)

Test Parameter	2400		
Long the state of	Unit	Result	Test Method
Electrical Conductivity @ 25°C	mS/cm	0.389	IS 14767
Organic Matter	0,0	90000000	
pH @ 25%	70	7.48	IS: 2720 (Part XXII) Sec-1
	-	7.18	IS 2720 (Part 26) Cl 2
Moisture Content	96	6.0	IS:2720 (Part-II) Sec-1
Texture		2000	
Bulk Density		Sandy Loam	IS:2720 (Part-4) CI 2,4
Maria Company	gm/cc	1.55	IS: 2720 (Part-7)
	pH @ 25°C Moisture Content	Electrical Conductivity @ 25°C mS/cm Organic Matter % pH @ 25°C - Moisture Content % Texture - Bulk Density gm/cc	Electrical Conductivity @ 25°C mS/cm 0.389

End of Report

Authorized Signatory-Chemical EL-FMT-7.8.2-S

Page No.1/2

TEST REPORT





ULR No: NA

Test Report No : NSL080525NA061

Type of Sample # : Soil

OTHER INFORMATION

Abbreviation & Symbol: # Information provided by customer, ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable Terms & Conditions:

1. The results relate only to the items tested.

- Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by
 use or misuse of Test Report.
- The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of
 the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
 Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@acopanyayaran.org
- The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the lest results of preserved samples may very, Laboratory also does not assume any responsibility in the test test for the samples.

samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clanification.

6. All disputes are subjected to jurisdiction of Mohati (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.

In case where sample is provided by the customer, the reported results shell apply to the sample as received.

Mr. Muketh Chard Agarwal

Authorized Signatory Chemical

EL-FMT-7.8.2-S

Page No.2/2



Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

TEST REPORT

ULR No : NA Type of Sample # : Sail		Test Report No : NSL0805	25NA061/A
Reference Type : Email		Reference No : Dt.: 05/04/2	036
Customer Name #	Expansion of Grain Based Distillery from to 20 MW) by M/s BCL Industries Limited	200 KLPD to 400 KLPD and C	
Address#	Hazi Ratan Link road, Bathinda-151001, Punjab	Period of Sampling	07/05/2025 - 07/05/2025
Sampling Protocol	USEPA/600/R-92/128, EL-MSP-7.3	Date of Receipt of Sample	08/05/2025
Sample Collection Mode	Sample collected by Laboratory Mr. Honey	Period of Analysis	08/05/2025 - 17/05/2025
Testing Location	Permanent Facility	Date of reporting	17/05/2025
Sampling Location	Project Site	- stragoring	(7)00/2025
Sample Description	Brown coloured soil.		
Standard/Specifications	Manual- Dept. of Agriculture (Gol); 2011		
Packing, Markings, Seal & Qty.	10 Kg Poly Bag Marked (B/08/S1)		

RESULTS

1. Chemical Testing

I. Pollution & Environment (Soil)

r.No Test Parameter	Unit	Result	Test Method
1 Sand	%	75	IS:2720 (Part-4) Cl 2,4
2 Silt	%	0	IS:2720 (Part-4) Cl 2,4
3 Clay	- K	16	IS:2720 (Part-4) Cl 2,4

Remarks : NA

""End of Report"

Mr. Mukesh Chand Agarwal Authorized Signatory Chemical

EL-FMT-7.8.2-S

Page No. 1/2

TEST REPORT

ULR No: NA

Test Report No: NSL080525NA061/A

Type of Sample # : Soil

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Balow Detection Level, NA: Not Applicable Terms & Conditions:

The results relate only to the items tested.

2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.

3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.

4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@eccepanyavaran.org

The samples lested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved.

samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.

6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling

In case where sample is provided by the customer, the reported results shall apply to the sample as received.

Authorized Signatory Chemical,

EL-FMT-7.8.2-S

Page No.2/2



Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

TEST REPORT





ULR No : NA Type of Sample # : Wate	r- Ground Water	Test Report No : NGWL08	0525NA062
Reference Type : Email			
Customer Name #	Expansion of Grain Record Disease	Reference No : Dt.: 05/04/2	025
	Expansion of Grain Based Distillery from to 20 MW) by M/s BCL Industries Limited	200 KLPD to 400 KLPD and C	ogeneration Power Plant (from 10 MW
Address #	Hazi Ratan Link road, Bathinda-151001, Punjab	Period of Sampling	07/05/2026 - 07/05/2025
Sampling Protocol	IS 17614 (Part 1), EL-MSP-7.3	Date of Boundary Co.	0.000000
Sample Collection Mode	Sample collected by Laboratory	Date of Receipt of Sample	08/05/2025
	Mr. Honey	Period of Analysis	08/05/2025 - 16/05/2025
Testing Location	On Site & Permanent Facility	Date of second	
Sampling Location	From Borewell (Near WTP) Project Site	Date of reporting	17/05/2025
Sample Description	Colourless liquid.		
Standard/Specifications	IS 10500 ; 2021		
Packing, Markings, Seal L Qty.	PE Bottle-1 litre (B/08/G1A), Glass Bottle-1 500ml (B/08/G1D)	litre (B/08/G1B), Glass Bottle	-500ml (B/08/G1C) & PE Bottle-

RESULTS

1. Chemical Testing

I. Water (Water- Ground Water)

Sr.No	and the second s	Unit	Result	Acceptable Limit	Permissible Limit in Absence of Alternate Source	Test Method
1	Colour	CU	BDL (1)	S(Max.)	15(Max.)	IS 3025 (Part 4) Cl 2.0
2	Odour		Agreeable	Agreeable	Agreeable	IS 3025 (Part 5)
3	ρH @ 25°C	-	6.79	6.5-8.5		
4	Taste	1	Agreeable	Agreeable		IS 3025 (Part 11)
5	Turbidity	APTL	121200000000000000000000000000000000000	- Michable	Agresable	IS 3025 (Part 8)
		NTU	BDL (0.1)	1:	5	IS 3025 (Part 10)
	Chiloride as QI	mg/l	17	250(Max.)	0.000	IS 3025 (Part 32)
7	ron as Fe	mga	0.008	1.0(Max.)		
8	Total Hardness as CaCO3			(Max.)	No Relaxation	USEPA 3015A
570	renar randinos as CaCO3	mg/l	135	200(Max.)	600(Max.)	S 3025 (Part 21)

Mr. Mukesh Chand Agarwal Authorized Signatory- Chemical

EL-FMT-7.8.2-W

Authorized Signatory

Page No.1/2









TEST REPORT





ULR No: NA

Test Report No : NGWLD80525NA062

Type of Sample # : Water- Ground Water

2. Biological Testing

II. Water (Water- Ground Water)

Sr.No	Test Parameter	Unit	Result	Acceptable Limit	Permissible Limit in Absence of Alternate Source	Test Method
1	Total Coliform	Present or Absent / 100ml	Absent	shall not be detectable in any 100 ml sample	*	IS 15185
2	E.coli.	Present or Absent / 100ml	Absent	shall not be detectable in any 100 ml sample	-	IS 15185

Remarks: NA

"End of Report"

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer, ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable
Terms & Conditions :

The results relate only to the items tested.

Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by
use or misuse of Test Report.

 The Test Report shall not be reproduced except in full or part or used as advertisament or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
 Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: guality@ecoparysvaran.org

The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preserved for the tast results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of preserved.

samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of derification.

6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling changes.


In case where sample is provided by the customer, the reported results shall apply to the sample as received.

Mr. Mukesh Chand Agarwal Authorized Signatory- Chemical

EL-FMT-7.8.2-W

Ms. Late Thekur
Authorized Signatory - Biological

Page No.2/2



Regarding six-monthly compliance report for period ending 30.09.2024 for "Grain Based Distillery of 400 KLPD and Cogeneration Power Plant 20 MW" by M/s BCL Industries Ltd. (Distiller y Unit) Dedicated Ethanol Plan

From KM Gupta <kmg@mittalgroup.co.in>

Date Tue 26/11/2024 17:11

To eccompliance-nro@gov.in <eccompliance-nro@gov.in>; ronz.chd-mef@nic.in <ronz.chd-mef@nic.in>

Cc seiaapb2017@gmail.com < seiaapb2017@gmail.com >

1 attachment (12 MB)
SMC30.09.2024.pdf;

Dear Sir,

Greetings of the day!!!

We are hereby submitting six-monthly compliance report for the period ending 30.09.2024 for the project namely "Grain Based Distillery having production capacity of 400 KLPD and Cogeneration Power Plant of 20 MW" located at Village Machchana and Sangat Kalan, Tehsil & Distt. Bathinda, Punjab by M/s BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant.

Kindly acknowledge the receipt of the same.

Regards

M/s BCL Industries Limited.

K. M. Gupta


Liaison Officer

M: 99150-30211


E: kmg@mittalgroup.co.in W: www.bcl.ind.in

A: Hazi Rattan Link Road, Bathinda-151005, Punjab, India

Annexure 11(b)



Annexure 11(c)



Annexure 12

BCL Industr Distillery Unit

Site: Village Sangat Kalan, Dabwali Road, Bathinda

REF. NO. : BCL/DU/2025-26/ 564

DATED

08/05/2025

The Environment Engineer, Punjab Pollution Control Board, Regional Office. Bathinda

Sub: Submission of Form -V for the year ending 31st March, 2025

Dear Sir,

Please find attached herewith Form-V i.e. Environmental Statement for the Financial Year Ending 31st March, 2025 (2024-25) for your kind information and record please. Kindly acknowledge receipt of the same.

Thanking you

Yours faithfully For BCL Industries Limited

(K. M. Guota) Authorized Signatory

Encls: As above

Regd. Office:

Hazi Rattan Link Road, Bathinda-151005 Ph. 0164-2240163, 2240443, 2211628

Fax: 0164-5003638 Website: www.bcl.ind.in E-mail: bcl@mittalgroup.co.in

E-mail: bcldistillery@mittalgroup.co.in

CIN: L2423IPBI976PLC003624

FORM -V

Environmental Statement for The Financial Year Ending 31st March (2024-25)

Part-A

i.	Name and Address of the Owner/Occupier of the industry, operation or process	Mr. Rajinder Mittal (Managing Director) M/s BCL Industries Ltd. (Distillery Unit) Sangat kalan, Bathinda, Punjab.				
ii.	Industry Category Primary (SIC code) Secondary (SIC code)	Large				
iii.	Production Capacity (in units)	S. No.	Products	Unit	Liscenced Production Capacity	Installed capacity
		1.	ENA/RS/ Ethanol	KL/Day	400	400
		2.	By- products			
		a.	CO2	MT/Day	320	320
		ь.	DDGS	MT/Day	200	200
		C.	Fusel Oil	MT/Day	4.0	4.0
iv.	Year Of Establishment	2012				
v.	Date Of Last Environmental statement submitted	2024				

For BCL Industries Limited

Authorized Signator

Part-B

WATER AND RAW MATERIAL CONSUMPTION

(i) WATER CONSUMPTION M³/DAY (KLD)

S.No.	Name of the Product	Process Water Consumption per unit of the Products		
		During the Financial Year (2024-2025)		
1,	ENA/RS (Extra Neutral Alcohol/Rectified Spirit)/Ethanol	5.10 m ³ /kl		

Raw material Detail:

Name of the		Consumption of raw material			
Raw material	Name of Product	During the previous financial year 2023-24	During the current financial year 2024-25		
Grain	ENA/RS/ETHANOL	269598.991MT	322196.463MT		
Enzymes	ENA/RS/ETHANOL	1.70 kg/KL	1.66 kg/KL		
Sodium hydroxide	ENA/RS/ETHANOL	1.72 kg/KL	1.74 kg/KL		
Yeast	ENA/RS/ETHANOL	0,40 Kg/KL	0.43 Kg/KL		
Biomass consisting of Rice Husk/Paddy straw etc.	Power &Steam	1.59 MT/KL	1,49 MT/KL		

For BCL Industries Limited

(K) M Cupts)

Authorized Signatory

(iii) PRODUCTS

DETAIL

Sr.	product	unit	Installed capacity	Actual production 2023-24	Actual production 2024-25
1	ENA/RS	KI/day	400	29132381 LTR	21194510 LTR
2	Ethanol	K1/day	- Marco	79352395 LTR	105525173 LTR
3	By product				
A	CO2	MT/day	320	15279.28 MT	11650.35 MT
В	DDGS	MT/day	200	71818.72 MT	93821.72 MT
C	Fusel Oil	MT/day	4	183895 LTR	212995 LTR

(iv) FUEL CONSUMPTION

Details of the fuel consumption are given below:

S. No.	Type of Fuel	Consumption
1404.:		2024-2025
L.	Diesel for D.G. set	14519 Liter/Annum
2.	Rice Husk for Boiler	60845Tons/Annum
3.	Coal for Boiler	1059 Tons/Annum
4.	Paddy Straw for boiler	127892.42 Tons/Annum

For BCL Industries Limited
(K.M. Cupta)
Authorized Signatory

Part - C

(i) POLLUTION DISCHARGE TO ENVIRONMENT/UNIT OF OUTPUT

(Parameter as specified in the consent issued)

(a) ETP OUTLET

Pollutants	Concentration of Pollutants in Discharge mass/volume (mg/l)	Percentage of Variation from Prescribed Standards with Reason
рН	7.9	Within prescribed Standards
TSS	17	Within prescribed Standards
Oil & Grasse	BDL	Within prescribed Standards
BOD	18	Within prescribed Standards
COD	72	Within prescribed Standards

(b) STACK EMISSIONS ANALYSIS

For BCL Industrias Limited
(K. M. Cupta)
Authorized Signatory

S. No.	Stack attached With	Date of Sample Collection	PM (mg/Nm ³)
1.	Boiler (after APCD)	15,01.2025	47

(e) AMBIENT AIR ANALYSIS

Date of Sample Collection		10.03.2025
S. No.	Location of Sampling Point	SPM (mg/Nm³)
1.	Gate no-1	49.87
2.	Gate no-2	46.71

For BCL Industries Limited

209

Part- D

HAZARDOUS WASTES

(As specified under hazardous waste (Management and Handling) Rules, 2016)

The only hazardous waste generated is engine oil after servicing of DG as the industry has their own power plant & 1 MW power connection met from state electricity board. The DG is second backup which is required only if grid supply fails during the period when the turbines are under maintenance. The small quantity of lube oil/spent oil generated approx. 0.1 KL/Annum is used in the premises as lubricant.

For BCL Industries Limited

Part-E

S.	T CO. 12.1 W 4	Quantity
No.	Type of Solid Waste	2024-2025
1.	Total Ash	54261Tons/Annum

Fly ash generated from the boiler mainly contains silica up to 90% and remaining part includes fixed carbon, oxides of Ca, Mg etc. which is being given to farmers for its utilization in the fields for increasing the porosity and soil fertility.

Part - F

Please specify the characterization in terms of composition and quantum of Hazardous as well as solids waste and indicates disposal practice for both these category of waste.

Waste	Composition	Disposal Practice adopted		
Hazardous Waste				
Used oil/Spent oil	Used oil is generated from the generator during its Servicing. The oil contains hydrocarbons and ash impurities due to regular use.	Generated spent oil is used in the factory premises as lubricant.		
Solid waste	W 524			
Fly ash from the boiler	Fly ash contains mainly silica up to 90 % and the remaining part includes fixed carbon, oxides of Ca, Mg etc.	The fly ash is given to farmers for its utilization in the fields for increasing the porosity and soil fertility.		

For BCL (M. M. Cupta)
Authorized Signatory

Part -G

Impact of the pollution abatement taken on conservation of natural resources and on the cost of production.

The Management of BCL Industries Ltd. (Distillery Unit) is aware to the necessity of conservation of natural resources.

Steps taken by the industry to conservation of natural resources are given below:

- The use of treated wastewater for landscaping purposes has resulted in reduced fresh water demand.
- Industry is using biomass as source of energy for the boiler furnace. Being a renewable source, the industry is trying to conserve the fossil fuel.
- The industry has adopted the CHP for the process. It is given optimum thermal efficiency and reducing thermal load on the atmosphere.
- Integrated MEE operation has eliminated the impact of spent wash on the environment and simultaneously produces high protein cattle feed.
- Biomass based fly-ash utilization in the fields is improving the soil fertility of the farmers.

As regards to expenditure carried out by the industry for the environmental management and pollution control and its effect on the cost of production, it is to be submitted that the industry is taking all the efforts for complying with the

Environmental laws as have been stipulated by the Punjab Pollution Control Board. The industry is not trying to cut the budget for the Environmental management and pollution control in its drive for the reduction in the cost of production.

For BCL Industries Limited

(K/ M/ Cupta) Authorized Signatory

Credit card spend falls 16% in Nov after festival high

Decline due to moderation in consumer spending; issuances come down

Mumbai, 24 December

redit card spend in November dropped 16.1 per cent month-onmonth (M-o-M) to ₹1.7 trillion, owing to moderation in consumer spending, following strong festival season momentum in October, latest data by the Reserve Bank of India (RBI) showed.

Meanwhile, growth in credit card issuances also slowed significantly in November, with the industry adding only 350,000 net credit cards. This compares to 1.3 million net additions during the same period


Net additions of credit cards started slowing down after the RBI, in November last year, increased risk weight for banks on unsecured lending.

Following RBI's measure, major issuers have calibrated their growth in the segment, which has resulted in a slowdown in issuances of credit cards.

"Both delinquency and revised riskweight norms have contributed to the reduction in card issuances. As banks face higher delinquency rates, they become more stringent in issuing credit cards, monitoring approved limits, and focusing on collections. This cautious approach is likely limiting new credit card issuances," said Saurabh Bhalerao, associate director, BFSI Research, CareEdge Ratings.

Among major issuers, HDFC Bank -

BIGGER PICTURE



country's largest credit card issuer added 187,118 cards, SBI Cards added 231.058 cards and ICICI Bank added 50,767 cards. However, Axis Bank saw its outstanding cards decrease by 39,734

Source: RBI

during this period, according to the data. In a report, analysts at InCred Equities observed that the asset quality trend in the credit card industry seems to have weakened, as seen in the caution over new card issuances by most players.

"There are heightened concerns about asset quality stress building with the rise in 90+ days past due (dpd) by 14 basis points (bps) quarter-on-quarter (Qo-Q) to 1.8 per cent, according to TransUnion CIBIL India. We are witnessing rising defaults by new-to-credit customers who are facing difficulty in paying their dues on time, specifically from Tier-

II cities and beyond. Consequently, we are seeing a higher focus on premium cards by select players," the analysts said.

The outstanding cards in the banking system in November 2024 stood at 107.23 million from 96 million in the year-ago period. Spending increased 4.97 per cent year-on-year (Y-o-Y) to ₹1.7 trillion from ₹1.61 trillion.

After the monthly drop in credit card spending, industry experts believe that it will gather pace in December amid year-end sales

"Credit card spends will bounce back organically in December as insurance, NPS payments and year-end sales offered by e-commerce players & end of season sales on the retail side will fuel growth.' said Mayank Markanday, head of digital bank, AU Small Finance Bank,

BCs meet Irdai, seek consent to sell insurance products

RAGHU MOHAN

New Delhi, 24 December

The Business Correspondent Resource Council (BCRC) has made a pitch to Insurance Regulatory and Development Authority of India (Irdai) that field agents be allowed to hawk insurance products. As of now, the business correspondents' (BCs') - introduced in 2007 — only offers last-mile banking services.

BCRC's stance is that shocks from climate-related issues are affecting those at the bottom of the pyramid in a big way. It presents an opportunity to sell weather-indexed insurance: policies designed to trigger payouts (livelihood veather conditions low rainfall, extreme heat coning units (DBUs) ditions, and similar events. It set up by the is argued that such an Reserve Bank of approach will enable the vul- India from April nerable section of society to 2022. DBUs are better withstand climate brick-and-mortar shocks, providing a critical outlets equipped safety net in times of environmental uncertainty.

It may be recalled that Irdai is pushing the Bima Trinity over 500,000 strong with a December 2023, there were 96



ILLUSTRATION: BINAY SINHA

footprint across the country, DBUs. The short point is that the 1.5-degree Celsius threshcan play a role, even as offering

capacity of field agents. support) based on specific complementing the BC chan- Climate Change Service states with its writing to the Ministry nel will be the 75 digital bank-

with infrastructure

such as opening accounts, 1.65 degrees Celsius above the accessing Bima Vistaar, Bima Vahak, and schemes, and making transac-Bima Sugam. The BC network, tions digitally. By mid-

insurance can be cross-sold on insurance bolsters the earning the BC and DBU networks.

On climate change, the lat-It was also pointed out that est report from the Copernicus insurance must be read along that 2024 will be the warmest

mated to be the secondwarmest glob-

(after allv October 2023).

to execute banking functions with average temperatures pre-industrial level, also marking it the fifteenth month in a Payment System transactions, 16-month period where averand other banking and finanage temperatures were above cial businesses.

old set by the Paris Agreement.

ANCHORS OF PROTECTION

■ Sell weather-indexed and

standard insurance products

■ Empower the vulnerable to

■ Leverage Irdai's Bima Trinity

and a 500,000-strong business

withstand climate shocks

correspondent network

with insurance offerings

■ Boost earning potential

& PROFIT: BUSINESS

CORRESPONDENTS

The latest move by BCRC on BCs being allowed to sell of Finance for an upward re year since 1940. sion in the commission paid This October to agents. Plus, related issues was also esti- like the setting up of an annual pricing review committee and a relook at the penalties imposed by banks on BCs.

BCRC is for a 30-basis point hike in the commission paid by banks for cash withdrawals, cash deposits, money trans-Aadhaar-enabled

Manipur, Bihar, other states get new governors

Secretary Ajay Kumar Bhalla ernor on Tuesday, according has been appointed the governor of strife-torn Manipur, ex-Army chief Vijay Kumar Singh is the new Mizoram governor while Kerala Governor Arif Mohammed Khan has been after a full tenure in Kerala. He shifted to Bihar as part of gubernatorial appointments bv President Droupadi Murmu on Tuesday.

President of India, Droupadi Murmu, has appointed new governors for several states including Kerala and Manipur. Former Union home secre-

tary Ajay Kumar Bhalla has

Union Home been appointed Manipur govto official notification of Rashtrapati Bhavan.

Additionally, Kerala's governor Arif Mohammed Khan has been granted another term has now been appointed to work for Bihar who will be undergoing polling next year.

Moreover, the President accepted resignation of Raghubar Das as Governor of Odisha. In place of Das, Mizoram's Dr Hari Babu Kambhampat has been granted responsibility of the state.

IOC to invest ₹61K crore in Odisha unit

Indian Oil Corporation Ltd (IOCL) will invest ₹61,000 crore to set up a naphtha cracker project at Paradip in Odisha, a statement said on Tuesday. A Memorandum of Understanding (MoU) for this will be signed between the Odisha government and the IOCL in January during the 'Utkarsh Odisha - Make in Odisha 2025' summit, it said. The foundation stone of the IOC's upcoming Rs 4.352 crore yarn project at Bhadrak will also be laid at that time, it added. The decisions were taken at a meeting between Chief Minister Mohan Charan Majhi and IOCL Chairman AS Sahney in

Bhubaneswar. Meanwhile, the ongoing Px-PTA (Para-xylene

Purified Terephthalic Acid) project will be commissioned by

June, it was informed in the meeting.

BS SUDOKU #4462 3 9 8 3 5 9 9 4 5 3 9 8 6

SOLUTION TO #4461 Easv: ★★ **Solution tomorrow** 8 3 4 6 5 9 1 9 2

5 8 4

4 7 1 2 5 9

3 9 6 7 4

HOW TO PLAY Fill in the grid so that every row, every column and every 3x3 box contains the digits 1 to 9

PUBLIC NOTICE

This is to inform all the concerned that M/s. BCL Industries Limited, Distillery Division, has got the **Environmental Clearance from Ministry of Environment, Forests and Climate Change, New Delhi** for the Expansion of Distillery Plant with addition of 150 KLD Grain Based Ethanol with existing facility of 400 KLD (200 KLD#ENA/RS/Anhydrous Alcohol +200 KLD # Grain Based Ethanol) along with existing cogeneration Power Plant of 20 MW located at Village Machhana and Sangat Kalan, Tehsil Sangat, District Bathinda vide E.C. File No. J-11011/378/2013-IA-II(I) dated 11/11/2024. The copy of the Environmental Clearance is available on the website.at https://parivesh.nic.in/of MoEF&CC also.

मध्यप्रदेश राज्य पर्यटन विकास निगम पर्यटन भवन, भदभदा रोड, भोपाल-462003

फोन: +91 755 4027100, 2774340/42, www.mpstdc.com क्रमांक 399/यांत्रिकी/पविनि/24 दिनांक : 24.12.2024

निविदा सचना 167/2024 STDC 390563 1

मध्यप्रदेश राज्य पर्यटन विकास निगम भोपाल द्वारा निम्नलिखित कार्य हेत् ऑनलाइन (Online) निविदा प्रपत्र APPENDIX 2.10 पर म.प्र. लोक निर्माण विभाग में उपयुक्त श्रेणी में पंजीकृत ठेकेदारों से आमंत्रित की जाती है। कार्य का नाम :- राजा मानसिंह तोमर संगीत एवं कला विश्वविद्यालय ग्वालियर के विस्तार हेतु निर्माण एवं विकास कार्य (<mark>18 माह)। कार्य की अनुमानित लागत राशि रु.</mark> 4574.00 लाख

वेबसाइट पर ऑनलाइन भगतान कर निविदा प्रपत्र (टेण्डर डाक्युमेंट) वेबसाइट के माध्यम से क्रय किये जा सकते हैं। निविदा प्रपत्र ऑनलाइन क्रय करने की अंतिम तिथि 14.01.2025 समय सायं 05:00 बजे तक निर्धारित है। कार्य का विस्तत विवरण वेबसाइट https://mptenders.gov.in पर देखा जा सकता है। म.प्र. माध्यम/117967/2024

यमियम बैंक

Suraj Complex, First Floor, Sadar Bazar, Agra

E-AUCTION SALE NOTICE

Sale Notice for Sale of Immovable Properties

E-Auction Sale Notice for sale of immovable Asset/s under the Securitisation and Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002, read with provision to Rule 8 (6) of the Security Interest (Enforcement) Rules, 2002

Notice is hereby given to the public in general and in particular to the Borrower(s) and Guarantor(s) that the below described immovable property mortgaged/charge to the Secured Creditor, the Constructive/Symbolic/Physical possession of which has been taken by the Authorised Officer of Union Bank of India (Secured Creditor), will be sold on "As is where is". "As is What is and "Whatever there is" on the date mentioned below, for recovery of dues as mentioned hereunder to Union Bank of India

3. N.	Borrower/Mortgagor/Guarantor Name & Address	Description of Properties	Type of Poss- ession	Reserve Price EMD Bid Increment	Date Amount D
1.	2) Smt. Sunita Devi Singh Tomar, Add. of both- 87, Ram Vihar Colony, Phase III, Devri road, Agra Guarantor - Shri Saltya Bhan Singh Tomar R/o H. No. 228, Avadhpuri, Shahganj, Agra	All thet Piece and Parcel of Residential property H. No. 36/34RV/P, Khasra No. 63 & 64, Ram Vihar Colony, Phase 3, Mauza Ukkhrra, Devri Road, Teh. & Dist. Agra, Area- 142.13 Sq. Mtr., Property in the name of Kanchan Singh Tomar S/o Braj Kishore Tomar, Bounded as: East- Seller land, West- Rasta 18ft wide & Exit, North- Property Smt. Madhu, South- Rasta 18ft wide	Physical	42,00,000/- 4,20,000/- 42,000/-	01.02.20 36,19,988. interest thereon & Ot Expenses
2.	Borrower: Mr. Dileep Kumar Meena S/o Sri Tulsi Das Meena, Guarantor- Mrs. Ujala Rani W/o Dileep Kumar Meena, Add. of both- House No 23, Chandra Nagar, Behind ASOPA Hospital, Gailana Road, Tehsil & District Agra	All that part and parcel of Residential House MPL No 8B/CN/23, Plot No 23, Bearing Khasra No 171 to 176, Chandra Nagar, Mauza Gailana, Tehsil and District Agra, Area- 139.85 Sq. Mtr, Property in the name of Mr. Dileep Kumar Meena S/o Sri Tulsi Das Meena, Mr. Kuldeep Meena S/o Sri Tulsi Das Meena Mathu Meena D/o Tulsi Das Meena, Bounded as: East- Other Property, West- Road, North- House No 22, South— House No 24	Physical	43,20,000/- 4,32,000/- 43,200/-	10.05.20 44,22,649 interest ther & Other Expe
3.		All that part and parcel of Residential Property No. 18, Defence Enclave, Semari Agra, Area- 84.74 Sq. Mtr., Property in the name of Mr. Satendra Kumar S/o Charan Singh & Mr. Manoj Kumar S/o Charan Singh, Bounded as: East- 20 ft. wide Road, West- Other land, North- Road, South- House No 20.	Symbolic	21,00,000/- 2,10,000/- 21,000/-	31,53,733 interest ther & Other Expe
1.	Borrower- Kulbhushan Gautam S/o Ashok Kumar Guatam, Asha Gautam W/o Ashok Kumar Gautam, Vivek Gautam S/o Ashok Kumar Gautam, Vivek Gautam S/o Ashok Kumar Gautam, Add. of all- 6/3P/1, Khasra No 1085, Shastri Nagar, Khandari Agra, Guarantor-Thakur Sachin S/o Brajendra Singh, AddHouse No-40, Sector R-3A, Avas Vikas Colony, Bodla Agra	All that part and parcel of residential House over plot No. 6/33P/1 Khasra No 1085 Bapu Nagar shashtri Nagar Khandari Agra, Area-120 Sq. Mtr., in the name of Asha Gautam Wo Ashok Kumar Gautam, Bounded as: East- Remaining part of land, West- property of M P Singh, North- Rasta 20 feet, South- Property of Upadhyay ji	Symbolic	45,50,000/- 4,55,000/- 45,500/-	52,87,983 interest ther & Other Expe
5.	Borrower: M/s Adhet Trading Company, Prop- Krishna Murari Sharma, Office Add 32, Brij Vihar Colony Tundla Agra, Mr Krishna Murari Sharma S/o Shri Raghu- nand, Add 19/86 Brij Vihar Colony Tundla Agra	All that Part and Parcel of Land Khasra No.1352 an Area of 0.0920 Hectare and Khasra No.1353 an Area of 0.3920 Hectare Total Two Plots Total Area of 0.4840 Hectare Situated at Vill-Pachokhara, Tehsil Tundla, Distt Firozabad, Property in the name of Mr Krishan Murari Sharma S/O Shri Raghunandan Prasad Sharma, Bounded as: East- Chak Road, West- Land of Shri Surendra Sharma, North- Property on Land of Shri Shyam Bihari, South- Road	Symbolic	41,00,000/- 4,10,000/- 41,000/-	15.10.20 41,95,32 interest the & Other Expo
6.	W/o Sri Mahenra Kumar Singhani & Mr. Mahendra Kumar Singhani S/o Laxman Dass Singhani, Add. of	All that part and parcel of Residential Property No 1396 Adjacent to Triveni Rangoli Colony, Mauja Bainpur Agra, Tehsil & District Agra, Area- 540 Sq. Mtr., Property in the name of Mrs. Bhawna Singhani W/o Sri Mahendra Kumar Singhani, Bounded as: East-6.09 mtr Road, West- Other Property, North- Other property, South- Property of Divya Kalra	Symbolic	1,00,00,000/- 10,00,000/- 1,00,000/-	87,48,092 interest thereon & C Expense
7.	Borrower- M/s Pooran Milk Dairy, Prop Pooran Singh S/o Shri Pothi Ram, Guarantor- Mr Girraj Singh S/o Shri Pothi Ram, Add. of both- House No.29, Mohalla Goswami, Kheragarh, Saiyan Road, Khera Garh, Agra	All that part and parcel of House situated at Mohalla Goswami, Kasva Kheragarh, Tehsii Kheragarh, District Agra, Area: 89,91 Sq mtr., in the name of Mr. Pooran Singh & Mr. Girraj Singh both S/o Late Pothi Ram, Bounded as: East- Gali 10 ft wide, West- House of Thakur Roop Singh, North- House of Rakesh Giri, South- House of Tejpal	Symbolic	29,00,000/- 2,90,000/- 29,000/-	24.01.20 22,03,220 interest the & Other Exp
3.	Borrower- Mrs Sheela Devi W/o Lt. Khoobi Ram, Legal heirs of Late Khoobi Ram- 1. Mr Pravesh Sharma, 2. Mr Sumit Sharma, 3. Ms Poonam Sharma, 4. Ms Aarti Sharma, Add. of all- 11C /735, Sudamapuri Naraich Yamuna Bridge, Agra	Residential House No F, Nagar Nigam No. 11C/736 A, Over the khasra No 1616 Situated at New Abadi, Sudamapuri, Near Nagla Mohanlal, Mauza Naraich, Tehsil Etmadpur, Distt, Agra, Area-167.22 Sq mtr., Bounded as: East- Street 10 feet wide, West- Land of Om Prakash, North- Plot No D of Samiti, South- Property of Shri Chand		51,00,000/- 5,10,000/- 51,000/-	24.01.20 68,26,764 interest the & Other Exp
Э.	Ltd, Add- 148, New Market, Jeoni Mandi, Agra, 2. Omveeri Devi W/o	All that part & Parcel of Property situated at Village kursanda, near Ataki Mata Mandir, Tehsil Sadabad, Hathras, Area- 1013.74 Sq. Mtr., Property in the name of Sri Suresh Chand S/o Vishambhar Singh & Sri Ramesh Chand S/o Sri Vishambher, Bounded as: East- 14 FT Wide gali, West- Prop of Ramesh Chand, North-Property of Naurangi Lal, South- Plot of Chirangi Lal	Symbolic	21,00,000/- 2,10,000/- 21,000/-	17.04.20 1,67,22,37 interest thereon & C Expense
0.	Borrower: M/S Yash Enterprises, Prop- Mr Anwar Aqeel S/o Mohammad Aqeel Siddique, Office Add- D-4 Rafi Street Jamalpur Koli Aligarh, Guarantor- Smt Ghazala Yasmeen W/o Mr Anwar Aqeel, Add. of Both- Flat No1-2 Khasara No 101 3 rd floor Emaan Appartments, Maheshpur (in Front of FM Tower), Aligarh	All that piece and parcel of Residential Flat no.1 & 2 on 3 rd Floor in Eman apartment, built up on Khasara No.101 (part) situated at Maheshwar, Tehsil Koil, Distt Aligarh, Property in the name of Sh. Anwar Aqeel S/o Mohammad Aqeel Siddique & Smt Gazala Yasmeen W/o Sh Anwar Aqeel (A/C Name M/S Yash enterprises through its properties Sh Anwar Aqeel S/O Mohammad Siddique), Bounded as: East- Side set-back then rasta, West- Common Passage, North- Plot of other, South- Side set-back then rasta	Symbolic	19,50,000/- 1,95,000/- 19,500/-	10.06.26 28,27,035 interest the & Other Exp
1.	Borrower- Mr Sushil Kumar Saxena S/o Roop Narayan Saxena, Co-applicant- Smt Shubhrata Saxena W/o Sushil Kumar Saxena, Add. of both- House No. 36, Kaji Pada, Sarai Bala, Jaiganj, Agra Road Aligarh	All That Part and Parcel of Residential Property Comprised in House No 18/65(new) 18/59 (old), Sarai Bala, Jaiganj Tehsil Koil Aligarh, Area: 167.375 Sq Mtr., in the name of Shubhrata Saxena W/o Sushil Kumar Saxena, Bounded as: East:- House of Prem Narayan, West:-House of Ram Kumar, North:- Gali, South:- House of Jagdish Varshney	Symbolic	22,50,000/- 2,25,000/- 22,500/-	13.09.20 33,54,132 interest the & Other Exp
	Borrower: M/s Agnihotri Motors, Office Add- Near Bhargav Petrol Pump Sarai Rehman, G. T. Road Aligarh, Prop Mr Naveen Kumar Agnihotri S/o Rajendra Prasad Agnihotri, Add House No. 117, Lekhraj Nagar, Near Mittal Nursing Home, Aligarh, Guarantor- Mr Deepak Kumar S/o Prempal, Add House No 5/165, Bima Nagar, G T Road Near Soot Mill Chauraha, Aligarh	All that part and parcel of commercial land with shop property bearing Nagar Nigam No 6/694 Sarai Rehman, G T Road, Aligarh, Area- 21.45 Sq Mtr, Property in the name of Mr. Naveen Kumar Agnihotri S/o Sri Rajendra Prasad Agnihotri, Bounded as: East- Shop of Ashraf Ali, Niyamat Ali, Masoom Beghum, West- Shop of Sarwari Beghum, North- G T Road, South– House of Khalil Bhai	Symbolic	30,00,000/- 3,00,000/- 30,000/-	10.07.20 50,95,555 interest the & Other Exp
3.	Borrower: M/s Al barkat enterprises, Prop. Hazi Abdul Wahid, Office Add H. No. 1, Maqdoom Nagar Road Near Haddi Godown, Turkman Gate, Aligarh, Guarantor- 1. Mrs Shahnaz Begum Wo Hazi Abdul Wahid, 2. Mohd Shariq S/o Hazi Abdul Wahid, Add. of both- H. No. 1199, Delhi Gate, Aligarh	Property in the name of Mrs Shahnaz Begum W/o Hazi Abdul Wahid, Bounded as: East- Plot of Muvin Khan, West- Rasta	Symbolic	78,00,000/- 7,80,000/- 78,000/-	26.12.20 49,70,533 interest the & Other Exp
		All That Piece and Parcel of Em of Plot at Arazi No. 110 Hariharpur, Udaypura, Farrukhabad Road, Etawah, Area- 192.00 Sq. Mtr, Property in the name of Shri Asit Kumar Yadav S/o Shri Babu Ram Yadav & Smt Usha Yadav W/o Shri Asit Kumar 2. All That Piece and Parcel of Em of Plot at Arazi No. 326 HariEtawah, Area- 100.37 Sq. Mtr, Property in the name of Shri Asit	Symbolic	57,00,000/- 5,70,000/- 57,000/-	19.12.20 84,90,880 interest thereon & C Expense
	Kumar Yadav S/o Shri Babu Ram Yada 3. All That Piece and Parcel of Em of Etawah, Area- 84 Sq. Mtr, Property in 4. All That Piece and Parcel of Em of Etawah, Area- 94.79 Sq. Mtr, Property 5. All That Piece and Parcel of Em of Etawah, Area- 192 Sq. Mtr, Property in 6. All That Piece and Parcel of Em of Etawah, Area- 100.80 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in All That Piece and Parcel of Em of Etawah, Area- 100.37 Sq. Mtr, Property in Al				

Detail of encumbranches over the above properties, as known to the Bank - Not Known.

Date & Time of E-Auction: 10.01.2025, at 12:00 Noon to 05:00 PM Last date of Submission of bid: On or before the commencement of e-Auction.

For detailed terms and condition of the sale, please refer to the link provided herein below or Contact "Authorised Officer Mr Praveen Kumar Gupta Contact no. - 9988712023" https://www.unionbankofindia.co.in/auction-property/view-auction-property.aspx and www.unionbankofindia.co.in For Registration and Login and Bidding Rules visit https://baanknet.com

This may also be treated as STATUTORY 15 DAYS SALE NOTICE UNDER RULE 8(6) & Rule 9(1) OF SECURITY

INTEREST (ENFORCEMENT) RULES 2002, to the borrower/s and guarantor/s Place: Agra

214

Date: 25-12-2024





ਸਬ-ਰਜਿਸਟਰਾਰ, ਲੁਧਿਆਣਾ (ਪੱਛਮੀ)

ਨੋਟਿਸ:- ਰੇਨੂੰ ਮਲਹੋਤਰਾ ਪਤਨੀ ਬੂਟਾ ਰਾਮ ਪੁੱਤਰ ਵਜ਼ੀਰ ਚੰਦ - ਬਨਾਮ - ਆਮ ਜਨਤਾ ਹਰ ਆੂਮ ਅਤੇ ਖਾਸ ਨੂੰ ਇਸ ਨੋਟਿਸ ਦੁਆਰਾ ਸ਼ੁਚਿਤ ਕੀਤਾ

ਜਾਂਦਾ ਹੈ ਕਿ ਰੇਨੂੰ ਮਲਹੌਤਰਾ ਪਤਨੀ ਬੂਟਾ ਰਾਮ ਪੁੱਤਰ ਵਜੀਰ ਚੰਦ ਵਾਸੀ ਮਕਾਨ ਨੰਬਰ: ਬੀ-10-278, ਗਲੀ ਮਸਜਿਦ ਵਾਲੀ, ਮੋਚਪੁਰਾ ਬਜਾਰ, ਲੁਧਿਆਣਾ ਨੇ ਸੁਭਾਸ਼ ਚੰਦਰ ਗਾਂਧੀ

ਪੱਤਰ ਗਿਆਨ ਚੰਦ ਪੱਤਰ ਜੀਵਨ ਰਾਮ ਵਾਸੀ ਮਕਾਨ ਨੰਬਰ :

ਗਿਲਾਨ ਚੰਦ ਬੁੱਤਰ ਜੀਵਨ ਰਾਸ ਵਾਸੀ ਸੰਕਾਰ ਹੋਕਰ : ਜੀ–8–208, ਨਵਾਂ ਮੁਹੱਲਾ, ਲੁਧਿਆਣਾ ਵਲੋਂ ਲਿਖੀਆ ਇੱਕ ਸੀਅਤ ਨਾਮਾ ਮਿਤੀ: 10.11.2016 ਸੁਭਾਸ਼ ਚੰਦਰ ਜੀ ਦੀ

ਮੌਤ ਮਿਤੀ : 20.10.2017 ਤੋਂ ਬਾਅਦ ਇਸ ਅੂਦਾਲਤ ਵਿੱਚ

ਜੇਰੇ ਧਾਰਾ 40 (1) ਭਾਰਤੀ ਰਜਿਸਟੇਸ਼ਨ ਐਕਟ 1908

ਅਧੀਨ ਰਜਿਸਟਰੇਸ਼ਨ ਕਰਨ ਲਈ ਪੇਸ਼ ਕੀਤਾ ਹੈ। ਇਸ ਲਈ ਜੇਕਰ ਕਿਸੇ ਨੂੰ ਇਸ ਵਸੀਅਤ ਨਾਮਾ ਦੀ ਰਜਿਸਟਰੇਸ਼ਨ ਕਰਨ

ਵਿੱਚ ਕੋਈ ਇਤਰਾਜ਼ ਹੋਵੇਗਾ ਤਾਂ ਉਹ ਆਪਣਾ ਇਤਰਾਜ

ਨੋਟਿਸ ਛਪਣ ਦੇ 15 ਦਿਨਾਂ ਅੰਦਰ ਅੰਦਰ ਲਿਖਤੀ ਰੂਪ ਵਿੱਚ

ਪੇਸ਼ ਕਰੇ, ਮਿਆਦ ਮਿਤੀ ਖਤਮ ਹੋਣ ਦੇ ਕੋਈ ਇਤਰਾਜ ਨਹੀਂ ਹਵਾਲੇ ਜ਼ਿਆਦ ਸਿਤੀ ਖਤਮ ਹੋਣ ਦੇ ਕੋਈ ਇਤਰਾਜ ਨਹੀਂ

ਮਿਤੀ: 11.12.2024 ਰੁਸ਼ਿਆਨ: (ਪਿਛਾਸ).
ਪਬਲਿਕ ਨੋਟਿਸ
ਇਹ ਆਮ ਜਨ ਸਧਾਰਨ ਲਈ ਹੈ ਕਿ ਸ੍ਰੀ ਅਭਿਸ਼ੇਕ ਸ਼ਰਮਾ ਅਤੇ
ਹੋਰ ਕੈਪੀਟਲ ਸਮਾਲ ਫਾਇਨਾਂਸ ਬੈਂਕ ਵੱਲੋਂ ਕਰਜਾ ਲੈ ਰਹੇ ਹਨ
ਸ਼ੀਮਤੀ ਪੰਕਜ ਕੁਮਾਰੀ ਜਸਵਾਲ ਪਤਨੀ ਸ਼੍ਰੀ ਜਸਵਾਨ ਦੇ ਪੰ
ਵਿੱਚ ਅਸਲ ਵਿਕਰੀ ਡੀਡ ਮਿਤੀ: 03.07.2014 ਵਸੀਕ
ਨੰ: 2231 ਗੁਆਚ ਗਈ ਹੈ ਅਤੇ ਲੱਭ ਨਹੀਂ ਰਹੀ ਅਤੇ ਇਸ
ਸਬੰਧੀ ਡੀਡੀਆਰ ਰਾਹੀਂ ਜੀਡੀ ਨੰ: 019 ਮਿਤੀ
24.09.2024 ਵੀ ਪੁਲਿਸ ਸਟੇਸਨ ਖਰੜ ਵਿਖੇ ਦਰਜ ਕਰਵ
ਵਿੱਤੀ ਗਈ ਹੈ। ਇਹ ਕਿ ਜੇਕਰ ਕਿਸੇ ਵਿਅਕਤੀ ਦਾ ਉਪਰੋਕ:
ਜਾਇਦਾਦਾ ਸਬੰਧੀ ਵਿਕਰੀ, ਤੋਹੜਾ, ਲੀਜ਼, ਵਿਕਾਸਤ
ਤਬਾਦਲਾ, ਗਿਰਵੀ, ਚਾਰਜ, ਭਾਰ, ਟਰੈਸਟ, ਕਬਜਾ, ਈਜਮੈਂਟ
ਕੁਰਕੀ ਜਾਂ ਹੋਰ ਕਿਸੇ ਤਰੀਕੇ ਨਾਲ ਦਾਅਵਾ, ਹੋਕ, ਟਾਈਟਲ
ਜਾਂ ਦਿਲਚਸਪੀ ਹੈ ਤਾਂ ਉਹ ਇਸ ਸਬੰਧੀ ਲਿਕਤੀ ਤੌਰ 'ਤੇ
ਸਹਾਇਕ ਦਸਤਾਵੇਜਾਂ/ਸਬੂਤਾਂ ਸਮੇਤ ਇਸ ਨੋਟਿਸ ਦੀ ਮਿਤੀ ਤੋਂ
ਰਿਹ ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਨਿਮਨਹਰਸਤਾਵਰੀ ਨੂੰ ਭੇਜ ਸਕਦਾ ਹੈ
ਜਿਸ ਵਿੱਚ ਅਸਫਲ ਰਹਿਣ 'ਤੇ ਕਿਸੇ ਦਾਅਵਾ ਨਹੀਂ ਹੈ ਅਤੇ ਅਜਿਟੋ
ਕਿਸੇ ਦਾਅਵੇਂ ਦੀ ਮੇਰੇ ਗੁਾਹਕਾਂ ਜਾਂ ਉਸ ਦੇ ਵਿਕਾਸਤੀ/ਨੌਮਿਨੀ.

ਕਿਸੇ ਦਾਅਵੇ ਦੀ ਮੇਰੇ ਗ੍ਰਾਹਕਾਂ ਜਾਂ ਉਸ ਦੇ ਵਿਰਾਸਤੀ/ਨੌਮਿਨੀ ਅਸਾਈਨੀਆਂ ਲਈ ਕੋਈ ਬੈਦਿਸ਼ ਨਹੀਂ ਹੋਵੇਗੀ।

ਅਮਿੱਤ ਸ਼ਰਮਾ ਐਂਡ ਕੰਪਨੀ, ਦਫ਼ਤਰ : ਚੈਂਬਰ ਨੰ: 270

9216087146 ਅਤੇ 8708484855

ਬਾ-ਅਦਾਲਤ ਸਹਾਇਕ ਕੁਲੈਕਟਰ ਦਰਜਾ ਪਹਿਲਾ ਖਰੜ। ਨੋਟਿਸ : ਕੁਲਦੀਪ ਸਿੰਘ ਵਗੈਰਾ ਬਨਾਮ ਮਹਿੰਦਰਪਾਲ ਸਿੰਘ ਵਗੈਰਾ।

ਮਹਿੰਦਰਪਾਲ ਸਿੰਘ ਪੁੱਤਰ ਮੰਗਤਾ ਪੁੱਤਰ ਗੋਪੀ,

1. ਮਹਿੰਦਰਪਾਲ ਸਿੰਘ ਪੁੱਤਰ ਮੰਗਤਾ ਪੁੱਤਰ ਗੌਂਪੀ, 2. ਰਘਬੀਰ ਸਿੰਘ ਪੁੱਤਰ ਮੰਗਤਾ ਪੁੱਤਰ ਗੌਂਪੀ, 3. ਸਰੋਜ ਦੱਤਰ ਜਿੱਪਰ ਪੁੱਤਰ ਮੰਗਤਾ ਮੁੱਤਰ ਗੌਂਪੀ, 3. ਸਰੋਜ ਦੱਤਰ ਜੇਮਲ ਸਿੰਘ ਪੁੱਤਰ ਮੰਗਤਾ ਪੁੱਤਰ ਗੌਂਪੀ, 3. ਸਰੋਜ ਦੱਤਰ ਜੇਮਲ ਸਿੰਘ ਪੁੱਤਰ ਗੌਂਪੀ, 5. ਸੁਖਵੀਰ ਸਿੰਘ ਪੁੱਤਰ ਜੇਮਲ ਸਿੰਘ ਪੁੱਤਰ ਗੌਂਪੀ, 5. ਸੁਖਵੀਰ ਸਿੰਘ ਪੁੱਤਰ ਗੌਂਪੀ, 7. ਜੰਤੀ ਰਾਮ ਪੁੱਤਰ ਗੌਂਪੀ, 7. ਜੰਤੀ ਰਾਮ ਪੁੱਤਰ ਰਗੌਂਪੀ, 7. ਜੰਤੀ ਰਾਮ ਪੁੱਤਰ ਬਰਗਿਰਥ ਪੁੱਤਰ ਮੁਨਸੀ, ਦੇ ਕਾਨੂੰਨੀ ਵਾਰਸ ਜੰਪਾਲ ਵਾ ਜਗਪਾਲ ਵਾ ਜੇ ਰਾਮ ਪੁੱਤਰ ਤਰਾ ਨਜ਼ੀ ਰਾਮ, 8. ਸਿੰਘਾਉਂ ਰਾਮ ਪੁੱਤਰ ਬਰਗਿਰਥ ਪੁੱਤਰ ਮੁਨਸੀ, 10. ਸੀਰਾਮ ਪੁੱਤਰ ਬਰਗਿਰਥ ਪੁੱਤਰ ਮੁਨਸੀ, 11. ਇਲਮ ਸਿੰਘ ਪੁੱਤਰ ਬਰਗਿਰਥ ਪੁੱਤਰ ਮੁਨਸੀ, 11. ਇਲਮ ਸਿੰਘ ਪੁੱਤਰ ਬਰਗਿਰਥ ਪੁੱਤਰ ਮੁਨਸੀ, 12. ਕੁਸ਼ੱਲਿਆ ਦੇਵੀ ਵਿਧਵਾ ਪਟੇਬਰ ਵਿਧਵਾ ਕੰੰਪੀ, 13. ਅਮਨ ਰਾਣਾ ਪੁੱਤਰ ਕਰਨਵੀਰ ਸਿੰਘ ਪੁੱਤਰ ਗੌਂਪੀ, 15. ਸੁਸਮਾ ਰਾਣੀ ਪਤਨੀ ਪਤਨੀ ਪੁੱਤਰ ਉੱਤਰ ਗੌਂਪੀ, 15. ਗੁਸਮਾ ਰਾਣੀ ਪਤਨੀ ਪਤਨੀ ਪੁੱਤਰ ਉੱਤਰ ਗੌਂਪੀ, 15. ਗੁਸਮਾ ਰਾਣੀ ਪਤਨੀ ਪਤਨੀ ਪੁੱਤਰ ਉੱਤਰ ਗੌਂਪੀ, 17. ਕੁਸਮ ਲੜਾ ਪਤਨੀ ਜੈਪਾਲ ਸਿੰਘ ਪੁੱਤਰ ਜੰਗੀ ਸਮ ਲੜਾ ਪਤਨੀ ਜੈਪਾਲ ਸਿੰਘ ਪੁੱਤਰ ਜੰਤੀ ਰਾਮ ਸਾਰੇ ਵਾਸੀਆਨ ਵਾ ਖੇਵਟਦਾਰਾਨ ਪਿੰਡ ਝੰਜੇਡੀ ਤਹਿਸੀਲ ਖਰੜ, ਜ਼ਿਲ੍ਹਾ ਐਸ.ਏ.ਐਸ. ਨਗਰ।

ਵਿਸ਼ਾ : ਦਰਖਾਸਤ ਜੇਰੇ ਧਾਰਾ 111 ਪੰਜਾਬ ਲੈਂਡ ਰੈਵੀਨਿ

ਐਕਟ ਬਾਬਤ ਤਕਸੀਮ ਖੇਵਟ ਖਤੋਨੀ 457/500 ਤੋਂ ਲੈ

505 ਖਸਰਾ ਨੂੰ: 522 (0-2), 523 (0-2) 54//14 (8

60//7/2 (5-7)8/1 (2-2), 33//5/2 (4-1)

(3-6), 60//8/3 (2-9) ਕਿੱਤੇ 8 ਰਕਬਾ 25 ਕਨਾ ਮਰਲੇ ਵਾਕਾ ਰਕਬਾ ਪਿੰਡ ਝੰਜੇੜੀ ਹਦਬਸਤ ਨੰਬਰ 5

ਤਹਿਸੀਲ ਖਰੜ, ਜ਼ਿਲ੍ਹਾ ਐਸਏਐਸ ਨਗਰ ਵਿਖੇ ਹੈ। ਇਸ ਕੇਸ ਵਿੱਚ ਅਗਲੀ ਤਾਰੀਖ ਪੇਸ਼ ਮਿਤੀ : 16.01.2025 ਨੀਯਤ ਹੋਈ ਹੈ। ਇਸ ਲਈ ਤਕਸੀਮ ਕੇਸ ਵਿੱਚ ਕੁਲਦੀਪ ਸਿੰਘ ਵਗੈਗ ਵਾਸੀਆਨ ਪਿੰਡ ਝੈਜੇੜੀ ਤਹਿਸੀਲ ਖਰੜ ਵਿਖੇ

ਸਿੰਘ ਵਰੀਗਾ ਵਾਸੀਆਨ ਪਿੰਡ ਝੰਜੇੜੀ ਤਹਿਸੀਲ ਖਰੜ ਵਿਖੇ ਸਾਇਲਾਨ ਵੱਲੋਂ ਤਕਸੀਮ ਕੇਸ ਪਾਇਆ ਗਿਆ ਹੈ। ਜੇਕਰ ਉਤਰਵਾਦੀਆਂ ਜਾਂ ਕਿਸੇ ਹੋਰ ਨੂੰ ਇਸ ਤਕਸੀਮ ਸਬੰਧੀ ਕੋਈ ਇਤਰਾਜ ਹੋ ਤਾਂ ਉਹ ਆਪਣਾ ਇਤਰਾਜ ਇਸ ਇਸ਼ਤਿਹਾਰ ਦੇ ਛੱਪਣ ਤੋਂ 1.5 ਦਿਨਾਂ ਦੇ ਐਦਰ ਇਹ ਅਦਾਲਤ ਵਿੱਚ ਅਸਾਲਤਨ ਜਾਂ ਵਕਾਲਤਨ ਹਾਜਰ ਆ ਕਰ ਆਪਣਾ ਇਤਰਾਜ/ਉਜਰ ਕਰ ਸਕਦਾ ਹੈ। ਮਿਆਦ ਤੋਂ ਬਾਅਦ ਵਿੱਚ ਪਰਾਪਤ ਹੋਏ ਕਿਸੀ ਵੀ ਇਤਰਾਜ/ਉਜਰ ਤੇ ਗੰਰ ਨਹੀਂ ਕੀਤਾ ਜਾਵੇਗਾ। ਅੱਜ ਇਹ ਇਸ਼ਤਿਹਾਰ ਮਿਤੀ: 10.12.2024 ਨੂੰ ਜਾਵੇਗਾ। ਅੱਜ ਇਹ ਇਸ਼ਤਿਹਾਰ ਮਿਤੀ: 10.12.2024 ਨੂੰ

ਮੇਰੇ ਹਸਤਾਖਰਾ ਵਾ ਮੋਹਰ ਅਦਾਲਤ ਹੇਠ ਜਾਰੀ ਹੋਇ ਤਹਿਸੀਲਦਾਰ-ਕਮ-ਸਹਾ

ਦੀ ਮਿਤੀ

ਅਤੇ ਸਮਾਂ

06.02.2025

ਸਵੇਰੇ 11:00 ਵਜੇ

ਤੋਂ ਦੁਪਹਿਰ

12:00 ਵਜੇ

ਈ-ਨਿਲਾਮੀ

ਵਿੱਕਰੀ

ਅਫ਼ਸਰ ਦਾ ਨਾਂ

ਅਤੇ ਸੰਪਰਕ ਨੰਬਰ

ਅਧਿਕਾਰਤ ਅਫ਼ਸਰ/

ਜੀਫ਼ ਮੈਨੇਜ਼ਰ

ਮੋਬਾ: 9990314660

ਜ਼ਿਲ੍ਹਾ ਅਦਾਲਤ ਪੰਚਕੂਲਾ, ਹਰਿਆਣਾ ਮੋਬਾਈਲ

ਸਬ-ਰਜਿਸਟਰਾਰ

ਮੰਨਿਆ ਜਾਵੇਗਾ।

ਮਿਤੀ : 11.12.2024

(V)(P)(L ਵਰਧਮਾਨ ਪੋਲੀਟੈਕਸ ਲਿਮਿਟਡ

ਰਜਿ. ਦਫ਼ਤਰ: ਵਰਧਮਾਨ ਪਾਰਕ, ਚੰਡੀਗੜ੍ਹ ਰੋਡ, ਲੁਧਿਆਣਾ-141 123 ਸੀਆਈਐਨ: L17122PB1980PLC004242,ਫੋਨ: 0161-6629888

ਈ-ਮੇਲ: secretarial@vpl.in,ਵੈੱਬਸਾਈਟ: www.vpl.in ਪਬਲਿਕ ਨੋਟਿਸ- ਐਕਟਾਆਰਡੀਨਰੀ ਜਨਰਲ ਮੀਟਿੰਗ

ਇਹ ਨੋਟਿਸ ਦਿੱਤਾ ਜਾਂਦਾ ਹੈ ਕਿ: . ਕੰਪਨੀ ਦੇ ਮੈਂਬਰਾਂ ਦੀ ਐਕਸਟ੍ਰਾਆਰਡੀਨਰੀ ਜਨਰਲ ਮੀਟਿੰਗ (ਈਜੀਐਮ) ਸ਼ੁੱਕਰਵਾਰ ਮਿਤੀ

17 ਜਨਵਰੀ 2025 ਨੂੰ ਸਵੇਰੇ 11.00 ਵਜੇ ਕੰਪਨੀ ਦੇ ਰਜਿਸਟਰਡ ਦਫਤਰ: ਵਰਧਮਾਨ ਪਾਰਕ, ਚੰਡੀਗੜ੍ਹ ਰੋਡ, ਲੁਧਿਆਣਾ 141123 ਵਿਖੇ ਈਜੀਐਮ ਦੇ ਨੋਟਿਸ ਮਿਤੀ 18 ਦਸੰਬਰ, 2024 ਵਿਖੇ ਦਰਸਾਏ ਕਾਰੋਬਾਰ ਦੀ ਨਜਰਸਾਨੀ ਲਈ ਕੀਤੀ ਜਾਵੇਗੀ। 2. ਸੈਕਸ਼ਨ 102 ਦੀ ਪਾਲਣਾ ਕਰਦੇ ਹੋਏ ਕੰਪਨੀ ਦੇ ਈਜੀਐਮ ਦਾ ਨੋਟਿਸ ਸਮੇਤ ਐਕਸਪਲਾਨੇਟਰੀ ਸਟੇਟਮੈਂਟ ਈਮੇਲ ਰਾਹੀਂ ਸਾਰੇ ਮੈਬਰਾਂ ਨੂੰ ਜਿਨਾਂ ਦੇ ਈਮੇਲ ਪਤੇ ਕੰਪਨੀ/ਡਿਪੋਜਟਰੀ

ਭਾਗੀਦਾਰਾਂ ਕੋਲ ਰਜਿਸਟਰਡ ਹਨ ਨੂੰ ਭੇਜ ਦਿੱਤੇ ਗਏ ਹਨ ਅਤੇ ਇਹ ਕੈਪਨੀ ਦੀ ਵੈੱਬਸਾਈਟ

www.vpl.in ਅਤੇ ਸਟਾਕ ਐਕਸਚੇਜਾਂ ਦੀ ਵੈੱਬਸਾਈਟ www.bseindia.com ਅਤੇ www.nseindia.com ਤੇ ਵੀ ਉਪਲੱਬਧ ਹਨ। ਏਜੀਐਮ ਦਾ ਨੋਟਿਸ ਭੇਜੇ ਜਾਣ ਦਾ ਕਾਰਜ ਮਿਤੀ 23 ਦਸੰਬਰ 2024 ਨੂੰ ਪੂਰਾ ਕਰ ਲਿਆ ਗਿਆ ਹੈ। 3. ਮੈਂਬਰ ਜਿਨ੍ਹਾਂ ਕੋਲ ਕੱਟਆਫ ਮਿਤੀ 10 ਜਨਵਰੀ 2025 ਨੂੰ ਸ਼ੇਅਰ ਭੌਤਿਕ ਜ ਡੀਮੈਟਰਲਾਈਜਡ ਰੂਪ ਵਿੱਚ ਹਨ ਉਹ ਇਲੈਕਟ੍ਰੋਨਿਕ ਰੂਪ ਨਾਲ ਈਜੀਐਮ ਦੇ ਨੋਟਿਸ ਵਿਖੇ ਦਰਸਾਏ ਕਾਰੋਬਾਰ ਤੇ ਆਪਣਾ ਵੋਟ ਸੈਂਟਰਲ ਡਿਪੋਜਟਰੀ ਸਰਵਿਸਸ ਲਿਮਟਿਡ (ਸੀਡੀਐਸਐਲ) ਦੁਆਰਾ

ਪਦਾਨ ਈ-ਵੋਟਿੰਗ ਦੀ ਸਵਿਧਾ ਜਾਂ ਈਜੀਐਮ ਵਿਖੇ ਬੈਲਟ ਫਾਰਮਾਂ ਰਾਹੀਂ ਪਾ ਸਕਦੇ ਹਨ। 4. ਸਾਰੇ ਮੈਂਬਰਾਂ ਨੂੰ ਇਹ ਜਾਣਕਾਰੀ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ੳ. ਈਜੀਐਮ ਦੇ ਨੌਟਿਸ ਵਿੱਚ ਦਰਸਾਏ ਕਾਰੋਬਾਰ ਦੀ ਇਲੈਕਟ੍ਰੋਨਿਕ ਮਾਧਿਅਮ ਰਾਹੀਂ ਵੋਟ ਦੁਆਰ

ਨਜਰਸ਼ਾਨੀ ਕੀਤੀ ਜਾ ਸਕਦੀ ਹੈ।

ਅ. ਰਿਮੋਟ ਈ ਵੋਟਿੰਗ 14 ਜਨਵਰੀ 2025 ਸਵੇਰੇ 9.00 ਵਜੇ ਸ਼ੁਰੂ ਹੋਵੇਗੀ।

ੲ. ਰਿਮੋਟ ਈ-ਵੋਟਿੰਗ 16 ਜਨਵਰੀ 2025 ਸ਼ਾਮ 5.00 ਵਜੇ ਬੈਦ ਹੋ ਜਾਵੇਗੀ।

ਸ. ਇਲੈਕਟੋਨਿਕ ਮਾਧਿਅਮ ਰਾਹੀਂ ਜਾਂ ਏਜੀਐਮ ਵਿਖੇ ਵੋਟ ਪਾਉਣ ਦੀ ਯੋਗਤਾ ਨਿਰਧਾਰਿਤ ਕਰਨ ਲਈ ਕੱਟ ਆਫ ਮਿਤੀ 10 ਜਨਵਰੀ 2025 ਮਿੱਥੀ ਗਈ ਹੈ।

ਹ. ਇਲੈਕਟੋਨਿਕ ਮਾਧਿਅਮ ਰਾਹੀਂ ਈ-ਵੋਟਿੰਗ ਦੀ ਇਜਾਜਤ ਮਿਤੀ 16 ਜਨਵਰੀ 2025 ਸ਼ਾਮ 5:00 ਵਜੇ ਤੋਂ ਬਾਅਦ ਨਹੀਂ ਹੋਵੇਗੀ। ਕ. ਕੋਈ ਵਿਅਕਤੀ ਜੋ ਕੈਪਨੀ ਦੁਆਰਾ ਏਜੀਐਮ ਦਾ ਨੋਟਿਸ ਭੇਜੇ ਜਾਣ ਤੋਂ ਬਾਅਦ ਕੈਪਨੀ ਦੇ

ਜਨਵਰੀ, 2025 ਨੂੰ ਉਸ ਕੋਲ ਕੰਪਨੀ ਦੇ ਸ਼ੇਅਰ ਹਨ ਉਹ ਈਜੀਐਮ ਦੇ ਨੋਟਿਸ ਵਿਖੇ ਈ-ਵੋਟਿੰਗ ਸਬੰਧੀ ਦਰਸਾਈਆਂ ਹਦਾਇਤਾਂ ਮਤਾਬਿਕ ਆਪਣਾ ਵੋਟ ਪਾ ਸਕਦਾ ਹੈ। ਜੇਕਰ ਵਿਅਕਤੀ ਪਹਿਲਾ ਹੀ ਸੀਡੀਐਸਐਲ ਨਾਲ ਰਜਿਸਟਰਡ ਹੈ ਤਾਂ ਉਹ ਵੋਟ ਪਾਉਣ ਲਈ ਆਪਣਾ ਮੌਜੂਦਾ ਯੂਜਰ ਆਈਡੀ ਅਤੇ ਪਾਸਵਰਡ ਵਰਤ ਸਕਦਾ ਹੈ। ਖ. ਮੈਂਬਰ ਨੌਟ ਕਰਨ ਕੇ 1. ਰਿਮੋਟ ਈ-ਵੋਟਿੰਗ ਮਡਿਊਲ ਸੀਡੀਐਸਐਲ ਦੁਆਰਾ 16 ਜਨਵਰੀ 2025 ਨੂੰ ਸ਼ਾਮ 5:00 ਵਜੇ ਤੋਂ ਬਾਅਦ ਰਿਮੋਟ ਈ-ਵੋਟਿੰਗ ਮਡਿਊਲ ਬੈਦ ਕਰ ਦਿੱਤਾ ਜਾਵੇਗਾ ਅਤੇ ਮੈਂਬਰ ਦੁਆਰਾ ਮੂਤੇ ਤੇ ਇੱਕ ਵਾਰੀ ਪਾਇਆ ਗਿਆ ਵੋਟ ਮੈਂਬਰ ਵਲੋਂ ਬਦਲਿਆ ਨਹੀ

ਸ਼ੇਅਰ ਖਰੀਦਦਾ ਹੈ ਅਤੇ ਕੰਪਨੀ ਦਾ ਮੈਂਬਰ ਬਣਦਾ ਹੈ ਅਤੇ ਕੱਟ ਆਫ ਮਿਤੀ ਜੋ ਕਿ ਮਿਤੀ 10

ਜਾ ਸਕੇਗਾ। 2. ਮੈਂਬਰ ਜਿਨਾਂ ਨੇ ਈਜੀਐਮ ਤੋਂ ਪਹਿਲਾ ਰਿਮੋਟ ਈ-ਵੋਟਿੰਗ ਰਾਹੀਂ ਆਪਣਾ ਵੋਟ ਪਾ ਦਿੱਤਾ ਹੈ ਉਹ ਈਜੀਐਮ ਵਿਖੇ ਭਾਗ ਲੈ ਸਕਦੇ ਹਨ ਪ੍ਰੰਤੂ ਉਨ੍ਹਾਂ ਨੂੰ ਦੂਬਾਰਾ ਵੋਟ ਪਾਉਣ ਦੀ ਆਗਿਆ ਨਹੀਂ ਹੋਵੇਗੀ। 3. ਇਕ ਵਿਅਕਤੀ ਜਿਸ ਦਾ ਨਾਂ ਕੱਟ ਆਫ ਮਿਤੀ ਨੂੰ ਮੈਂਬਰਾਂ ਦੇ ਰਜਿਸਟਰ ਜਾਂ ਡਿਪੋਜਟਰੀਆਂ ਦੁਆਰਾ ਬਰਕਰਾਰ ਬੈਨੀਫਿਸ਼ੀਅਲ ਓਨਰ ਦੇ ਰਜਿਸਟਰ ਵਿਖੇ ਦਰਜ ਹਨ ਉਹੀ ਮੈਂਬਰ ਰਿਮੋਟ ਈ-ਵੋਟਿੰਗ ਜਾਂ ਈਜੀਐਮ ਵਿਖੇ ਵੋਟ ਪਾਉਣ ਦਾ ਹੱਕਦਾਰ ਹੈ। ਗ. ਈਜੀਐਮ ਦਾ ਨੋਟਿਸ ਸੀਡੀਐਸਐਲ ਦੀ ਵੈਬਸਾਈਟ http://evotingindia.com ਤੇ ਵੰ ਉਪਲੱਬਧ ਹੈ।

ਘ. ਈ ਵੋਟਿੰਗ ਸਬੰਧੀ ਜਾਣਕਾਰੀ ਜਾਂ ਸਿਕਾਇਤ ਲਈ ਤੁਸੀਂ www.evotingindia.com ਦੇ ਡਾਊਨਲੋਡ ਸੈਕਸ਼ਨ 'ਤੇ ਉਪਲੱਬਧ ਫਰੀਕੁਐਂਟਲੀ ਆਸਕਡ ਕੁਅਸਚਨ (ਐਫਏਕਿਓ) ਅਤੇ ਈ-ਵੋਟਿੰਗ ਯੂਜ਼ਰ ਮੈਨੁਅਲ ਵੇਖ ਸਕਦੇ ਹੋ ਜਾਂ helpdesk.evoting@cdslindia.com ਜਾਂ

1800-2109911 'ਤੇ ਸੰਪਰਕ ਕਰ ਸਕਦੇ ਹੋ। ਙ. ਸ਼ੀ ਅਜੇ ਕੇ ਰੱਤਰਾ, ਕੰਪਨੀ ਸਕੱਤਰ (ਈ-ਮੇਲ: ajay.ratra@vpl.in) ਨੂੰ ਈ-ਵੋਟਿੰਗ

ਸਬੰਧੀ ਪੱਛਗਿੱਛ ਜਾਂ ਸ਼ਿਕਾਇਤ ਲਈ ਸੰਪਰਕ ਕੀਤਾ ਜਾ ਸਕਦਾ ਹੈ। ਲਈ ਵਰਧਮਾਨ ਪੋਲੀਟੈਕਸ ਲਿਮਟਿਡ

ਆਦਿਸ਼ ਓਸਵਾਲ

ਚੇਅਰਮੈਨ ਅਤੇ ਮੈਨੇਜਿੰਗ ਡਾਇਰੈਕਟਰ ਸਥਾਨ : ਲਧਿਆਣਾ ਮਿਤੀ : 24.12.2024 ਡੀਆਈਐਨ: 00009710

ਇਸ਼ਤਿਹਾਰਾਂ ਸੰਬਧੀ ਜ਼ਰੂਰੀ ਬੇਨਤੀ

ਏਸ਼ ਸੇਵਕ ਦੀ ਮੈਨੇਜਮੈਂਟ ਇਸ ਅਖ਼ਬਾਰ 'ਚ ਛਪੇ ਇਸ਼ਤਿਹਾਰ ਡਿਸਪਲੇ /ਕਲਾਸੀਫਾਈਡ) ਦੇ ਤੱਥਾਂ ਲਈ ਜ਼ਿੰਮੇਵਾਰੀ ਨਹੀਂ ਲੈਂਦੀ। ਸਾਡਾ ਅਖ਼ਬਾਰ



ਏਨ੍ਹਾਂ ਨੂੰ ਤਸਦੀਕ ਨਹੀਂ ਕਰਦਾ। ਪਾਠਕਾਂ ਨੂੰ ਬੇਨਤੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਉਹ ਇਨ੍ਹਾਂ ਏਸ਼ਤਿਹਾਰਾਂ 'ਤੇ ਕਾਰਵਾਈ ਤੋਂ ਪਹਿਲਾਂ ਤੱਥਾਂ ਦੀ ਪੁਸ਼ਟੀ ਕਰ ਲੈਣ।



ਸੀਈਆਰਸੀ (ਕਾਰੋਬਾਰ ਦਾ ਸੰਚਾਲਨ) ਰੈਗਲੇਸ਼ਨ 1999 ਦੇ ਰੈਗਲੇਸ਼ਨ 86 ਅਤੇ ਸੀਈਆਰਸੀ (ਟੈਰਿਫ ਦੇ ਨਿਯਮ ਅਤੇ ਸ਼ਰਤਾਂ) ਰੈਗਲੇਸ਼ਨ 2019 ਤਹਿਤ 1, 2019-24 ਟੈਰਿਫ਼ ਬਲਾਕ ਲਈ ਟਾਂਸਮਿਸ਼ਨ ਟੈਰਿਫ ਦੀ ਟਰਇੰਗ ਅਪ ਅਤੇ 2, 2024-29 ਟੈਰਿਫ ਬਲਾਕ ਲਈ ਟਾਂਸਮਿਸ਼ਨ ਦੇ ਨਿਰਧਾਰਨ ਲਈ ਪਟੀਸ਼ਨ 1 : ਸਾਸਨ ਅਲਟਾ ਮੇਗਾ ਪਾਵਰ ਪਾਜੈਕਟ (ਯਐਮਪੀਪੀ) ਨਾਲ ਸਬੰਧਿਤ ਟ੍ਰਾਂਸਮਿਸ਼ਨ ਸਿਸਟਮ ਤਹਿਤ ਸੰਯੁਕਤ ਜਾਇਦਾਦ, **ਪਟੀਸ਼ਨ 2** : ਲਾਰਾ ਐਸਟੀਪੀਐਸ−1 (2 ਗੁਣਾ 800 ਮੈਗਾ ਵਾਟ) ਐਨਟੀਪੀਸੀ ਦੇ ਜਨਰੇਸ਼ਨ ਪ੍ਰਾਜੈਕਟ ਨਾਲ ਸਬੰਧਿਤ ਟ੍ਰਾਂਸਮਿਸ਼ਨ ਸਿਸਟਮ ਲਈ

. ਉਪਰੋਕਤ ਟ੍ਰਾਂਸਮਿਸ਼ਨ ਸਿਸਟਮ ਦੇ ਲਾਭਪਾਤਰੀ ਹਨ : 1. ਐਮਪੀਪੀਐਮਸੀਐਲ, ਜਬਲਪੁਰ, 2 ਐਮਪੀਪੀਟੀਸੀਐਲ, ਜਬਲਪੁਰ, 3. ਐਮਐਸਈਡੀਸੀਐਲ, ਮੁੰਬਈ, 4. ਐਮਐਸਈਟੀਸੀਐਲ, ਮੁੰਬਈ, ਜੀਯੂਵੀਐਨਐਲ, ਵਡੌਦਰਾ, 6. ਬਿਜਲੀ ਵਿਭਾਗ, ਗੌਆ ਸਰਕਾਰ, ਪਣਜੀ, 7 ਡੀਐਨਐਚਡੀਡੀਪੀਸੀਐਲ, ਸਿਲਵਾਸਾ, 8. ਸੀਐਸਪੀਟੀਸੀਐਲ, ਰਾਏਪੁਰ, 9. ਸੀਐਸਪੀਡੀਸੀਐਲ, ਰਾਏਪੁਰ, 10. ਐਨਟੀਪੀਸੀ ਲਿਮਟਿਡ, 11. ਅਜਮੇਰ ਵਿਦਯੁਤ ਵਿਤਰਣ ਨਿਗਮ ਲਿਮਟਿਡ, 12. ਜੈਪੂਰ ਵਿਦਯੂਤ ਵਿਤਰਣ ਨਿਗਮ ਲਿਮਟਿਡ, 13. ਜੋਧਪੂਰ ਵਿਦਯੂਤ ਵਿਤਰਣ ਨਿਗਮ ਲਿਮਟਿਡ, 14. ਪੰਜਾਬ ਸਟੇਟ ਇਲੈਕਟਿਕਸਿਟੀ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ, 15 ਹਰਿਆਣਾ ਪਾਵਰ ਪਰਚੇਜ਼ ਸੈਂਟਰ, 16 ਜੰਮ ਐਂਡ ਕਸ਼ਮੀਰ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ, 17 ਉਤਰ ਪਦੇਸ਼ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ, 18 ਬੀਐਸਈਐਸ ਯਮਨਾ ਪਾਵਰ ਲਿਮਟਿਡ, 19 ਬੀਐਸਈਐਸ ਰਾਜਧਾਨੀ ਪਾਵਰ ਲਿਮਟਿਡ, 20 ਟਾਟਾ ਪਾਵਰ ਦਿੱਲੀ ਡਿਸਟੀਬਿਊਸ਼ਨ ਲਿਮਟਿਡ, 21 ਚੰਡੀਗੜ੍ਹ ਇਲੈਕਟੀਸਿਟੀ ਡਿਪਾਰਟਮੈਂਟ, 22. ਉਤਰਾਂਚਲ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ, 23 ਨਾਰਥ ਸੈਂਟਰਲ ਰੇਲਵੇ, 24 ਨਿਊ ਦਿੱਲੀ ਮਿਊਂਸੀਪਲ ਕੌਂਸਲ, 25 ਹਿਮਾਚਲ ਪ੍ਰਦੇਸ਼ ਸਟੇਟ ਇਲੈਕਟ੍ਰੀਸਿਟੀ ਬੋਰਡ, 26. ਬਿਹਾਰ ਸਟੇਟ ਪਾਵਰ (ਹੋਲਡਿੰਗ) ਕੰਪਨੀ ਲਿਮਟਿਡ,27. ਵੈਸਟ ਬੰਗਾਲ, ਸਟੇਟ ਇਲੈਕਟ੍ਰੀਸਿਟੀ ਡਿਸਟ੍ਰੀਬਿਊਸ਼ਨ, ਕੰਪਨੀ ਲਿਮਟਿਡ, 28. ਗਰਿੱਡ ਕਾਰਪੌਰੇਸ਼ਨ ਆਫ ਓੜੀਸਾ, ਲਿਮਟਿਡ, 29. ਦਾਮੌਦਰ ਵੈਲੀ ਕਾਰਪੌਰੇਸ਼ਨ, 30. ਪਾਵਰ ਡਿਪਾਰਟਮੈਂਟ ਸਿਕਮ ਸਰਕਾਰ, ਗੰਗਟੌਕ, 31. ਝਾਰਖੰਡ, ਬਿਜਲੀ ਵਿਤਰਣ ਨਿਗਮ ਲਿਮਟਿਡ, 32. ਝਾਰਖੰਡ ਉਰਜਾ ਸੰਚਾਰਣ ਨਿਗਮ ਲਿਮਟਿਡ

ਟੈਰਿਫ ਵੇਰਵੇ ੳ. 2019-24 ਬਲਾਕ ਰੂ. ਲੱਖਾਂ 'ਚ 2019-20 2020-21 2021-22 2022-23 2023-24 ਪਟੀਸ਼ਨ ਜਾਇਦਾਦ ਡੀਓਸੀਓ ਈਸੀਓਡੀ ਦਾ ਵੇਰਵਾ ਨੌ ਟਰਇੰਗ ਅਪ ਦੇ ਆਧਾਰ 'ਤੇ ਸੋਧੀ ਏਐਫਸੀ ਸੰਯੁਕਤ 31.12.2012 545841.68 86701.31 84045.13 81822.92 80369.44 78894.22 ਪਟੀਸ਼ਨ 1 34553.46 5.632.73 5.512.94 5.392.69 5.301.81 5.220.89 ਸੰਯੁਕਤ 23.05.2017 थटीप्तर 2 ਜਾਇਦਾਦ ਅ. 2024-2<mark>9 ਬਲਾ</mark>ਕ

2024-25 2025-26 2026-27 2027-28 2028-29 ਜਾਇਦਾਦ ਦ ਪਟੀਸ਼ਨ 31.03.2029 ਨੂੰ ਸੰਪੂਰਨਤਾ ਸਾਲਾਨਾ ਸਥਿਰ ਚਾਰਜ (ਏਐਫਸੀ) ਪਟੀਸ਼ਨ 1 ਸੰਯੁਕਤ ਜਾਇਦਾਦ 545841.68 73,365.67 50,766.89 50,504.62 50,229.70 50,155.36 ਸੰਯੁਕਤ ਜਾਇਦਾਦ 34600.55 5,090.84 4,947.40 4,809.51 4,602.10 4,444.99 थटीप्तर 2

. ਇਸ ਨੋਟਿਸ ਦੀ ਕਾਪੀ ਅਤੇ ਟੈਰਿਫ ਦੇ ਨਿਰਧਾਰਣ ਲਈ ਅਰਜੀ ਬਿਨੈਕਾਰ ਦੀ ਵੈਬਸਾਈਟ www.powergrid.in 'ਤੇ ਪ੍ਰਕਾਸ਼ਿਤ ਹੈ। 4. ਅਰਜੀ ਵਿਖੇ ਸ਼ਾਮਲ ਟੈਰਿਫ ਦੇ ਨਿਰਧਾਰਣ ਦੀਆਂ ਤਜਵੀਜ਼ਾਂ ਸਬੰਧੀ ਲਾਭਪਾਤਰੀਆਂ ਸਮੇਤ ਜੇਕਰ ਕਿਸੇ ਵਿਅਕਤੀ ਦੇ ਸੁਝਾਵ ਅਤੇ ਇਤਰਾਜ ਹਨ ਤਾਂ ਉਹ ਬਿਨੈਕਾਰ ਨੂੰ ਉਸਦੇ ਕਾਰਪੋਰੇਟ ਦਫਤਰ ਦੇ ਪਤੇ 'ਤੇ ਇਕ ਕਾਪੀ ਸਮੇਤ ਸਕੱਤਰ, ਸੈਂਟਰਲ ਇਲੈਕਟ੍ਰੀਸਿਟੀ ਰੈਂਗੁਲੇਟਰੀ ਕਮਿਸ਼ਨ, 6ਵੀਂ , 7ਵੀਂ ਅਤੇ 8ਵੀਂ ਮੰਜਿਲ, ਟਾਵਰ ਬੀ, ਵਰਲਡ ਟ੍ਰੇਰਡ ਸੈਂਟਰ, ਨੌਰੋਜੀ ਨਗਰ, ਨਵੀਂ ਦਿੱਲੀ-110029 (ਹੋਰ ਪਤਾ ਜਿਥੇ ਕਮਿਸ਼ਨ ਦਾ ਦਫ਼ਤਰ ਸਥਿਤ ਹੈ) ਨੂੰ ਇਸ ਨੌਟਿਸ ਦੇ ਪ੍ਰਕਾਸ਼ਨ ਤੋਂ

30 ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਭੇਜ ਸਕਦਾ ਹੈ। ਸਥਾਨ : ਗੁਰੂਗਾਮ ਜਨਰਲ ਮੈਨੇਜ਼ਰ (ਕਮਰਸ਼ੀਅਲ) ਮਿਤੀ : 25.12.2024

ਪਾਵਰ ਗਰਿੱਡ ਕਾਰਪੋਰੇਸ਼ਨ ਆਫ ਇੰਡੀਆ ਲਿਮਟਿਡ

(ਭਾਰਤ ਸਰਕਾਰ ਦਾ ਅਦਾਰਾ) ਰਜਿ. ਦਫ਼ਤਰ : ਬੀ-9, ਕੁਤਬ ਇਸਟੀਟਿਊਸ਼ਨਲ ਏਗੀਆ, ਕਟਵਾਰੀਆ ਸਰਾਈ, ਨਵੀਂ ਦਿੱਲੀ-110016 ਕਾਰਪੋਰੇਟ ਦਫ਼ਤਰ : ''ਸੇਂਦਾਮਿਨੀ'', ਪਲਾਟ ਨੇ: 2, ਸੈਕਟਰ-29, ਗੂਰਗ੍ਰਾਮ ਹਰਿਆਣਾ-122 001 www.powergid.in ਸੀਆਈਐਨ : L40101DL1989GOl038121 ਏ ਮਹਾਰਤਨਾ ਪੀਐਸਯੂ

ਬ੍ਰਾਂਚ ਦਫ਼ਤਰ : ਸੀ 3, ਅਸਟੇਟ ਦਫ਼ਤਰ, ਹੁੱਡਾ ਡਿਮਾਂਡ ਨੋਟਿਸ

ਇਮਾਰਤ, ਸੈਕਟਰ 6, ਪੰਚਕੁਲਾ, 134109

ਸਕਿਉਰਿਟਾਈਜੇਸ਼ਨ ਐਂਡ ਰੀਕੰਸਟਰਕਸ਼ਨ ਆਫ਼ ਫਾਈਨੈਂਸ਼ੀਅਲ ਐਸੇਟਸ ਐਂਡ ਇਨਫੋਰਸਮੈਂਟ ਆਫ਼ ਸਕਿਊਰਿਟੀ ਇਟਰਸਟ ਐਕਟ 2002 ਦੇ ਸੈਕਸ਼ਨ 13(2) ਤਹਿਤ ਨੋਟਿਸ ਜਾਰੀ

ਇਸ ਨੋਟਿਸ ਦਿੱਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਹੇਠ ਦਰਸ਼ਾਏ ਕਰਜ਼ਦਾਰ ਬੈਂਕ ਵੱਲੋਂ ਲਈ ਗਈ ਕ੍ਰੈਡਿੱਟ ਸਹੂਲਤ ਦੀ ਮੁੜ ਅਦਾਇਗੀ ਵਿਖੇ ਦੋਸ਼ੀ ਹੋਏ ਹਨ ਅਤੇ ਇਹ ਸਹੂਲਤ ਹੁਣ ਐਨਪੀਏ ਹੋ ਗਈ ਹੈ। ਸਕਿਉਰਿਟਾਈਜੇਸ਼ਨ ਐਂਡ ਗੈਕੰਸਟਰਕਸ਼ਨ ਆਫ਼ ਫਾਈਨੈਂਸ਼ੀਅਲ ਐਸੇਟਸ ਐਂਡ ਇਨਫੋਰਸਮੈਂਟ ਆਫ਼ ਸਕਿਊਰਿਟੀ ਇੰਟਰਸਟ

ਐਕਟ, 2002 ਦੀ ਧਾਰਾ 13(2) ਤਹਿਤ ਕਰਜ਼ਦਾਰਾਂ ਨੂੰ ਉਨ੍ਹਾਂ ਦੇ ਆਖਰੀ ਜਾਣੂ ਪਤਿਆਂ 'ਤੇ ਰਜਿਸਟਰਡ ਡਾਕ ਰਾਹੀਂ ਨੌਟਿਸ ਭੇਜੇ ਗਏ ਸਨ। ਜਦੋਂ ਕਿ ਇਹ ਨੋਟਿਸ ਬਿਨ੍ਹਾਂ ਉਨ੍ਹਾਂ ਨੂੰ ਪ੍ਰਾਪਤ ਹੋਏ ਵਾਪਸ ਆ ਗਏ ਹਨ ਅਤੇ ਅਧਿਕਾਰਤ ਅਫ਼ਸਰ ਨੂੰ ਇਹ ਯਕੀਨ ਹੈ ਕਿ ਕਰਜ਼ਦਾਰਾਂ ਨੋਟਿਸ ਦੀ ਸੇਵਾ ਤੋਂ ਗੁਰੇਜ਼ ਕਰ ਰਹੇ ਹਨ ਸੋ ਉਨ੍ਹਾਂ ਨੂੰ ਇਸ ਪਬਲਿਕ ਨੋਟਿਸ ਰਾਹੀਂ ਇਸ ਬਾਰੇ ਜਾਣਕਾਰੀ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ। ਡਿਮਾਂਡ ਨੋਟਿਸ ਦੀ ਮਿਤੀ ਜਾਇਦਾਦ ਦਾ ਵੇਰਵਾ ਐਨਪੀਏ ਦੀ ਮਿਤੀ

ਕਰਜ਼ਦਾਰ ਅਤੇ ਗਰੰਟਰਾਂ ਦੇ ਨਾਂ

1. ਸ਼੍ਰੀਮਤੀ ਰੂਬੀ ਭੱਟੀ (ਕਰਜਦਾਰ ਅਤੇ ਸਾਰੇ ਅਤੇ ਅਹਿਮ ਹਿੱਸਿਆਂ ਵਿਚੋਂ ਅਚੱਲ 09.12.2024 ੀਜਾਇਦਾਦ ਜਿਸਦਾ ਰਿਹਾਇਸ਼ੀ ਫਲੈਟ ਨੈ: 13 (ਪਰਾਣਾ ਗਿਰਵੀਕਾਰ), ਪਿੰਡ ਰਸੂਲਪੁਰ, ਡਾਕਖਾਨਾ ਔਰੰਗਾਬਾਦ (ਤਹੇਰਪੁਰ), ਤਹਿਸੀਲ ਸਿਆਨਾ,∣ਫਲੈਂਟ ਨੰ: 21ਏ), ਪਹਿਲੀ ਮੈਜਿਲ (ਕਵਰਡ ਏਰੀਆ-835 ਜ਼ਿਲ੍ਹਾ ਬੁਲੰਦਸ਼ਹਿਰ, ਯੂ ਪੀ. 202398 ਹੋਰ ਪਤਾ ਵਰਗ ਫੁੱਟ), ਦਸ਼ਮੇਸ਼ ਇਨਕਲੇਵ, ਹਿੰਮਤਗੜ ਐਮਸੀ

ਦੇਸ਼ ਸੇਵਕ

ਵਿੱਚ ਇਸ਼ਤਿਹਾਰ ਦੇਣ ਸਬੰਧੀ

ਮੋਬਾ. 76579-20056

ਈਮੇਲ :

deshadvt@gmail.com

ALLAHABAD

ਇੰਡੀਅਨ ਬੈਂਕ 🧀 Indian Bank

🛆 इलाहाबाद

ਫੋਨ : 0172-2657257

ਸ਼ਿਲ੍ਹਾ ਚੁਲਦੁਸ਼ਹਿਲ, ਯੂ.ਕੀ. 2023, ਹੋਰ ਪਤਾ ਜ਼ਿਲ੍ਹਾ : ਮਕਾਨ ਨੰ: 354, ਸੈਕਟਰ 6, ਪੰਚਕੂਲਾ ਜ਼ੀਰਕਪੁਰ ਦੀ ਹਦਾਂ ਅਦਰ ਤਹਿਸੀਲ ਡੇਰਾ ਬੱਸੀ, ਜ਼ਿਲ੍ਹਾ 134109, ਹੋਰ ਪਤਾ : ਫਲੈਟ ਨੰ: 13, ਪਹਿਲੀ ਐਸਏਐਸ ਨਗਰ, ਮੋਹਾਲੀ ਪੰਜਾਬ, ਜ਼ਮੀਨ 'ਤੇ ਬਣੀ ਇਮਾਰਤ ਜਿਸਦਾ ਖੇਵਟ ਨੰ: 20, ਖਤੋਨੀ ਮੰਜਿਲ, ਦਸ਼ਮੇਸ਼ ਇਨਕਲੇਵ, ਪਿੰਡ ਹਿੰਮਤਗੜ੍ਹ, ਨੈ: 43, ਖਸਰਾ ਨੈ: 34 (3-15), 35 (6-2), 36 (4-0), 38 (4-11), ਕਿੱਟੇ 4 ਕੁੱਲ ਕੇ-ਏਰੀਆ ਜ਼ੀਰਕਪੁਰ, ਐਸਏਐਸ ਨਗਰ ਮੋਹਾਲੀ, 18 ਬਿੰਘੇ 8 ਬਿਸਵੇਂ ਅਤੇ ਖੇਵਟ ਨੈ: 12, ਖਤੋਨੀ ਨੈ: 29, ਖਸਰਾ ਨੈ: 215/37/ (1-6),

ਪੰਜਾਬ-140603, 2. ਸ਼੍ਰੀ ਸੰਦੀਪ ਕੁਮਾਰ ਭੱਟੀ 229/216/37 (1-6), 230/216/37 (2-11) ਕਿੱਟੇ 3 ਕੁੱਲ ਜਮੀਨ 5 ਬਿੰਘਾ 3 ਬਿਸਵਾ

ਅਤੇ ਰਕਮ

10.12.2024

ਮਿਤੀ : 10.12.2024 ਤੱਕ ਸਮੇਤ

ਵਿਆਜ ਅਤੇ ਹੋਰ ਚਾਰਜ

(ਸਹਿ-ਕਰਜਦਾਰ ਅਤੇ ਗਿਰਵੀਕਾਰ), ਪਿੰਡ (ਕੁੱਲ ਜਮੀਨ 23 ਬਿੰਘਾ 11 ਬਿਸਵਾ) 11 ਬਿਸਵਾਸੀ (ਕੁੱਲ ਜਮੀਨ 23 ਬਿੰਘਾ 11 ਬਿਸਵਾ ਰਸਲਪਰ, ਡਾਕਖਾਨਾ-ਔਰੰਗਾਬਾਦ (ਤਹੇਰਪਰ), ਦਾ 11/9420 ਹਿੱਸਾ (110 ਵਰਗ ਗਜ਼ 27.50 ਵਰਗ ਗਜ਼ ਦਾ 1/4 ਹਿੱਸਾ) ਸ਼੍ਰੀ ਸੰਦੀਪ ਤਹਿਸੀਲ-ਸਿਆਨਾ, ਜ਼ਿਲ੍ਹਾ-ਬੁਲੰਦਸ਼ਹਿਰ, ਯੂ.ਪੀ. ਕੁਮਾਰ ਭੱਟੀ ਅਤੇ ਸ਼੍ਰੀਮਤੀ ਰੂਬੀ ਭੱਟੀ ਦੇ ਨਾਂ ਹੈ। ਜਾਇਦਾਦ ਦੀ ਚਾਰਦੀਵਾਰੀ ਇਸ ਅਨੁਸਾਰ 202398, ਹੋਰ ਪਤਾ : ਮਕਾਨ ਨੰ: 354, ਸੈਕਟਰ : ਉੱਤਰ : ਡੂਪਲੈਕਸ ਡੈਫ. ਅਪਾਰਟ., ਦੱਖਣ : ਅੰਦਰੂਨੀ ਸੜਕ, ਪੂਰਬ : ਫਲੈਟ ਨੰ: 13 ਪਹਿਲੀ 6, ਪੰਚਕੂਲਾ–134109, ਹੋਰ ਪਤਾ : ਫਲੈਟ ਨੈ: ਮਿੰਜਿਲ, ਪੱਛਮ : ਫਲੈਟ ਨੈ: 10 ਪਹਿਲੀ ਮੰਜਿਲ 13, ਪਹਿਲੀ ਮੰਜਿਲ, ਦਸ਼ਮੇਸ਼ ਇਨਕਲੇਵ, ਪਿੰਡ ਹਿੰਮਤਗੜ੍ਹ, ਕੇ-ਏਰੀਆ, ਜ਼ੀਰਕਪੁਰ, ਐਸਏਐਸ ਨਗਰ ਮੋਹਾਲੀ, ਪੰਜਾਬ-140603

ਉਪਰੋਕਤ ਕਰਜ਼ਦਾਰਾਂ ਨੂੰ ਸਲਾਹ ਦਿੱਤੀ ਜਾਦੀ ਹੈ ਕਿ ਨੋਟਿਸ ਵਿੱਚ ਦਰਸ਼ਾਈ ਰਕਮ ਇਸ ਨੋਟਿਸ ਦੇ ਪ੍ਰਕਾਸ਼ਨ ਦੀ ਮਿਤੀ ਤੋਂ 60 ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਅਦਾ ਕੀਤੀ ਜਾਵੇ। ਅਸਫਲ ਰਹਿਣ ¹ਤੇ 60 ਦਿਨਾਂ ਦੀ ਮਿਆਦ ਖ਼ਤਮ ਹੋਣ ਉਪਰਤ ਸਕਿਊਰਟਾਈਜੇਸ਼ਨ ਆਫ ਫਾਇਨਾਸ਼ੀਅਲ ਐਸੇਟਸ ਐਂਡ ਇਨਫੋਰਸਮੈਂਟ ਆਫ ਸਕਿਊਰਿਟੀ ਇਟਰੱਸਟ ਐਕਟ, 2002 ਤਹਿਤ ਹੋਰ ਕਾਰਵਾਈ ਕੀਤੀ ਜਾਵੇਗੀ। ਇਸ ਤੋਂ ਇਲਾਵਾ ਕਰਜਦਾਰਾਂ ਨੂੰ ਉਪਰ ਦਰਸ਼ਾਈ ਕਿਸੇ ਵੀ ਸੁਰੱਖਿਅਤ ਜਾਇਦਾਦ ਨਾਲ ਬਿਨ੍ਹਾਂ ਸਾਡੀ ਮਿਜੂਰੀ ਦ[ੇ] ਕਿਸੇ ਵੀ ਤਰ੍ਹਾਂ ਲੈਣ ਦੇਣ ਕਰਨ ਤੋਂ ਵਰਜਿਆ ਜਾਂਦਾ ਹੈ। ਦੱਸੇ ਐਕਟ ਅਤੇ [–]ਜਾਂ ਲਾਗੂ ਕਾਨੂੰਨ ਤਹਿਤ ਇਹ ਕਦਮ ਕਿਸੇ ਵੀ ਭੇਦਭਾਵ ਤੋਂ ਵਗੈਰ ਚੁੱਕਿਆ ਗਿਆ ਹੈ। ਮਿਤੀ : 24.12.2024 ਸਥਾਨ : ਪੰਚਕੁਲਾ ਅਧਿਕਾਰਤ ਅਫਸਰ

ਪੀਪੀਸੀਬੀ ਵੱਲੋਂ 35 ਕਿਲੋਗ੍ਰਾਮ ਸਿੰਗਲ ਯੂਜ਼ ਪਲਾਸਟਿਕ ਤੇ ਪਲਾਸਟਿਕ ਦੇ ਲਿਫ਼ਾਫ਼ੇ ਜ਼ਬਤ, ਕੀਤੇ ਚਲਾਨ

ਮੈਜਿਸਟਰੇਟ ਪਟਿਆਲਾ ਵੱਲੋਂ ਪਹਿਲਾਂ ਹੀ ਹਨ। ਪੰਜਾਬ ਪ੍ਰਦੂਸ਼ਣ ਕੰਟਰੋਲ ਬੋਰਡ ਨੇ ਧਾਰਾ 163 ਤਹਿਤ ਹੁਕਮ ਜਾਰੀ ਕੀਤੇ ਗਏ ਲੋਕਾਂ ਨੂੰ ਅਪੀਲ ਕੀਤੀ ਹੈ। ਯੂਕੋ ਬੈਂਕ **UCO BANK**

ਯੂਕੋ ਬੈਂਕ ਜ਼ੋਨਲ ਦਫ਼ਤਰ ਐਸਸੀਓ-113-114-115, ਮਾਸਟਰ ਤਾਰਾ ਸਿੰਘ ਨਗਰ, ਜਲੰਧਰ ਯੋਗ ਵਿਅਕਤੀਆਂ/ ਸੰਸਥਾਵਾਂ/ਏਜੰਸੀਆਂ/ਐਲਐਲਪੀ/ਕੰਪਨੀਆਂ ਆਦਿ ਵੱਲੋਂ "ਰੀਅਲ ਅਸਟੇਟ ਏਜੰਟ/ਪ੍ਰੋਪਰਟੀ ਬਰੋਕਰ ਅਤੇ ਜਾਸੂਸੀ ਏਜੈਟ/ਏਜੈਸੀਆਂ" ਲਈ ਮਿਤੀ : 31.12.2024 ਸ਼ਾਮ 5:00 ਵਜੇ ਤੱਕ ਅਰਜ਼ੀ ਮੰਗਵਾਉਂਦੇ ਹਨ।

ਮਿਤੀ : 24.12.2024

ਯੋਗਤਾ ਅਤੇ ਹੋਰ ਵੇਰਵਿਆਂ ਲਈ ਕਿਰਪਾ zojindhar.rec@ucobank.in. 'ਤੇ ਈਮੇਲ ਕਰੋ। ਵਧੇਰੀ ਜਾਣਕਾਰੀ∂ ਸਪੱਸ਼ਟੀਕਰਨ ਲਈ ਕਿਰਪਾ ਸੀ ਰਾਕੇਸ਼ ਮੌਬਾ : 9518892714 ਨੂੰ ਸੰਪਰਕ ਕਰੋ। ਜੋਨਲ ਮੈਨੇਜ਼ਰ

ਜ਼ੋਨਲ ਦਫ਼ਤਰ : ਜਲੰਧਰ

(ਭਾਰਤ ਸਰਕਾਰ ਦਾ ਅਦਾਰਾ) ਬ੍ਰਾਂਚ ਦਫ਼ਤਰ : ਐਸੇਟ ਰਿਕਵਰੀ ਬ੍ਰਾਂਚ (ਸੀ-0737), ਐਸਸੀਓ 84-91, ਮੇਜ਼ਾਨੀਨ ਮੰਜਿਲ, ਸੈਕਟਰ 17ਬੀ, ਚੰਡੀਗੜ੍ਹ, ਫੋਨ 0172-2922099, ਈਮੇਲ : **C0737**@psb.co.i

ਕਰਦਿਆਂ ਜਿਸ ਨੂੰ ਕਿ ਸਕਿਊਰਿਟੀ ਇੰਟਰਸਟ (ਇਨਫੋਰਸਮੈਂਟ) ਰੂਲਜ਼ 2002 ਦੇ ਰੂਲ 3 ਨਾਲ ਪੜ੍ਹਿਆ ਜਾਵੇ ਤਹਿਤ ਹੇਠ ਦਰਸ਼ਾਏ ਕਰਜ਼ਦਾਰਾਂ/ਗਰੈਟਰਾਂ ਨੂੰ ਡਿਮਾਂਡ ਨੌਟਿਸ ਜਾਰੀ ਕਰਦਿਆਂ ਦੱਸੇ ਨੌਟਿਸ ਪਾਪਤ ਹੋਣ⁻ਦੀ ਮਿਤੀ ਤੋਂ 60 ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਰਕਮ ਅਦਾ ਕਰਨ ਲਈ ਕਿਹਾ ਸੀ। ਕਰਜ਼ਦਾਰ∕ਗਰੈਟਰ ਇਹ ਰਕਮ ਅਦਾ ਕਰਨ ਵਿਚ ਅਸਫ਼ਲ ਰਹੇ ਸੋ ਕਰਜ਼ਦਾਰਾਂ ਨੂੰ ਅਤੇ ਆਮ ਜਨ ਸਧਾਰਨ ਨੂੰ ਇਹ ਨੋਟਿਸ ਦਿੱਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਨਿਮਨਹਸਤਾਖਰੀ ਨੇ ਹੇਠ ਦਰਸਾਈ ਜਾਇਦਾਦ ਦਾ ਦੱਸੇ ਐਕਟ ਦੇ ਸੈਕਸ਼ਨ 13(4) ਦੀ ਤਾਕਤਾਂ ਦੀ ਵਰਤੋਂ ਕਰਦਿਆਂ ਜਿਸ ਨੂੰ ਦੱਸੇ ਰੂਲ ਦੇ ਰੂਲ

-ਜਾਇਦਾਦ ਨਾਲ ਕੋਈ ਵੀ ਲੈਣ ਦੇਣ ਹੇਠ⁻ ਦਰਸ਼ਾਈ ਰਕਮ ਜਮ੍ਹਾ ਵਿਆਜ ਅਤੇ ਲਾਗਤਾਂ ਇਸ ਉਪਰੰਤ ਲਈ ਪੰ**ਜਾਬ ਐਂਡ ਸਿੰਧ ਬੈਂਕ**, ਦੇ ਚਾਰਜ ਦਾ ਵਿਸ਼ਾ ਹੋਵੇਗਾ।

ਖਾਤਾ/ਕਰਜ਼ਦਾਰ ਅਤੇ ਗਰੰਟਰ ਦਾ ਨਾਂ

ਅਤੇ ਗਰੰਟਰ : ਸ਼ੀ ਭਗਵਾਨ ਦਾਸ

1. ਉਦਯੋਗਿਕ ਜਾਇਦਾਦ ਮਿਣਤੀ 68 ਕਨਾਲ 1/2 ਮਰਲੇ ਅਤੇ ਇਸ 'ਤੇ ਇਮਾਰਤ 01.09.2009 23.12.2024 Rs. 7.64.76.821.68 ਅਤੇ ਵਿਆਜ ਇਸ ਉਪਰੰਤ ਸਥਿਤੀ ਜਾਖਲ ਰੋਡ ਸੁਨਾਮ ਜ਼ਿਲ੍ਹਾ ਸੰਗਰੂਰ, ਜਿਸ 'ਚ ਸ਼ਾਮਲ ਉ. ਜਮੀਨ ਮਿਣਤੀ 4 ਕਨਾਲ ਜਿਸਦਾ ਮੁਸਤਿਲ ਸੀਬਰ ਸਾਰੇ ਦੇ ਲਾ ਸਨੇ ਜੋ ਜ਼ਿਲ੍ਹਾ ਸਗਾਲ ਜਾਂ ਸਾਨੇ ਚ ਜਾਂ ਸਨੇ ਜਾਂ ਸੀਨ ਸਿਣਤੀ ਜੋ ਚੋਨਾ ਜਿਸਦਾ ਸ਼ੂਜੀਤਨ ਅਤੇ ਕਿੱਲਾ ਨੂੰ: 482/24 ਮਿੰਨ (4–0) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਮੈਸ. ਹਰੀ ਕੇਵਲ ਪ੍ਰਾਈਵੇਟ ਲਿਮਟਿਡ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੰ: 3056 ਮਿਤੀ : 12.03.1984, ਅ. ਜਮੀਨ ਮਿਣਤੀ 1 ਕਨਾਲ 12 ਮਰਲੇ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੰ: 492//25/1 ਮਿੰਨ (1–12) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਮੈਸ. ਹਰੀ ਕੇਵਲ ਪ੍ਰਾਈਵੇਟ ਲਿਮਟਿਡ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੰ: 3058 ਮਿਤੀ : 12.03.1984, ੲ. ਜਮੀਨ ਮਿਣਤੀ ਕੇ ਕਨਾਲ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੰ: 482/23 ਮਿੰਨ (4–0) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਮੈਸ. ਹਰੀ ਕੇਵਲ ਪ੍ਰਾਈਵੇਟ ਲਿਮਟਿਡ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੰ: 3057 ਮਿਤੀ : 12.03.1984, ਸ. ਜਮੀਨ ਮਿਣਤੀ 18 ਕਨਾਲ 16–1/2 ਮਰਲੇ ਨੇ ਜਿਲਦਾ ਜ਼ਿਲਦਾ ਸ਼ੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੇ : 3057 ਮਿਤੀ : 12.03.1984, ਸ. ਜਮੀਨ ਮਿਣਤੀ 18 ਕਨਾਲ 16–1/2 ਮਰਲੇ ਨੇ ਜ਼ਿਲਦਾ ਸ਼ੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੇ : 3057 ਮਿਤੀ : 12.03.1984, ਸ. ਜਮੀਨ ਮਿਣਤੀ 18 ਕਨਾਲ 16–1/2 ਮਰਲੇ ਨੇ ਜ਼ਿਲਦਾ ਸ਼ੁਸਤਿਲ ਸ਼ਿਲ ਸ਼ੁਸਤਿਲ ਸ਼ਿ ਰਾਹਾਂ ਵਿਕਰੀ ਡੀਡ ਨੰ: 3057 ਮਿਤੀ: 12.03.1984, ਸ. ਜਮੀਨ ਮਿਣਤੀ 18 ਕਨਾਲ 16-1/2 ਮਰਲ ਜੋ ਕਿ 11 ਕਨਾਲ 4-1/2 ਮਰਲੇ ਜੋ 22 ਕਨਾਲ 9 ਮਰਲੇ ਦਾ 1/2 ਹਿੱਸਾ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੰ: 482//16/2 ਮਿੰਨ (0-14), 17/2 ਮਿੰਨ (5-13), 18 ਮਿੰਨ (7-11), 19 ਮਿਨ (7-3), 16/2/ 2 (1-8) ਅਤੇ 7 ਕਨਾਲ 12 ਮਰਲੇ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੰ : 482//22 (7-12) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਮੈਸ. ਹਰੀ ਕੇਵਲ ਪ੍ਰਾਈਵੇਟ ਲਿਮਟਿਡ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੰ: 3092 ਮਿਤੀ: 09.06.1988 ਹ. ਜਮੀਨ ਮਿਣਤੀ 8 ਕਨਾਲ 12 ਮਰਲੇ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੰ: 494//1 ਮਿੰਨ (1-12), 495/ ਦਾਸ ਪੂਤਰ ਸ਼੍ਰੀ ਹਰੀ ਰਾਮ, ਸ਼੍ਰੀਮਤੀ ਹੈ. ਜਮੀਨ ਮਿਣਤੀ 8 ਕਨਾਲ 12 ਮਰਲੇ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੰ: 494//1 ਮਿੰਨ (1-12), 495/ ਦਰਸ਼ਨਾ ਦੇਵੀ ਪਤਨੀ ਸ਼੍ਰੀ ਲਛਮਣ (5/2 ਮਿੰਨ (7-0) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਸ਼੍ਰੀਮਤੀ ਜਾਨਕੀ ਦੇਵੀ ਅਤੇ ਸ਼੍ਰੀਮਤੀ ਬੈਂਤ ਦੇਵੀ ਰਾਹੀਂ ਵਿਕਰੀ ਦਾਸ, ਸ਼੍ਰੀਮਤੀ ਬੈਂਤ ਦੇਵੀ ਪਤਨੀ ਸ਼੍ਰੀ ਵੇਦ ਪ੍ਰਕਾਸ਼, ਸ਼੍ਰੀਮਤੀ ਰੀਮਾ ਮਲਕੀਅਤ ਸ਼੍ਰੀਮਤੀ ਸੰਤੇਸ਼ ਰਾਣੀ ਅਤੇ ਸ਼੍ਰੀਮਤੀ ਦਰਸ਼ਨਾ ਦੇਵੀ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੰ: 1694 ਮਿਤੀ: 12.09.1980, ਕ. ਜਮੀਨ ਮਿਣਤੀ 8 ਕਨਾਲ 12 ਮਰਲੇ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੰ: 494//1 ਮਿੰਨ (4-0), 495//5/2 ਮਿੰਨ (0-12), 492//25/1 ਮਿੰਨ (4-0) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਸ਼੍ਰੀਮਤੀ ਗੈਮਾ ਮਲਕੀਅਤ ਸ਼੍ਰੀਮਤੀ ਸੰਤੇਸ਼ ਰਾਣੀ ਅਤੇ ਸ਼੍ਰੀਮਤੀ ਦਰਸ਼ਨਾ ਦੇਵੀ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੰ: 1696 ਮਿਤੀ: (ਕਾਨੂੰਨੀ ਵਾਰਸ) ਪੁੱਤਰੀ ਸ਼੍ਰੀ ਫਿਕਰੀ ਨੇਹ, ਖ. ਜਮੀਨ ਮਿਣਤੀ 4 ਕਨਾਲ 14 ਮਰਲੇ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੇ: 482/24 ਮਿੰਨ (4-0), 495//5/2 ਮਿੰਨ (0-14) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਮੈਸ. ਹਰੀ ਕੇਵਲ ਪ੍ਰਾਈਵੇਟ ਲਿਮਟਿਡ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੰ: 2963 ਮਿਤੀ: 17.02.1984. ਗ. ਜਮੀਨ ਮਿਣਤੀ 5 ਕਨਾਲ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੇ: 482//23 ਮਿੰਨ (4-0), 495//5/2 ਮਿੰਨ (0-14) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਮੈਸ. ਹਰੀ ਕੇਵਲ ਪ੍ਰਾਈਵੇਟ ਲਿਮਟਿਡ ਰਾਹੀਂ ਨਿਵਾਸ ਪੁੱਤਰ ਸ਼੍ਰੀ ਲਿਛਮਣ ਦਾਸ, ਸ਼੍ਰੀ ਤੇਸ ਸ਼੍ਰੀਮਤੀ ਸੰਤੇਸ਼ ਹਰੀ ਕੇਵਲ ਪ੍ਰਾਈਵੇਟ ਲਿਮਟਿਡ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੰ: 2965 ਮਿਤੀ: 17.02.1984, ਘ. ਜਮੀਨ ਮਿਣਤੀ 4 ਕਨਾਲ 14 ਮਰਲੇ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੇ: 482//23 ਮਿੰਨ (4-0), 495//5/2 ਮਿੰਨ (0-14) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਮੈਸ. ਹਰੀ ਕੇਵਲ ਪ੍ਰਾਈਵੇਟ ਲਿਮਟਿਡ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੇ: 2965 ਮਿਤੀ: 17.02.1984, ਦ. ਜਮੀਨ ਮਿਣਤੀ 4 ਕਨਾਲ 14 ਮਰਲੇ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੇ: 482//23 ਮਿੰਨ (4-0), 495//5/2 ਮਿੰਨ (0-14) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਮੈਸ. ਹਰੀ ਕੇਵਲ ਕ੍ਰਾ ਪਾਈਵੇਟ ਲਿਮਟਿਡ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੇ: 2965 ਮਿਤੀ: 17.02.1984, ਦ. ਜਮੀਨ ਮਿਣਤੀ 4 ਕਨਾਲ 14 ਮਰਲੇ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੇ: 483//21 ਮਿੰਨ (4-0), 482//25/2 ਮਿੰਨ (4-0), 495//5/2 ਮਿੰਨ (4-0), 482//25/2 ਮਿੰਨ (4-0), 495//5/2 ਮਿੰਨ (4-0), 482//25/2 ਮਿੰਨ (4-0) ਸਥਿਤੀ ਸੁਨਾਮ ਮਲਕੀਅਤ ਸ਼੍ਰੀਮਤੀ ਸੰਤੇਸ਼ ਰਾਣੀ ਪਤਨੀ ਸ਼੍ਰੀ ਭਗਵਾਨ ਦਾਸ ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੇ: 2965 ਮਿਤੀ: 17.02.1984, ਦ. ਜਮੀਨ ਮਿਣਤੀ 8 ਕਨਾਲ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੇ: 483//21 ਮਿੰਨ (4-0), 482//25/2 ਮਿੰ ਸਮੇਤ : ਜਾਇਦਾਦ ਅੰਦਰ ਪਲਾਂਟ ਅਤੇ ਮਸ਼ੀਨਰੀ ਅਤੇ ਹੋਰ ਸਕ੍ਰੈਪ ਵਸਤੂਆਂ

ਸ਼੍ਰੀਧਰ ਗੋਇਲ ਪੁੱਤਰ ਸ਼੍ਰੀ ਵੇਦ ਜਾਇਦਾਦ ਮਿਣਤੀ 5 ਕਨਾਲ 12 ਮਰਲੇ ਅਤੇ ਇਸ 'ਤੇ ਇਮਾਰਤ ਸਥਿਤੀ ਜਾਖਲ ਰੋਡ ਸਨਾਮ ਜ਼ਿਲਾ ਸੰਗਰਰ. ਜਿਸ 'ਚ ਸ਼ਾਮਲ ਜਮੀਨ ਮਿਣਤੀ 1 ਕਨਾਲ 18 ਮਰਲੇ ਜਿਸਦਾ ਮੁਸਤਿਲ ਅਤੇ ਕਿੱਲਾ ਨੰ: 286//16/2 (1 18) ਰਾਹੀਂ ਵਿਕਰੀ ਡੀਡ ਨੰ: 3704 ਮਿਤੀ: 05.03.1970 ਅਤੇ ਜਮੀਨ ਮਿਣਤੀ 3 ਕਨਾਲ 14 ਮਰਲੇ ਜਿਸਦਾ |ਮਲਕੀਅਤ ਸ਼ੀ ਵੇਦ ਪੁਕਾਸ਼, ਸ਼ੀ ਭਗਵਾਨ ਦਾਸ, ਸ਼ੀ ਲਛਮਣ ਦਾਸ ਅਤੇ ਸ਼ੀ ਕੇਵਲ ਕ੍ਰਿਸ਼ਨ ਪੁੱਤਰ ਸ਼ੀ ਹਰੀ ਰਾਮ ਸਥਾਨ : ਸੁਨਾਮ ਅਧਿਕਾਰਤ ਅਫਸਰ, ਪੰਜਾਬ ਐਂਡ ਸਿੰਧ ਬੈਂਕ

ਸ਼ੀ ਕੇਵਲ ਕ੍ਰਿਸ਼ਨ, ਸ਼ੀ ਰਾਘਵਰ

ਦਿਆਲ ਪੁੱਤਰ ਸ਼ੀ ਕੇਵਲ ਕ੍ਰਿਸ਼ਨ

ਮਿਤੀ : 23.12.2024

ਪੰਜਾਬ ਐਂਡ मिय ਬ੍ਰਾਂਚ ਦਫ਼ਤਰ : ਬਲੌਂਗੀ ਜ਼ਿਲ੍ਹਾ ਐਸਏਐਸ ਨਗਰ, ਮੋਹਾਲੀ (ਪੰਜਾਬ)

0314660 ਈਮੇਲ : b0945@psb.co.ir

ਸੁਰਖਿਅਤ ਜਾਇਦਾਦ ਲਈ ਈ ਨਿਲਾਮੀ ਨੋਟਿਸ ਮਿਤੀ 06.02.2025 ਸਵੇਰੇ 11:00 ਵਜੇ ਤੋਂ ਦੁਪਹਿਰ 12:00 ਵਜੇ ਤੱਕ

ਰਾਖਵੀਂ ਕੀਮਤ

ਈਐਮਡੀ

ਬੋਲੀ ਵਾਧਾ ਰਕਮ

(ਇਨਕਮ ਟੈਕਸ ਐਕਟ

ਮੁਤਾਬਕ ਟੀਡੀਐਸ ਤੋਂ ਬਗੈਰ)

Rs. 432.00 ਲਾ

ਭਾਰ : ਪਤਾ ਨਹੀਂ

<mark>ਪੰਜਾਬ ਐਂਡ ਸਿੱਧ ਬੈਂਕ</mark> ਦੇ ਅਧਿਕਾਰਤ ਅਫਸਰ ਨੇ ਹੇਠ ਦਰਸਾਈ ਜਾਇਦਾਦ ਦਾ ਸੈਕਸ਼ਨ 13(2) ਤਹਿਤ ਜਾਰੀ ਨੋਟਿਸ ਜਿਸ ਨੂੰ ਸਿਕਓਰਟੀ ਇੰਟਰਸਟ (ਇਨਫੋਰਸਮੈਂਟ) ਰੂਲਜ 2002 ਨਾਲ ਪੜਿਆ ਜਾਵੇ ਤਹਿਤ ਹੇਠ ਖਾਤੇ ਨਾਲ ਦਰਸਾਈਆਂ ਮਿਤੀਆਂ ਨੂੰ "ਜਿਵੇ<mark>ਂ ਹੈ ਜਿੱਥੇ ਹੈ" ਅਤੇ "ਜਿਵੇਂ ਹੈ ਜੋ ਹੈ" ਅਤੇ "ਜੋ ਕੁਝ ਹੈ, ਉਥੇ ਹੈ" ਦੇ ਆਧਾਰ 'ਤੇ ਹੇਠ ਖਾਤੇ ਨਾਲ ਦਰਸਾਏ ਕਰਜੇ ਨੂੰ ਬੈਂਕ ਵੱਲ ਬਕਾਏ ਅਤੇ ਬਿਆਜ</mark> ਜੋ ਹੇਠ ਦਰਸਾਇਆ ਗਿਆ ਹੈ ਦੀ ਅਦਾਇਗੀ ਵਿਖੇ ਅਸਫਲ ਹੋਣ 'ਤੇ ਨਿਮਨਹਸਤਾਖਰੀ ਨੇ ਦਸੇ ਐਕਟ ਦੇ ਸੈਕਸ਼ਨ 13(12) ਤਹਿਤ ਮਿਲੀ ਤਾਕਤਾਂ ਦੀ ਵਰਤੋਂ ਕਰਦਿਆਂ ਬੈਂਕ ਵਲ ਬਕਾਏ ਦੀ ਵਸੂਲੀ ਲਈ ਜਾਇਦਾਦ ਦੀ ਵਿਕਰੀ ਲਈ ਤਜਵੀਜ ਕੀਤੀ ਹੈ। ਨਿਮਨਹਸਤਾਖਰੀ ਦੁਆਰਾ ਵਿਕਰੀ ਈ-ਨਿਲਾਮੀ ਰਾਹੀਂ ਵੈਬ ਪੌਰਟਲ ਵੈਬਸਾਈਟ https://baanknet.com ਰਾਹੀ ਕੀਤੀ ਜਾਵੇਗੀ।

Rs. 1,05,22,608.84

ਕਰਜਦਾਰ /ਗਰੰਟਰ

ਮੈਸ. ਨੈੱਟ ਫਰਨੀਸ਼ਰਸ ਰਾਹੀਂ ਇਸ ਦੇ ਪ੍ਰੋਪਰਾਈਟਰ ਸ਼੍ਰੀ ਸਤਵਿੰਦਰ ਸਿੰਘ ਅਤੇ ਗਰੰਟਰ ਸ਼ੀਮਤੀ ਸੂਰਜੀਤ ਕੌਰ, ਪਤਨੀ ਸ਼੍ਰੀ ਸੁਚੇਤ ਸਿੰਘ (ਮੌਤ ਉਪਰੰਤ) ਰਾਹੀਂ ਇਸ ਦੇ ਕਾਨੂੰਨੀ ਵਾਰਸ ਸ ਸਤਵਿੰਦਰ ਸਿੰਘ ਪੱਤਰ ਸ਼ੀੰਸਚੇਤ ਸਿੰਘ ਅਤੇ ਸ਼ੰ ਕੈਵਲਜੀਤ ਸਿੰਘ ਪੁੱਤਰ ਸੂਚੇਤ ਸਿੰਘ ਅਤੇ ਸ਼੍ਰੀਮਤੀ

ਰਜਿਸਟਰਾਰ ਮੋਹਾਲੀ ਵਿਖੇ ਰਜਿਸਟਰਡ

ਸਮੇਤ ਮਿਤੀ : 31.07.2023 ਤੱਕ ਵਿਆਜ

ਓਡੀਪੀ ਲਿਮਟ ਵਿਖੇ ਅਤੇ ਰੁ. 11,80,716.68 **Rs. 43.20 ਲੱਖ** ਸਮੇਤ ਮਿਤੀ : 01.08.2023 ਤੱਕ ਵਿਆਜ **Rs. 1.00** ਲੱਖ ਲਾਗਤਾਂ, ਚਾਰਜ ਆਦਿ

ਡਿਮਾਂਡ ਨੋਟਿਸ ਦੀ ਮਿਤੀ ਅਤੇ ਇਸ

ਵਿਖੇ ਦਰਸਾਈ ਬਕਾਇਆ ਰਕਮ

25.08.2023 ਅਤੇ 30.12.2023

ਜੀਈਸੀਐਲ ਵਿਖੇ (ਸਰਫ਼ੇਸੀ ਐਕਟ ਦੀ ਧਾਰਾ 13(4) ਤਹਿਤ ਮਿਤੀ : 06.05.2024 ਦੇ ਨੌਟਿਸ ਮਤਾਬਿਕ) ਜਮਾ ਇਕਰਾਰਨਾਮੇ ਦੀ ਦਰ ਨਾਲ ਭਵਿੱਖੀ ਵਿਆਜ/ਬਣਦਾ ਵਿਆਜ/ਗ਼ੈਰ ਅਦਾ ਕੀਤਾ ਵਿਆਜ ਸਮੇਤ ਰਕਮ ਦੀ ਪੂਰੀ ਅਦਾਇਗੀ ਤੱਕ ਇਸੀਡੈਂਟਲ ਖਰਚੇ,

ਹੋਰ ਨਿਯਮ ਅਤੇ ਸ਼ਰਤਾਂ:– 1) ਜਾਇਦਾਦ ਸਾਰੇ ਮੌਜੂਦਾ ਅਤੇ ਭਵਿਖੀ ਭਾਰ ਸਮੇਤ ਵੇਚੀ ਜਾਵੇਗੀ ਜੋ ਬੈਂਕ ਦੀ ਜਾਣਕਾਰੀ ਵਿਚ ਹੈ ਜਾਂ ਨਹੀਂ ਹੈ।ਅਧਿਕਾਰਤ ਅਫਸਰ/ਸੁਰੱਖਿਅਤ ਲੈਣਦਾਰ ਕਿਸੇ ਵੀ ਤੀਜੀ ਧਿਰ ਦੇ ਦਾਅਵਿਆਂ/ਅਧਿਕਾਰਾਂ ਬਕਾਇਆ ਲਈ ਕਿਸੇ ਵੀ ਤਰੀਕੇ ਨਾਲ ਜ਼ਿੰਮੇਵਾਰ ਨਹੀਂ ਹੋਵੇਗਾ। ਖਰੀਦਦਾਰ ਨੂੰ ਆਪਣੀ ਸੰਤੁਸ਼ਟੀ ਲਈ ਜਾਇਦਾਦ ਨਾਲ ਸਬੰਧਤ ਸਾਰੇ ਪਹਿਲੂਆਂ `ਤੇ ਉਚਿਤ ਧਿਆਨ ਦੇਣਾ ਚਾਹੀਦਾ ਹੈ। ਬੋਲੀਕਾਰ ਨੂੰ ਸਲਾਹ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਉਹ ਸੁਰੱਖਿਅਤ ਜਾਇਦਾਦ ਨਾਲ ਸਬੰਧਤ ਹੋਰ ਵੇਰਵਿਆਂ ਦੇ ਟਾਇਟਲ ਅਤੇ ਸ਼ੁੱਧਤਾ ਨਾਲ ਆਪਣੇ ਆਪ ਨੂੰ ਸੰਤੁਸ਼ਟ ਕਰਨ, ਜਿਸ ਵਿੱਚ ਸਵਾਲ ਵਿੱਚ ਅਚੱਲ ਸੁਰੱਖਿਅਤ ਜਾਇਦਾਦ ਦੇ ਆਕਾਰ∕ਖੇਤਰ ਵੀ ਸ਼ਾਮਲ ਹਨ ਅਤੇ ਸਬੈਧਤ ਅਥਾਰਟੀਆਂ ਤੋਂ ਪਹਿਲਾਂ ਉਹਨਾਂ ਦੀ ਸੰਤਸ਼ਟੀ ਲਈ ਕੋਈ ਹੋਰ ਬਕਾਇਆ/ਦੇਣਦਾਰੀਆਂ/ਭਾਰ ਦਾ ਪਤਾ ਲਗਾਉਣਾ ਚਾਹੀਦਾ ਹੈ। ਖਰੀਦਦਾਰ ਬਾਅਦ ਵਿੱਚ ਇਸ ਸਬੈਧ ਵਿੱਚ ਅਧਿਕਾਰਤ ਅਫਸਰ/ਸੁਰੱਖਿਅਤ

ਕੈਡਿਟਰਾਂ ਦੇ ਖਿਲਾਫ ਕੋਈ ਦਾਅਵਾ ਕਰਨ ਦਾ ਹੱਕਦਾਰ ਨਹੀਂ ਹੋਵੇਗਾ। 2) ਕਿਸੇ ਵੀ ਰਕਮ ਦੇ ਭੂਗਤਾਨ ਵਿੱਚ ਕੋਈ ਦੋਸ਼ੀ ਹੋਣ ਦੀ ਸੂਰਤ ਵਿੱਚ, ਜਾਂ ਜੇਕਰ ਉਪਰੋਕਤ ਸਮਾਂ ਸੀਮਾ ਦੇ ਅੰਦਰ ਖਰੀਦਦਾਰ/ਬੋਲੀਕਾਰ ਦੇ ਦੋਸ਼ੀ ਕਾਰਨ ਕਰਕੇ ਵਿਕਰੀ ਪੂਰੀ ਨਹੀਂ ਹੁੰਦੀ ਹੈ, ਤਾਂ ਬੇਕ ਸਾਰੇ ਪੇਸੇ ਜ਼ਬਤ ਕਰਨ ਦਾ ਹੱਕਦਾਰ ਹੋਵੇਗਾ। ਤਾਂ ਬੋਕ ਖਰੀਦਦਾਰ/ਬੋਲੀਕਾਰ ਦੁਆਰਾ ਅਦਾ ਕੀਤੀ ਗਈ ਰਕਮ ਨੂੰ ਜਬਤ ਕਰਨ ਦਾ ਹੱਕਦਾਰ ਹੋਵੇਗਾ। ਕਾਂ ਬੋਕ ਖਰੀਦਦਾਰ/ਬੋਲੀਕਾਰ ਦੁਆਰਾ ਅਦਾ ਕੀਤੀ ਗਈ ਰਕਮ ਨੂੰ ਜਬਤ ਕਰਨ ਦਾ ਹੱਕਦਾਰ ਹੋਵੇਗਾ। ਕਾਂ ਬੋਕ ਖਰੀਦਦਾਰ/ਬੋਲੀਕਾਰ ਦੁਆਰਾ ਅਦਾ ਕੀਤੀ ਗਈ ਰਕਮ ਨੂੰ ਜਬਤ ਕਰਨ ਦਾ ਹੱਕਦਾਰ ਹੋਵੇਗਾ। ਕਾਂ ਬੋਕ ਖਰੀਦਦਾਰ/ਬੋਲੀਕਾਰ ਦੁਆਰਾ ਅਦਾ ਕੀਤੀ ਗਈ ਰਕਮ ਨੂੰ ਜਬਤ ਕਰਨ ਦਾ ਹੱਕਦਾਰ ਹੋਵੇਗਾ। ਕਾਂ ਬੋਕ ਖਰੀਦਦਾਰ/ਬੋਲੀਕਾਰ ਦੁਆਰਾ ਅਦਾ ਕੀਤੀ ਗਈ ਰਕਮ ਨੂੰ ਜਬਤ ਕਰਨ ਦਾ ਹੱਕਦਾਰ ਹੋਵੇਗਾ। ਕਾਂ ਬੋਕ ਖਰੀਦਦਾਰ/ਬੋਲੀਕਾਰ ਦੁਆਰਾ ਅਦਾ ਕੀਤੀ ਗਈ ਰਕਮ ਨੂੰ ਜਿਥਤ ਕਰਨ ਦਾ ਹੱਕਦਾਰ ਹੋਵੇਗਾ। ਕਾਂ ਬੋਕ ਖਰੀਦਦਾਰ/ਬੋਲੀਕਾਰ ਦੁਆਰਾ ਕਾਂਦਾ ਕੀਤੀ ਗਈ ਰਕਮ ਨੂੰ ਈ-ਨਿਲਾਮੀ ਵਿਕਰੀ ਦੀ ਕਾਰਵਾਈ ਵਿੱਚ ਹਿੱਸਾ ਲੈਣ ਤੋਂ ਪਹਿਲਾਂ ਵਿਸ਼ਤ੍ਰਿਤ ਸ਼ਰਤਾਂ ਲਈ ਵੇਬਲਾਈਟ 'ਤੇ ਜਾਣ ਦੀ ਸਲਾਹ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ। 4) ਜਾਇਦਾਦ ਦਾ ਨਿਰੀਖਣ ਮਿਤੀ 03.02.2025 ਨੂੰ ਸਵੇਰੇ 11:00 ਤੋਂ ਬਾਅਦ ਦੁਪਹਿਰ 2.00 ਤੱਕ ਕੀਤਾ ਜਾ ਸਕਦਾ ਹੈ। 5) ਜਾਇਦਾਦ ਨੂੰ ਉਸ ਕੀਮਤ 'ਤੇ ਵਿਚਾਨ ਸਾਰਵੀ ਕੀਮਤ ਤੋਂ ਵੱਧ ਹੈ ਅਤੇ ਹਿੱਸਾ ਲੈਣ ਵਾਲੇ ਬੋਲੀਕਾਰ ਨਿਲਾਮੀ ਪ੍ਰਕਿਰਿਆ ਦੌਰਾਨ ਆਪਣੀ ਪੇਸ਼ਕਸ਼ ਨੂੰ ਹੋਰ ਵਧਾ ਸਕਦੇ ਹਨ। 6) ਰਾਖਵੀ ਕੀਮਤ ਦੀ 10% ਦੀ ਈਐਮਡੀ ਰਕਮ (M/s PSB Alliance Pvt. Ltd.) ਦੇ ਈ ਵਾਲਟ ਵਿਖੇ (ਸੰਪਰਕ ਨੰਬਰ 7046612345/6354910172/8291220220/9892219848/8160205051, email:support.baanknet@psballiance.com/ ਕਰਨ ਤੋਂ ਬਾਅਦ, ਇੱਛਕ ਬੋਲੀਕਾਰਾਂ ਨੂੰ ਹੇਠਾਂ ਦਿੱਤੇ ਦਸਤਾਵੇਜ਼ਾਂ/ਵੇਰਵਿਆਂ ਦੀ ਇੱਕ ਕਾਪੀ ਮਿਤੀ 04.02.2025 ਨੂੰ ਜਾਂ ਇਸ ਤੋਂ ਪਹਿਲਾਂ ਸ਼ਾਮ 05.00 ਵਜੇ ਤੱਕ, ਪੰਜਾਬ ਐਂਡ ਸਿੱਧ ਬੈਂਕ ਬਲੌਂਗੀ ਬਾਂਚ ਨੂੰ ਹੱਥੀ ਜਾਂ ਈਮੇਲ ਰਾਹੀਂ ਜਮਾਂ ਕਰਵਾਈ ਜਾਵੇ। ਅ) ਪੈਨ ਕਾਰਡ, ਆਈਡੀ ਪਰੂਫ਼ ਅਤੇ ਐਡਰੈੱਸ ਪਰੂਫ਼ ਦੀਆਂ ਫੋਟੋ ਕਾਪੀਆਂ। ਹਾਲਾਂਕਿ, ਸਫਲ ਬੋਲੀਕਾਰ ਨੂੰ ਬੋਲੀ ਦੀ ਰਕਮ ਦੇ 25% ਦੀ ਬਕਾਇਆ ਰਕਮ ਦਾ ਭੂਗਤਾਨ ਕਰਨ ਵੇਲੇ ਇਹ ਦਸਤਾਵੇਜ਼ ਮੂਲ ਰੂਪ ਵਿੱਚ ਬੈਂਕ ਨੂੰ ਪੇਸ਼ ਕਰਨੇ ਪੈਣਗੇ। ੲ) ਬੋਲੀਕਾਰਾਂ ਦਾ ਨਾਮ, ਸੰਪਰਕ ਨੰਬਰ ਪਤਾ, ਈ ਮੇਲ ਆਈ.ਡੀ. ਸ.) ਈਐਮਡੀ ਦੀ ਔਨਲਾਈਨ ਰਿਫੇਡ ਲਈ ਬੋਲੀਕਾਰ ਦਾ ਖਾਤਾ ਵੇਰਵਾ। 7) ਅਸਫ਼ਲ ਬੋਲੀਕਾਰ ਦੁਆਰਾ ਜਮਾ ਈਐਮਡੀ ਉਹਨਾਂ ਨੂੰ ਵਾਪਸ ਕਰ ਦਿੱਤਾ ਜਾਵੇਗਾ। ਈਐਮਡੀ 'ਤੇ ਕੋਈ ਵਿਆਜ ਨਹੀਂ ਹੋਵੇਗਾ। 8.) ਨਿਲਾਮੀ ਰਾਖਵੀਂ ਕੀਮਤ 'ਤੇ ਸ਼ੁਰੂ ਹੋਵੇਗੀ, ਜਿਵੇਂ ਕਿ ਉੱਪਰ ਦੱਸਿਆ ਗਿਆ ਹੈ। ਬੋਲੀਕਾਰ ਆਪਣੀਆਂ ਪੈਸ਼ਕਸ਼ਾਂ ਨੂੰ ਉੱਪਰ ਦੱਸੇ ਅਨੁਸਾਰ ਕਈ ਗੁਣਾਂ ਵਿੱਚ ਵਧਾ ਸਕਦੇ ਹਨ, ਜੋ ਬੋਲੀਕਾਰ 'ਆਨਲਾਈਨ' ਨਿਲਾਮੀ ਦੇ ਬੱਦ ਹੋਣ 'ਤੇ ਸਭ ਤੋਂ ਉੱਚੀ ਬੋਲੀ ਰਾਖਵੀ ਕੀਮਤ ਤੋਂ ਉੱਪਰ) ਜਮਾ ਕਰੇਗਾ, ਉਸਨੂੰ ਸਫਲ ਬੋਲੀਕਾਰ ਵਜੋਂ ਘੋਸ਼ਿਤ ਕੀਤਾ ਜਾਵੇਗਾ। ਸਫਲ ਬੋਲੀਕਾਰ ਦੇ ਹੱਕ ਵਿੱਚ ਵਿਕਰੀ ਦੀ ਪੁਸ਼ਟੀ ਕੀਤੀ ਜਾਵੇਗੀ, ਜੋ ਅਧਿਕਾਰਤ ਅਫਸਰ ਦੀ ਮਿਜੂਰੀ ਦਾ ਵਿਸਾ ਹੋਵੇਗਾ। 9) ਸਫਲ ਬੋਲੀਕਾਰ ਨੂੰ ਉਸ ਨੂੰ ਸਫਲ ਬੋਲੀਕਾਰ ਘਾਸ਼ਿਤ ਕਰਨ ਦੇ ਅਗਲੇ ਕੰਮ ਵਾਲੇ ਦਿਨ ਤੱਕ ਵਿਕਰੀ ਕੀਮਤ ਦਾ 25% (ਪਹਿਲਾਂ ਹੀ ਭੂਗਤਾਨ ਕੀਤਾ ਗਿਆ ਈ.ਐੱਮ.ਡੀ. ਸਮੇਤ) ਜਮਾ ਕਰਨਾ ਹੋਵੇਗਾ ਅਤੇ ਬਕਾਇਆ ਸੁਰਖਿਅਤ ਲੈਣਦਾਰ ਦੁਆਰਾ ਵਿਕਰੀ ਦੀ ਪੁਸ਼ਟੀ ਤੋਂ 15 ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਜਮਾਂ ਕਰਵਾਨਾ ਹੋਵੇਗਾ ਜੇਕਰ ਸਫਲ ਬੋਲੀਕਾਰ ਵਿਕਰੀ ਕੀਮਤ ਅਦਾ ਕਰਨ ਵਿਚ ਦੋਸੀ ਹੁੰਦਾ ਹੈ ਤਾਂ ਉਸ ਦੁਆਰਾ ਜਮਾ ਕੀਤੀ ਰਕਮ ਬਿਨਾਂ ਕੋਈ ਹੋਰ ਕੋਈ ਨੋਟਿਸ ਦਿਤੇ ਅਧਿਕਾਰਤ ਅਫਸਰ ਦੁਆਰਾ ਜਬਤ ਕਰ ਲਈ ਜਾਵੇਗੀ ਅਤੇ ਜਾਇਦਾਦ ਮੁੜ ਵੇਚੀ ਜਾਵੇਗੀ। 50.00 ਲੱਖ (ਰੁਪਏ 50 ਲੱਖ) ਅਤੇ ਇਸ ਤੋਂ ਵਧ ਦੀ ਵਿਕਰੀ ਪ੍ਰਕਿਰਿਆ ਲਈ ਵਿਕਰੀ 'ਤੇ 1% ਦੀ ਦਰ ਨਾਲ ਟੀਡੀਐਸ ਕਟੌਤੀ ਕੀਤੀ ਜਾਵੇਗੀ ਅਤੇ ਟੀਡੀਐਸ ਸਰਟਿਫਿਕੇਟ ਦੀ ਅਸਲ ਰਸੀਦ ਬੈਂਕ ਕੋਲ ਜਮਾ ਕਰਵਾਈ ਜਾਵੇ 11) ਕਨਵੈਂਸ, ਸਟੈਂਪ ਡਿਊਟੀ/ਜੀਐਸਟੀ ਰਜਿਸਟ੍ਰੇਸ਼ਨ ਖਰਚੇ ਆਦਿ ਦੀ ਅਦਾਇਗੀ ਬੋਲੀਕਾਰ ਨੂੰ ਹੀ ਕਰਨੀ ਹੋਵੇਗੀ। 12) ਅਧਿਕਾਰਤ ਅਫਸਰ ਨੂੰ ਬਿਨਾਂ ਕੋਈ ਕਾਰਨ ਦੱਸੇ ਈ-ਨਿਲਾਮੀ ਦੇ ਨਿਯਮਾਂ ਅਤੇ ਸ਼ਰਤਾਂ ਨੂੰ ਮੁਲਤਵੀ/ ਰੱਦ ਕਰਨ ਜਾਂ ਬਦਲਣ ਦਾ ਅਧਿਕਾਰ ਰਾਖਵਾਂ ਰੱਖਦਾ ਹੈ। ਵਿਸਤ੍ਤਿ ਨਿਯਮਾਂ ਅਤੇ ਸ਼ਰਤਾਂ ਦੀ ਜਾਣਕਾਰੀ ਲਈ ਕਿਰਪਾ https://baanknet.com ਜਾਂ https://www.punjabandsindbank.co.in 'ਤੇ ਪਹੁੰਚ ਕਰੋ

ਖਾਸ ਹਿਦਾਇਤਾਂ/ਸਾਵਧਾਨੀ

ਬੋਲੀਕਾਰਾਂ ਨੂੰ ਆਪਣੇ ਹਿੱਤ ਵਿੱਚ ਆਖਰੀ ਮਿੰਟਾਂ/ਸਕਿੰਟਾਂ ਵਿੱਚ ਬੋਲੀ ਲਗਾਉਣ ਤੋਂ ਬਚਣਾ ਚਾਹੀਦਾ ਹੈ। ਅਜਿਹੇ ਮਾਮਲਿਆਂ ਵਿੱਚ ਬੋਲੀਕਾਰ ਜਾਂ ਵਿਕਰੇਤਾ ਦੀ ਕਿਸੇ ਵੀ ਤਰ੍ਹਾਂ ਦੀ ਗਲਤੀ/ਅਸਫਲਤਾ (ਇੰਟਰਨੈੱਟ ਫੇਲ, ਪਾਵਰ ਫੇਲ, ਆਦਿ ਲਈ ਨਾ ਤਾਂ ਪੰਜਾਬ ਐਂਡ ਸਿੱਧ ਬੈਂਕ ਅਤੇ ਨਾ ਹੀ ਸੇਵਾ ਪ੍ਦਾਤਾ ਜ਼ਿੰਮੇਵਾਰ ਹੋਵੇਗਾ। ਅਜਿਹੀ ਅਚਨਚੇਤੀ ਸਥਿਤੀ ਤੋਂ ਬਚਣ ਲਈ, ਬੋਲੀਕਾਰਾਂ ਨੂੰ ਬੇਨਤੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਉਹ ਸਾਰੇ ਲੋੜੀਂਦੇ ਪ੍ਬੰਧ/ਵਿਕਲਪ ਜਿਵੇਂ ਕਿ ਬੈਕ-ਅੱਪ. ਬਿਜਲੀ ਸਪਲਾਈ ਅਤੇ ਹੋਰ ਜੋ ਵੀ ਲੋੜੀਂਦਾ ਹੈ. ਤਿਆਰ ਰਖਣ ਤਾਂ ਜੋ ਉਹ ਅਜਿਹੀ ਸਥਿਤੀ ਨੂੰ ਰੋਕਣ ਦੇ ਯੋਗ ਹੋ ਸਕਣ ਅਤੇ ਨਿਲਾਮੀ ਵਿੱਚ ਸਫਲਤਾਪਰਵਕ ਹਿੱਸਾ ਲੈਣ ਦੇ ਯੋਗ ਹੋ ਸਕਣ।

ਇਸ ਨੂੰ ਸਕਓਰਿਟੀ ਇੰਟਸਰਟ (ਇਨਫੌਰਸਮੈਂਟ) ਰੂਲ, 2002 ਦੇ ਰੂਲ 8(6)/ਰੂਲ 9(1) ਤਹਿਤ ਕਰਜਦਾਰਾਂ ਅਤੇ ਗਰੰਟਰਾਂ ਲਈ ਦਸੇ ਕਰਜੇ ਲਈ ਉਪਰ ਦਰਸਾਈ ਜਾਇਦਾਦ ਨੂੰ ਈ-ਨਿਲਾਮੀ

ਵਿਕਰੀ ਨੋਟਿਸ ਸਮਝਿਆ ਜਾਵੇ।

ਮਿਤੀ : 24.12.2024 ਸਥਾਨ : ਮੋਹਾਲੀ ਕੋਰਟ ਨੋਟਿਸ

ਡਾ. ਖੁਸ਼ਪ੍ਰੀਤ ਕੌਰ ਦਾਨਿਕਸ, ਸਬ-ਡਵੀਜ਼ਨਲ ਮੈਜੀਸਟ੍ਰੇਟ (ਐਸ)-ਕਮ-ਮੈਰਿਜ਼ ਅਫ਼ਸਰ, ਯੂਟੀ, . ਚੰਡੀਗੜ੍ਹ ਦੀ ਅਦਾਲਤ ਵਿਖੇ

ਮਿਸ. ਗਨੀਤ ਕੌਰ ਸੋਖੀ ਪੱਤਰੀ ਸ਼ੀ ਕੈਵਰ ਜਸਪਾਲ ਸਿੰਘ ਸੋਖੰ ਸਥਾਈ ਅਤੇ ਅਸਥਾਈ ਵਾਸੀ 2282, ਦੂਜੀ ਮੰਜਿਲ, ਸੈਕਟਰ 35–ਸੀ, ਯੂ.ਟੀ., ਚੰਡੀਗੜ੍ਹ

ਜਿਵੇਂ ਕਿ. ਉਪਰੋਕਤ ਪਾਰਟੀਆਂ ਨੇ ਇਸ ਅਦਾਲਤ ਵਿਖੇ ਤਿੰਨ ਮਹੀਨਿਆਂ ਦੇ ਅੰਦਰ ਆਪਣੇ ਵਿਆਹ ਦਾ ਸਮਾਜੀਕਰਨ ਕਰਨ ਲਈ ਪਟੀਸ਼ਨ ਭਰੀ ਹੈ ਸੋ ਇਸ ਪ੍ਰਕਾਸ਼ਨ ਰਾਹੀਂ ਆਮ ਜਨ ਸਾਧਾਰਨ ਨੂੰ ਇਹ ਨੋਟਿਸ ਦਿੱਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਜੇਕਰ ਇਸ ਸੰਸ਼ਾਹਿ ਕੋਈ ਇਤਰਾਜ਼ ਹੈ ਤਾਂ ਉਹ ਮਿਤੀ 24.01.25 ਜਾਂ ਇਸ ਤੋਂ ਪਹਿਲਾਂ ਦਰਜ਼ ਕਰਵਾਇਆ ਜਾਵੇ, ਨਹੀਂ ਤਾਂ ਕਾਨੰਨ ਮਤਾਬਰ ਸਪੈਸ਼ਲ ਮੈਰਿਜ ਐਕਟ 1954 ਤਹਿਤ ਵਿਆਹ ਦਾ ਸਮਾਜੀਕਰ ਕਰ ਦਿੱਤਾ ਜਾਵੇਗਾ।

ਵਾ-ਅਦਾਲਤ ਗੁਰਦੀਪ ਸਿੰਘ, ਨਾਇਬ ਤਹਿਸੀਲਦਾਰ-ਕਮ-ਸਹਾਇਕ ਕੁਲੈਕਟਰ ਦਰਜਾ ਅੱਵਲ ਭਗਤਾ ਭਾਈਕਾ ਪੱਤਰ ਨੰਬਰ :1319/ ਮਿਤੀ: 9.12.2024 ਵਿਸ਼ਾ : ਮਾਲ ਰਿਕਾਰਡ ਵਿੱਚ ਨਾਮ ਦੀ ਦਰੁਸਤੀ ਕਰਨ ਸਬੰਧੀ ਜਸਜੀਤ ਸਿੰਘ ਉਰਫ ਜਸਮੀਨ ਸਿੰਘ ਪੁੱਤਰ

ਨਿਮਨ ਹਸਤਾਖਰ ਪਾਸ ਲਿਖਤੀ ਰੂਪ ਵਿੱਚ ਬੇਨਤੀ ਕੀਤੀ ਹੈ ਕਿ ਜਮਾਂਬੰਦੀ ਸਾਲ 2018-19 ਵਿੱਚ ਉਸ ਦਾ ਨਾਮ ਜਸਮੀਨ ਸਿੰਘ ਪੁੱਤਰ ਗੁਰਮੀਤ ਸਿੰਘ ਪੁੱਤਰ ਗੁਰਚਰਨ ਸਿੰਘ ਦਰਜ ਹੈ ਪਰੰਤ ਉਸ ਦਾ ਬਾਕੀ ਦਸਤਾਵੇਜਾਂ ਵਿੱਚ ਨਾਮ ਜਸਜੀਤ ਸਿੰਘ ਦਰਜ ਹੈ। ਇਸ ਲਈ ਉਹ ਮਾਲ ਰਿਕਾਰਡ ਵਿੱਚ ਆਪਣਾ ਨਾਮ ਦਰਸਤ ਕਰਵਾਉਣਾ ਚਾਹੁੰਦਾ ਹੈ। ਜੇਕਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ ਨੂੰ ਉਸ ਦੇ ਮਾਲ ਰਿਕਾਰਡ ਵਿੱਚ ਨਾਮ ਸਬੰਧੀ ਕੋਈ ਉਜਰ ਹੈ ਤਾਂ ਇਸ਼ਤਿਹਾਰ ਪਕਾਸ਼ਿਤ ਹੋਣ ਦੇ 15 ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਖੱਦ ਜਾਂ ਵਕੀਲ ਰਾਹੀਂ . ਹਾਜਰ ਅਦਾਲਤ ਆਕੇ ਆਪਣਾ ਇਤਰਾਜ ਪੇਸ਼ ਕਰ ਸਕਦਾ ਹੈ। ਹਾਜਰ ਨਾ ਆਉਣ ਦੀ ਸਰਤ ਵਿੱਚ ਮਸਲਾਣ ਦੇ ਖ਼ਿਲਾਫ਼ ਇਕ ਤਰਫ਼ਾ ਕਾਰਵਾਈ ਅਮਲ ਵਿੱਚ ਲਿਆਂਦੀ

ਆਮ ਜਨ ਸਧਾਰਨ ਨੂੰ ਇਹ ਨੌਟਿਸ ਦਿੱਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਹੋਰ ਦਰਸ਼ਾਈਆਂ ਅਸਲ ਵਿਕਰੀ ਡੀਡ : 1. ਸ਼ੀ ਮੋਹਨ ਲਾਲ ਅਤੇ ਹੋਰ ਦੁਆਰਾ ਅਜੀਤਇੰਦਰ ਸਿੰਘ ਅਤੇ ਹੋਰਾਂ ਦੇ ਪੱਖ ਵਿੱਚ ਤਹਿਰੀਹ ਵਿਕਰੀ ਡੀਡ ਨੰ: 519 ਮਿਤੀ : 24.08.2010, 2. ਹਰਬੇਸ ਸਿੰਘ ਦੁਆਰਾ ਸ਼ਕੁੰਤਲਾ ਦੇਵੀ ਅਤੇ ਹੋਰ ਦੇ ਪੱਖ ਵਿੱਚ ਤਹਿਰੀਰ ਵਿਕਰੀ ਡੀਡ ਨੂੰ: 195 ਮਿਤੀ: 03 06 2009 - 2 ਆਵੇਤ ਤਾਲ ਤਾਲ ਦੁਆਰਾ ਖ਼ਕੂਤਰਾ ਦਵਾ ਅਤੇ ਹਰ ਦੇ ਧਰ ਵਿਚੋਂ ਤੀਹਗਰ ਵਿਕਰ ਡੀਡ ਨੰ: 195 ਮਿਤੀ: 03.06.2009, 3 ਅਸ਼ਿੱਕ ਕੁਮਾਰ ਦੁਆਰ ਸ਼ਕੂੰਤਲਾ ਦੇਵੀ ਅਤੇ ਹੋਰ ਦੇ ਪੱਖ ਵਿੱਚ ਤਹਿਰੀਰ ਵਿਕਰੀ ਡੀਡ ਨੰ: 196 ਮਿਤੀ: 03.06.2009, 4. ਇੰਦਰਜੀਤ ਸਿੰਘ ਦੁਆਰ ਸ਼ਕੂੰਤਲਾ ਦੇਵੀ ਅਤੇ ਹੋਰ ਦੇ ਪੱਖ ਵਿੱਚ ਤਹਿਰੀਰ ਵਿਕਰੀ ਡੀਡ ਨੈ: 205 ਮਿਤੀ : 03.06.2009, 5. ਗੁਰਪ੍ਰਤਾਪ ਸਿੰਘ ਦੁਆਰ ਮੋਹਨ ਲਾਲ ਅਤੇ ਹੋਰ ਦੇ ਪੈਖ ਵਿੱਚ ਤਹਿਰੀਰ ਵਿਕਰੀ ਡੀਡ ਨੰ

174 ਮਿਤੀ : 01.06.2009, 6. ਪ੍ਰੇਮ ਦਾਸ ਅਤੇ ਜਗਦੀਸ਼ ਰਾਏ ਦੁਆਰਾ ਇੰਦਰਜੀਤ ਸਿਘ ਦੇ ਪੱਖ ਵਿੱਚ ਤਹਿਰੀਰ ਵਿਕਰੀ ਡੀਡ 738 ਮਿਤੀ : 15.01.2007, 7. ਜਗਨ ਨਾਥ ਅਤੇ ਗਾ ਨੰ: 738 ਮਿਤੀ: 15.01.2007, 7. ਜਗਨ ਨਾਥ ਅਤੇ ਰਾਮ ਦੇਦ ਦੁਆਰਾ ਗੁਰਪੁਤਾਪ ਸਿਘ ਦੇ ਪੱਖ ਵਿੱਚ ਤਹਿਰੀਰ ਵਿਕਰੀ ਡੀਡ ਨੰ: 1121 ਮਿਤੀ: 02.02.2005, 8. ਮੋਘ ਰਾਜ ਅਤੇ ਹੋਰ ਦੁਆਰਾ ਹਰਬੇਸ਼ ਸਿਘ ਅਤੇ ਹੋਰ ਦੇ ਪੱਖ ਵਿੱਚ ਤਹਿਰੀਰ ਵਿਕਰੀ ਡੀਡ ਨੰ: 710 ਮਿਤੀ: 04.10.2004 ਗੁਆਚ ਗਈਆਂ ਹਨ ਅਤੇ ਪਾਰਟੀ ਨੰ ਦੱਸਿਆ ਹੈ ਕਿ ਇਹ ਕਿਸੇ ਬੈਂਕ ਜਾਂ ਵਿੱਚੀ ਸੇਸ਼ਬਾ ਕੱਲ ਗਿਰਵੀ ਨਹੀਂ ਹੈ ਅਤੇ ਇਹ ਗੁਆਚ ਗਈਆਂ ਹਨ। ਜੇਕਰ ਕਿਸੇ ਵਿਅਕਤੀ ਦਾ ਇਨ੍ਹਾਂ ਦੇ ਗਿਰਵੀਕਰਨ ਸਬੰਧੀ ਇਤਰਾਜ ਹੈ ਤਾਂ ਉਹ 14 ਦਿਨਾਂ ਨੇ ਅੰਗਰ ਨਿਹਮਰਪਤਰੀ ਨੂੰ ਮੋਗਵਕ ਕਰ ਸ਼ਬਦੀ 14.4 ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਨਿਮਨਹਸਤਾਖਰੀ ਨੂੰ ਸੰਪਰਕ ਕਰ ਸਕਦਾ ਹੈ। 14 ਦਿਨ ਦੀ ਮਿਆਦ ਖ਼ਤਮ ਹੋਣ ਉਪਰੰਤ ਕਿਸੇ ਤਰ੍ਹਾਂ ਦੇ ਕਿਸੇ ਦਾਅਵੇਂ ਨੂੰ ਮੰਨਿਆ ਨਹੀਂ ਜਾਵੇਗਾ। ਜਾਇਦਾਦ ਦਾ ਵੇਰਵਾ ਹੇਠ ਮੁਤਾਬਿਰ ਜਾਇਦਾਦ ਦਾ ਵੇਰਵਾ : ਜਮੀਨ ਮਿਣਤੀ 49 ਕਨਾਲ 0 ਮਰ

ਪਬਲਿਕ ਨੋਟਿਸ ਸਾਰੇ ਸਬੰਧਤਾਂ ਨੂੰ ਇਹ ਜਾਣਕਾਰੀ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਮੈਸ. ਬੀਸੀਐਲ

400ਕੇਐਲਡੀ (200 ਕੇਐਲਡੀ #ਈਐਨਏ/ਆਰਐਸ/ਅਨਹਾਈਡਰੋਸ ਅਲਕਾਹੋਲ + 200ਕੇਐਲਡੀ #ਅਨਾਜ ਅਧਾਰਿਤ ਇਥਾਨੋਲ) ਸਮਰੱਥਾ ਸਮੇਤ ਮੌਜੂਦਾ 20 ਮੈਗਾ ਵਾਟ ਦਾ ਪਾਵਰ ਉਤਪਾਦਨ ਪਲਾਂਟ ਸਥਿਤੀ ਪਿੰਡ ਮਛਾਨਾ ਅਤੇ ਸੰਗਤ ਕਲਾਂ, ਤਹਿਸੀਲ ਸੰਗਤ, ਜ਼ਿਲ੍ਹਾ ਬਠਿੰਡਾ ਵਿਖੇ ਸਮੇਤ 150 ਕੇਐਲਡੀ ਅਨਾਜ ਅਧਾਰਿਤ ਇਥਾਨੋਲ ਦੀ ਵਾਧ ਸਮਰੱਥਾ ਲਈ ਡਿਸਟੀਲਰੀ ਪਲਾਂਟ ਨੂੰ ਵਧਾਉਣ ਲਈ ਵਾਤਾਵਰਣ, ਜੰਗਲਾਤ ਅਤੇ ਜਲਵਾਯੂ ਤਬਦੀਲੀ ਮੈਤਰਾਲਾ, ਨਵੀਂ ਦਿੱਲੀ ਤੋਂ ਇਨਵਾਇਰਮੈਂਟਲ ਕਲੀਅਰੇਂਸ ਪ੍ਰਾਪਤ ਹੋ ਗਈ ਹੈ ਰਾਹੀਂ ਈ.ਸੀ. ਫਾਈਲ ਨੈ: J-11011/378/2013-IA-II (I) ਮਿਤੀ : 11.11.2024 ਇਨਵਾਇਰਮੈਂਟਲ ਕਲੀਅਰੇਂਸ ਦੀ ਕਾਪੀ੍ਰਮ੍ਰoEF&CC ਦੀ ਵੈਬਸਾਈਟ

ਰਾਹੀਂ ਮੇਰੇ ਦਸਤਖਤ ਨਾਲ ਜਾਰੀ ਕੀਤਾ ਗਿਆ। ਨਾਇਬ ਤਹਿਸੀਲਦਾਰ, ਭਗਤਾ ਭਾਈਕਾ

ੂ ਵਿੱਚ ਕੀਤਾ ਗਿਆ ਇਤਰਾਜ਼ ਮੰਨਿਆ ਨਹੀਂ ਜਾਵੇਗਾ ਅਤੇ ਨ ਬਦਲੀ ਦੀ ਕਾਰਵਾਈ ਪੂਰੀ ਕਰ ਲਈ ਜਾਵੇਗੀ। ਪਤੀ ਦੇ ਗੁੱਮ ਹੋਣ ਵਾਰੇ ਸਚਨ ਦਾਰੁਲ ਕਜ਼ਾ ਪੰਜਾਬ (ਆਲ ਇੰਡੀਆ ਮੁਸਲਿਮ ਪਰਸਨਲ ਲਾ ਬੋਰਡ) ਮਾਲੇਰਕੋਟਲਾ ਮਾਮਲਾ ਨੰਬਰ 20/224-1446 ਹਿਜਰੀ ਮਤਾਬਿਕ 2024 ਧਿਰ ਨੰਬਰ 1: ਰੇਸ਼ਮਾ ਬਿਨਤ ਹਸ਼ਮ ਦੀਨ, ਕਾਲੇਵਾਲ ਭਗਤਾਂ ਤਹਿਸੀਲ ਗੜ੍ਹਸ਼ੈਕਰ ਥਾਣ ਚੱਬੇਵਾਲ ਜਿਲ੍ਹਾ ਹੁਸ਼ਿਆਰਪੁਰ ਪੰਜਾਬ 146102, ਧਿਰ ਨੰਬ : ਮਹੰਮਦ ਸਫ਼ੀ ਵਲਦ ਅਬਦਲ ਗਨੀ C/O ਗਲਾਮ ਨਬੰ

ਸਮਾ) ਪਿੰਡ ਕਰੀਹਾ ਡਾਕਖਾਨਾ ਨੌਰਾ ਜਿਲ੍ਹਾ ਨਵਾਂਸ਼ਹਿਰ ਜਾਬ, 144508,। ਧਿਰ ਨੰਬਰ 1 ਨੇ ਉਕਤ ਧਿਰ ਨੰਬਰ 2 ਦੇ ਖ਼ਿਲਾਫ਼ ਉਸਦੇ ਗਮਸ਼ਦਾ ਹੋਣ ਅਤੇ ਧਿਰ ਨੰਬਰ 1 ਨ ਰਨਦਾ ਖਰਚਾ ਨਾਂ ਦੇਣ ਕਾਰਨ ਨਿਕਾਹ ਖਤਮ ਕਰਵਾਉਂ ਤਈ ਦਾਰੁਲਕਜ਼ਾ ਪੰਜਾਬ ਵਿੱਚ ਮਾਮਲਾ ਦਰਜ ਕਰਵਾਇ ਹੈ ਜਿਸ ਕਰਕੇ ਧਿਰ ਨੰਬਰ 2 ਦੇ ਮਹੰਮਦ ਸਫੀ ਵਲਦ ਅਬਦਨ ਗਨੀ ਨੂੰ ਸੂਚਿਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਤੁਸੀਂ ਜਿੱਥੇ ਵੀ ਹੋਵੇਂ ਨੀ ਤਾਰੀਕ ਤੱਕ ਦਾਰੁਲਕਜ਼ਾ ਪੰਜਾਬ ਨੂੰ ਮੌਜਦਗੀ ਦੀ ਸਚਨਾ ਦਿਓ। ਇਸ ਲਈ ਆਪ ਜੀ 14 ਰਜਬ 1446 ਹਿਜਰੂਰੀ ਮਤਾਬਿਕ 15 ਜਨਵਰੀ 2025 ਦਿਨ ਧਵਾਰ ਨੂੰ ਸਵੇਰੇ 9 ਵਜੇ ਦਾਰੂਲ ਕਜ਼ਾ ਪੰਜਾਬ ਵਿਚ ਆਪਰ . ਗਵਾਹਾਂ ਅਤੇ ਸਬਤਾਂ ਸਮੇਤ ਹਾਜ਼ਰ ਹੋ ਕੇ ਰਫਏ ਇਲਜ਼ਾਮ ਕਰੋ ਾਂ ਧਿਰ ਨੰਬਰ $ar{1}$ ਲਈ ਉਸਦਾ ਬਣਦਾ ਖਰਚਾ ਭੇਜੋ।ਉਕਤ ਤਾਰੀਕ ਨੂੰ ਪੇਸ਼ ਨਾਂ ਹੋਣ ਜਾਂ ਖਰਚਾ ਨਾਂ ਭੇਜਨ ਦੀ ਸੂਰਤ ਵਿੱਚ ਇਸ ਮਾਮਲੇ ਦਾ ਤਸਫੀਆ ਕਰ ਦਿੱਤਾ ਜਾਵੇਗਾ। ਜਾਰੀ ਕਰਤਾ: ਕਾਜ਼ੀ ਆਸ਼ਿਕ ਇਲਾਹੀ ਕਾਜ਼ੀ ਏ ਸਰੀਆ ਦਾਰੂਲਕਜ਼ਾ ਪੰਜਾਬ) ਮੋਬਾਈਲ: 8289053530

ਕਮਾਰ ਵਾਸੀ. ਪਿੰਡ ਤੇ ਡਾਕ

ਅਬਿਆਣਾ ਕਲਾਂ, ਤਹਿਸੀਲ

ਆਨੰਦਪੁਰ ਸਾਹਿਬ, ਜ਼ਿਲ੍ਹਾ ਰੂਪਨਗਰ

(ਪੰਜਾਬ) ਨੇ ਆਪਣਾ ਨਾਂ ਬਦਲ ਕੇ

ਕਰਨ ਕਮਾਰ ਪਰੀ ਰੱਖ ਲਿਆ ਹੈ।

🖛 ਮੈਂ, ਗੁਰਪ੍ਰੀਤ ਕੌਰ ਪਤਨੀ

ਰਾਜਵੀਰ ਸਿੰਘ ਸਹੋਤਾ ਵਾਸੀ ਨੰਬਰ 60

ਨੇੜੇ ਆਈ. ਆਈ. ਟੀ., ਲਾਡਲ

ਰੋਡ, ਜੇ. ਜੇ ਵੈਲੀ, ਪਿੰਡ ਹੁਸੈਨਪੁਰ,

ਤਹਿਸੀਲ ਅਤੇ ਜ਼ਿਲ੍ਹਾ ਰੂਪਨਗਰ ਨੇ

ਵਿਆਹ ਤੋਂ ਬਾਅਦ ਆਪਣਾ ਨਾਮ

ਬਦਲ ਕੇ ਗੁਰਪ੍ਰੀਤ ਕੌਰ ਸਹੋਤਾ ਰੱਖ

🖛 ਮੈਂ', ਪਲਵਿੰਦਰ ਸਿੰਘ ਪੁੱਤਰ ਗਮਦੂਰ

ਸਿੰਘ ਵਾਸੀ ਮਕਾਨ ਨੰਬਰ 11 ਫੇਸ 2

ਮਾਡਲ ਟਾਊਨ ਬਠਿੰਡਾ ਨੇ ਅਪਣਾ

ਨਾਅ ਬਦਲ ਕੇ ਪਲਵਿੰਦਰ ਸਿੰਘ ਸਿੱਧੂ

🖛 ਮੈਂ, ਰਾਜਪਾਲ ਕੌਰ ਪਤਨੀ

ਪਲਵਿੰਦਰ ਸਿੰਘ ਸਿੱਧੂ ਮਕਾਨ ਨੰਬਰ

11 ਫੇਸ 2 ਮਾਡਲ ਟਾਊਨ ਬਠਿੰਡਾ ਨੇ

ਅਪਣਾ ਨਾ ਬਦਲ ਕੇ ਰਾਜਪਾਲ ਕੌਰ

🖛 ਮੈਂ', ਰਿਹਾਨ ਪੁੱਤਰ ਮਨੀਸ਼ ਸ਼ਰਮਾ

ਵਾਸੀ ਮਕਾਨ ਨੰਬਰ ਬੀ-32-ਈ-8/

354/ਸੀ, ਕਾਕੋਵਾਲ ਰੋਡ, ਸੰਤ ਸਿੰਘ

ਚੀਮਾ ਨਗਰ, ਬਸਤੀ ਜੋਧੇਵਾਲ

ਲੁਧਿਆਣਾ ਨੇ ਆਪਣਾ ਨਾਮ ਰਿਹਾਨ ਤੋ

ਬਦਲ ਕੇ ਰਿਹਾਨ ਸ਼ਰਮਾ ਰੱਖ ਲਿਆ ਹੈ

🖛 ਮੈਂ. ਸਤਵਿੰਦਰ ਕੌਰ ਸਿੰਘ ਪਤਨੀ

ਜਸਵਿੰਦਰ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ

have changed my name to

ਲਿਆ ਹੈ।

ਰੱਖ ਲਿਆ ਹੈ।

ਸਿੱਧੂ ਰੱਖ ਲਿਆ ਹੈ।

ਪਾਬੰਦੀ ਰੱਖਣ ਲਈ ਜ਼ਿਲ੍ਹਾ

ਰਸਾਸੀਵਾਈਡ ਇਸ਼ਤਿਹਾਰ **OLASSIFIED** ADVERTISEMENTS

ਮੁਭਾਖ਼ ਚੰਦਰ ਪਟਿਆਲਾ/24 ਦਸੰਬਰ : ਮੈਂ, ਗੁਰਬਖਸ਼ ਸਿੰਘ ਚੀਮਾ ਪੁੱਤਰ ਸ. ਜਗੀਰ ਸਿੰਘ

ਪੰਜਾਬ ਪ੍ਰਦੂਸ਼ਣ ਰੋਕਥਾਮ

ਬੋਰਡ (ਪੀ.ਪੀ.ਸੀ.ਬੀ.) ਦੇ

ਰਿਜਨਲ ਦਫ਼ਤਰ ਵੱਲੋਂ ਨਗਰ

ਨਿਗਮ ਅਤੇ ਨਗਰ ਪੰਚਾਇਤ

ਦੇਵੀਗੜ੍ਹ, ਭਾਦਸੋਂ ਅਤੇ

ਨਾਭਾ ਦੇ ਅਧਿਕਾਰੀਆਂ ਨਾਲ

ਮਿਲ ਕੇ ਸਿੰਗਲ ਯੁਜ਼

ਪਲਾਸਟਿਕ, ਪਲਾਸਟਿਕ ਕੈਰੀ

ਬੈਗ ਤੇ ਚਾਈਨਾ ਡੋਰ ਨੂੰ

ਵੇਚਣ ਵਾਲਿਆਂ ਵਿਰੁੱਧ ਇੱਕ

ਸਾਂਝੀ ਚੈਕਿੰਗ ਮੁਹਿੰਮ ਚਲਾਈ

ਗਈ। ਮੁਹਿੰਮ ਦੌਰਾਨ ਨਗਰ

ਨਿਗਮ ਦੇ ਹੈਲਥ ਅਫ਼ਸਰ ਡਾ.

ਇੰਸਪੈਕਟਰ ਮੋਹਿਤ ਜਿੰਦਲ,

ਸੈਨੇਟਰੀ ਇੰਸਪੈਕਟਰ ਰਣਧੀਰ

ਸਿੰਘ, ਸੈਨੇਟਰੀ ਇੰਸਪੈਕਟਰ

ਵਿਕਾਸ ਚੌਧਰੀ, ਸੈਨੇਟਰੀ

ਇੰਸਪੈਕਟਰ ਪੰਕਜ ਕਮਾਰ

ਐਸ.ਡੀ.ਓ., ਪੀ. ਪੀ. ਸੀ.

ਬੀ. ਧਰਮਵੀਰ ਸਿੰਘ, ਜੇ. ਈ.

ਈ., ਪੀ. ਪੀ. ਸੀ.ਬੀ. ਹਰਮਨ

ੜੀ ਓ ਪੀਪੀਸੀਬੀ

ਮੋਹਿਤ ਸਿੰਗਲਾ ਟੀਮ ਵਿੱਚ

ਮੌਜੂਦ ਸਨ। ਨਿਰੀਖਣ

ਦੌਰਾਨ ਟੀਮਾਂ ਵੱਲੋਂ ਕੁੱਲ 35

ਕਿੱਲੋਗਰਾਮ ਸਿੰਗਲ ਯੂਜ਼

ਪਲਾਸਟਿਕ ਅਤੇ ਕੈਰੀ ਬੈਗਾਂ

ਨੂੰ ਜ਼ਬੂਤ ਕੀਤਾ ਗਿਆ, ਜਿਸ

ਵਿੱਚੋਂ 20 ਕਿੱਲੋਗਰਾਮ

ਪਟਿਆਲਾ ਤੋਂ, 10 ਕਿੱਲੋ

ਗਰਾਮ ਦੇਵੀਗੜ੍ਹ ਤੋਂ ਅਤੇ 5

ਕਿੱਲੋਗਰਾਮ ਭਾਦਸੋਂ ਤੋਂ

ਬਰਾਮਦ ਕੀਤੇ ਗਏ। ਇਸ ਦੇ

ਨਾਲ 25 ਚਲਾਨ ਜਾਰੀ

ਕੀਤੇ ਗਏ। ਵਾਤਾਵਰਣ

ਇੰਜੀਨੀਅਰ ਗਰਕਰਨ ਸਿੰਘ

ਨੇ ਦੱਸਿਆ ਚਾਈਨਾ ਡੋਰ ਨੂੰ

ਦਾ ਭੰਡਾਰਨ ਕਰਨ ਵਾਲਿਆਂ

ਤੇ ਵੇਚਣ ਵਾਲਿਆਂ 'ਤੇ

ਜੀਤ ਸਿੰਘ ਅਤੇ ਐਸ.

ਸੈ ਨੇ ਟਰੀ

ਨਵਿੰਦਰ,

ਨਿਵਾਸੀ ਫਲੈਟ ਨੰਬਰ : 108, 6ਵੀਂ ਮੰਜ਼ਿਲ, ਐਕਮੇ

ਗੁਲਮੋਹਰ ਅਪਾਰਟਮੈਂਟ, ਨਿਊ ਸੰਨੀ ਐਨਕਲੇਵ

ਸੈਕਟਰ-125 ਖਰਤ (ਮੋਹਾਲੀ) ਪੰਜਾਬ ਮੈਂ ਐਲਾਨ

ਕਰਦਾ ਹੈ ਕਿ ਮੇਰਾ ਪੱਤਰ ਰਵੀ ਇੰਦਰ ਸਿੰਘ ਜੋ

ਮੈਲਬੇਰਨ, ਆਸਟ੍ਰੇਲੀਆ ਵਿੱਚ ਰਹਿੰਦਾ ਹੈ ਅਤੇ ਉਸਦੀ

ਪਤਨੀ ਮਨਪੀਤ ਕੋਰ ਜੋ ਦਸੰਬਰ 2 0 2 3 ਤੋਂ

ਜੇ.ਟੀ.ਪੀ.ਐਲ., ਸੈਕਟਰ-115, ਲਾਂਡਰਾਂ, ਖਰੜ ਵਿਖੇ

ਆਪਣੇ ਮਾਪਿਆਂ ਨਾਲ ਸਾਡੇ ਤੋਂ ਵੱਖ ਰਹਿੰਦੀ ਹੈ। ਉਹ

ਆਪਣੇ ਮਾਤਾ-ਪਿਤਾ ਵਜੋਂ ਸਾਡੇ ਪਤੀ ਆਪਣੀਆਂ ਜਾਇਜ਼

ਸਮਾਜਿਕ ਜ਼ਿੰਮੇਵਾਰੀਆਂ ਦੀ ਪਾਲਣਾ ਨਹੀਂ ਕਰਦੇ ਹਨ।

ਉਹਨਾਂ ਦੇ ਮਾੜੇ ਵਿਵਹਾਰ ਦੇ ਮੱਦੇਨਜ਼ਰ, ਮੈਂ ਉਹਨਾਂ ਨੰ

ਆਪਣੀ ਸਾਰੀ ਚੱਲ ਅਤੇ ਅਚੱਲ ਜਾਇਦਾਦ ਤੋਂ ਇਨਕ

ਕਰਦਾ ਹਾਂ ਅਤੇ ਕਿਸੇ ਵੀ ਸਮਾਜਿਕ, ਵਿੱਤੀ ਅਤੇ ਕਾਨੰਨੀ

ਜਿੰਮੇਵਾਰੀਆਂ ਦੇ ਸੰਦਰਕ ਵਿੱਚ ਉਹਨਾਂ ਨਾਲ ਕੋਈ ਸਬੰਧ

ਨਹੀਂ ਰੱਖਦਾ ਹਾਂ। ਕੋਈ ਵੀ ਵਿਅਕਤੀ ਉਹਨਾਂ ਨਾਲ ਕਿਸੇ

ਵੀ ਤਰੀਕੇ ਨਾਲ, ਜੋ ਵੀ ਹੋਵੇ, ਆਪਣੇ ਜੋਖਮ 'ਤੇ ਅਜਿਹਾ

ਕਰੇਗਾ। ਮੈਂ ਉਹਨਾਂ ਦੀਆਂ ਉਪਰੋਕਤ ਗਤੀਵਿਧੀਅ

ਇਸ ਦਫ਼ਤਰ ਅਧੀਨ ਇੱਕ ਨੰ: ਟਿਉਬਵੈਲ ਕੁਨੈਕਸ਼ਨ ਜੀਤ

ਸਿੰਘ ਪੁੱਤਰ ਗੁਰਦਿੱਤ ਸਿੰਘ ਪਿੰਡ ਮਲਕੋਂ ਖਾਤਾ ਨੰ: ਏ ਪੀ

4302011 ਪੀ ਚੱਲਦਾ ਹੈ। ਜੀਤ ਸਿੰਘ ਦੀ ਮੌਤ ਉਪਰੰਤ ਉਸਦੇ

ਵਾਰਸਾ ਵੱਲੋਂ ਇਸ ਕਨੈਕਸ਼ਨ ਵਾਲੀ ਜਮੀਨ ਸਮੇਤ ਕਨੈਕਸ਼ਨ

ਰਜਿੰਦਰ ਕੌਰ ਪਤਨੀ ਮਨਪੀਤ ਸਿੰਘ ਵਾਸੀ ਫਰੀਦਕੇ ਨੂੰ ਵੇਚ

ਦਿੱਤੀ ਹੈ। ਇਸ ਲਈ ਹਣ ਇਹ ਕਨੈਕਸ਼ਨ ਰਜਿੰਦਰ ਕੌਰ ਪਤਨੀ

ਰਿਹਾ ਹੈ। ਜੇਕਰ ਕਿਸੇ ਵਿਅਕਤੀ ਨੂੰ ਇਸ ਬਦਲੀ ਸਬੰਧੀ ਕੋਈ

ਇਤਰਾਜ਼ ਹੋਵੇ ਤਾਂ ਉਹ 30 ਦਿਨਾਂ ਦੇ ਅੰਦਰ-ਅੰਦਰ ਉਪ ਮੰਡਣ

ਮਫ਼ਸਰ ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਿਟਡ, ਝੁਨੀਰ

ਨੇ ਲਿਖਤੀ ਰੂਪ ਵਿੱਚ ਇਤਰਾਜ਼ ਪੇਸ਼ ਕਰ ਸਕਦਾ ਹੈ। ਬਾਅਦ

ਵਿੱਚੋਂ ਕਿਸੇ ਵੀ ਤਰ੍ਹਾਂ ਲਈ ਜ਼ਿੰਮੇਵਾਰ ਨਹੀਂ ਹੋਵਾਂਗਾ।

ਬੇਦਖਲੀ ਨੋਟਿਸ ਨਾਮ ਬਦਲੀ 🖛 ਮੈੱ. ਕਰਨ ਕੁਮਾਰ ਪੱਤਰ ਸਦਰਸ਼ਨ 🖛 ਮੈਂ. ਧਰਮਪਾਲ ਪੱਤਰ ਗਲਜਾਰੀ

ਰਾਮ ਵਾਸੀ ਵਾਰਡ-12 ਬਲਾਚੌਰ. ਤਹਿਸੀਲ ਬਲਾਚੌਰ ਜ਼ਿਲ੍ਹਾ ਸ਼ਹੀਦ ਭਗਤ ਸਿੰਘ ਨਗਰ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੇਰਾ ਲੜਕਾ ਦਵਿੰਦਰ ਕੁਮਾਰ ਅਤੇ ਉਸ ਦੀ ਪਤਨੀ ਰਮਨ ਮੇਰੇ ਕਹਿਣੇ ਤੋਂ ਬਾਹਰ ਹਨ। ਇਸ ਲਈ ਮੈਂ ਆਪਣੇ ਲੜਕੇ ਅਤੇ ਉਸਦੀ ਪਤਨੀ ਨੂੰ ਆਪਣੀ ਹਰ ਪਕਾਰ ਦੀ ਚੱਲ ਤੇ ਅਚੱਲ ਜਾਇਦਾਦ ਤੋਂ ਬੇਦਖਲ ਕਰਦਾ ਹਾਂ। ਇਨ੍ਹਾਂ ਦੋਵਾਂ ਨਾਲ ਕੋਈ ਲੈਣ ਦੇਣ ਕਰਨ ਵਾਲਾ ਖੁੱਦ ਜ਼ਿੰਮੇਵਾਰ ਹੋਵੇਗਾ। ਮੇਰੀ ਕੋਈ ਜ਼ਿੰਮੇਵਾਰੀ ਨਹੀਂ ਹੋਵੇਗੀ। 🖛 ਮੈਂ', ਕਾਲਾ ਸਿੰਘ ਬੇਟਾ ਗਰਬਚਨ ਸਿੰਘ ਵਾਸੀ (ਰਾਮਵਾਲਾ) ਤਹਿਸੀਲ ਜੈਤੋ ਜ਼ਿਲਾ ਫਰੀਦਕੋਟ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾਂ। ਹੇਠ ਲਿਖਿਆਂ ਹਲਫ਼ੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੇਰਾ ਲੜਕਾ ਜਤਿੰਦਰ ਸਿੰਘ ਅਤੇ ਮੇਰੀ ਨੂੰਹ ਰਮਨਦੀਪ ਕੌਰ ਪਤਨੀ ਜਤਿੰਦਰ ਸਿੰਘ ਮੇਰੇ ਕਹਿਣੇ

ਲੈਣ ਦੇਣ ਕਰੇਗਾ ਉਹ ਆਪਣੇ ਨਫੇ ਨੁਕਸਾਨ ਦਾ ਖੁਦ ਜ਼ਿੰਮੇਵਾਰ ਹੋਵੇਗਾ। ਸਬੰਧਤ ਨੋਟ ਕਰਨ। 🖛 ਮੈਂ : ਵਿਸ਼ਾਲ ਕਮਾਰ ਪੱਤਰ ਸ਼ੀ ਹਰਬੰਸ ਲਾਲ ਵਾਸੀ ਮਕਾਨ ਨੰਬਰ -ਬੀ-3-390, ਵਾਰਡ ਨੰਬਰ -11. ਨੇੜੇ ਜਹਾਜ ਵਾਲੀ ਕੋਠੀ, ਨੰਦਪੁਰ ਸਾਹਨੇਵਾਲ, ਲੁਧਿਆਣਾ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੇਰੀ ਲੜਕੀ ਮਾਨਵੀ ਭਾਟੀਆ ਮੇਰੇ ਅਤੇ ਮੇਰੇ ਪਰਿਵਾਰ ਦੇ ਕਹਿਣੇ ਤੋਂ ਬਾਹਰ ਹੈ ਬਿਨ੍ਹਾਂ ਵਜ੍ਹਾ ਮੇਰੇ ਅਤੇ ਮੇਰੇ ਪਰਿਵਾਰ ਨਾਲ ਲੜਾਈ ਝਗੜਾ ਅਤੇ ਪਰੇਸ਼ਾਨ ਕਰਦੀ ਹੈ । ਇਸ ਕਰਕੇ ਮੈਂ ਆਪਣੀ

ਸੁਣਨੇ ਤੋਂ ਬਾਹਰ ਹੈ। ਇਸ ਲਈ ਮੈਂ

-ਆਪਣੇ ਪੁੱਤ ਤੇ ਨੂੰਹ ਨੂੰ ਆਪਣੀ ਤਮਾਮ

ਚਲ ਵਾ ਅਚੱਲ ਜਾਇਦਾਦ ਤੋਂ ਬੇਦਖਲ

ਕਰਦਾ ਹਾਂ। ਜੋ ਵਿਅਕਤੀ ਇਨ੍ਹਾਂ ਨਾਲ

ਸਾਰੀ ਚਲ ਵਾ ਅਚਲ ਜਾਇਦਾਦ ਤੋਂ ਉਹਨੂੰ ਬੇਦਖ਼ਲ ਕਰਦਾ ਹਾਂ। ਅੱਜ ਤੋਂ ਬਾਅੰਦ ਕੋਈ ਵੀ ਵਿਅਕਤੀ ਉਸਦੇ ਨਾਲ ਕਿਸੀ ਵੀ ਪ੍ਰਕਾਰ ਦੀ ਲੈਣ -ਦੇਣ ਕਰਦਾ ਹੈ ਤੇ ਉਹ ਆਪਣਾ ਆਪ ਜਿੰਮੇਵਾਰ ਹੋਵੇਗਾ।

🖛 ਮੈਂ, ਸੁਖਵਿੰਦਰ ਸਿੰਘ ਪੁੱਤਰ ਮਲਕੀਤ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਤੇ ਡਾਕ ਔਲਖ ਤਹਿਸੀਲ ਕੋਟਕਪੂਰਾ ਜ਼ਿਲਾ ਫਰੀਦਕੋਟ ਨੇ ਆਪਣੇ ਲੜਕੇ ਬਲਕਾਰ ਸਿੰਘ ਔਲਖ ਉਰਫ ਬੱਬਾ ਨੂੰ ਕਹਿਣੇ ਤੋਂ ਬਾਹਰ ਹੋਣ ਕਰਕੇ ਆਪਣੀ ਚੱਲ ਅਚੱਲ ਜਾਇਦਾਦ ਤੋਂ ਬੇਦਖਲ ਕਰ ਦਿੱਤਾ ਹੈ। ਇਸ ਨਾਲ ਲੈਣ ਦੇਣ ਕਰਨ ਵਾਲਾ

ਖੁਦ ਜਿੰਮੇਵਾਰ ਹੋਵੇਗਾ। 🖛 ਮੈਂ'. ਰਾਮ ਚੰਦ ਪੱਤਰ ਗਹਿਲਾ ਰਾਮ ਵਾਸੀ ਪਿੰਡ ਸਹੀ ਵਾਲਾ ਤਹਿਸੀਲ ਵਾ ਜਿਲ੍ਹਾ ਫਾਜਿਲਕਾ ਨੇ ਆਪਣੇ ਲੜਕੇ ਚਰਨਜੀਤ ਸਿੰਘ ਨੂੰ ਕਹਿਣੇ ਤੋਂ ਬਾਹਰ ਹੋਣ ਕਰਕੇ ਆਪਣੀ ਚੱਲ ਅਚੱਲ ਜਾਇਦਾਦ ਤੋਂ ਬੇਦਖਲ ਕਰ ਦਿੱਤਾ ਹੈ। ਇਸ ਨਾਲ ਲੈਣ ਦੇਣ ਕਰਨ ਵਾਲਾ ਖਦ ਜਿੰਮੇਵਾਰ ਹੋਵੇਗਾ।

🖛 ਅਸੀਂ, ਤਰਸੇਮ ਸਿੰਘ ਪੱਤਰ ਗੋਪੀ ਸਿੰਘ ਵਾ ਪਕਾਸ਼ ਕੌਰ ਪਤਨੀ ਤਰਸੇਮ ਸਿੰਘ ਵਾਸੀਆਨ ਪਿੰਡ ਡੱਬਵਾਲਾ ਕਲਾਂ ਤਹਿਸੀਲ ਵਾ ਜਿਲ੍ਹਾ ਫਾਜਿਲਕਾ ਨੇ ਆਪਣੇ ਲੜਕੇ ਪ੍ਰੀਤਮ ਸਿੰਘ ਤੇ ਨੂੰਹ ਜਸਪ੍ਰੀਤ ਕੌਰ ਨੂੰ ਕਹਿਣੇ ਤੋਂ ਬਾਹਰ ਹੋਣ ਕਰਕੇ ਆਪਣੀ ਚੱਲ ਅਚੱਲ ਜਾਇਦਾਦ ਤੋਂ ਬੇਦਖਲ ਕਰ ਦਿੱਤਾ ਹੈ। ਇਹਨਾਂ ਨਾਲ ਲੈਣ ਦੇਣ ਕਰਨ ਵਾਲਾ ਖੁਦ ਜਿੰਮੇਵਾਰ ਹੋਵੇਗਾ।

🖛 ਮੈਂ', ਪੱਪੂ ਰਾਮ ਪੁੱਤਰ ਨਾਥੀ ਲਾਲ, ਵਾਸੀ ਨੇੜੇ ਗੱਗਾ ਮਾੜੀ. ਪਿੰਡ ਕੁਰਲੀ, ਤਹਿਸੀਲ ਡੇਰਾਬੱਸੀ, ਜਿਲ੍ਹਾ ਐਸ. ਏ.ਐਸ.ਨਗਰ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੇਰੀ ਲੜਕੀ ਗੰਗਾ ਮੇਰੇ ਕਹਿਣੇ ਤੋਂ ਬਾਹਰ ਹੈ। ਮੇਰੇ ਅਤੇ ਮੇਰੇ ਪਰਿਵਾਰ ਨਾਲ ਲੜਾਈ ਝਗੜਾ ਕਰਦੀ ਹੈ ਤੇ ਸਾਨੂੰ ਦੱਸੇ ਬਗੈਰ ਅਣਦੱਸੀ ਥਾਂ ਤੇ ਰਹਿ ਰਹੀਂ ਹੈ।ਮੈ ਇਸ ਨੂੰ ਆਪਣੀ ਚੱਲ ਵਾ ਅਚੱਲ ਜਾਇਦਾਦ[ੇ] ਤੋਂ ਬੇਦਖਲ ਕਰਦਾ ਹਾਂ। ਇਸ ਨਾਲ ਲੈਣ ਦੇਣ ਕਰਨ ਵਾਲਾ ਖੁਦ ਜਿੰਮੇਵਾਰ ਹੋਵੇਗਾ।

ਵਹੀਕਲ ਟ੍ਰਾਂਸਫਰ 🖛 ਵਹੀਕਲ ਨੰ. ਪੀਬੀ 65 ਏਐਕਸ

3974 ਜੋਕਿ ANIL KUMAR S/O SH VED KUMAR ਦੇ ਨਾਮ ਹੈ। ਉਹਨਾਂ ਦੀ ਮੌਤ 16.04.2024 ਨੂੰ ਹੋਣ ਤੋਂ ਬਾਅਦ ਇਸ ਵਹੀਕਲ ਨੰ ਆਪਣੇ ਨਾਮ ਕਰਵਾਉਣ ਲਈ ਉਹਨਾਂ ਦੀ ਪਤਨੀ ਚੰਪਾ ਦੇਵੀ ਨੇ ਅਪਲਾਈ ਕੀਤਾ ਹੈ। ਇਸ ਸਬੰਧੀ ਕਿਸੇ ਨੂੰ ਇਤਰਾਜ਼ ਹੋਵੇ ਤਾਂ 15 ਦਿਨਾਂ ਅੰਦਰ ਆਪਣਾ ਇਤਰਾਜ ਰੀਜਨਲ ਟਰਾਂਸਪੋਰਟ ਅਫਸਰ ਮੋਹਾਲੀ ਨਾਲ ਸੰਪਰਕ ਕਰੇ।

ਪੁਧਾਨ/ਸਕੱਤਰ

ਦੀ ਮਿਤੀ

ਜਾਣਕਾਰੀ ਲਈ ਜਾ ਸਕਦੀ ਹੈ।

ਰਜਿ. ਨੰ: 609

ਐਚ/ਬੀ, ਪਹਿਲੀ ਸੁਸਾਇਟੀ ਲਿਮ. ਪਲਾਟ ਨੰ:

ਨ. CSHCS/Roads/2024/ ਮਿਤੀ: 20.12.2024

ਟੈਂਡਰ ਨੋਟਿਸ

ਸਾਇਟੀ ਦੀਆਂ ਸੜਕਾਂ ਅਤੇ ਪਾਰਕਿੰਗ ਖੇਤਰ ਦੇ ਅੰਦਾਜਨ

5,000 ਵਰਗ ਫੱਟ 'ਤੇ ਇੰਟਰਲਾਕਿੰਗ ਪੇ ਵੇਅਰ ਸਲਾਨ

ਹਿੰਈਆ ਕਰਵਾਉਣ ਅਤੇ ਲਗਵਾਉਣ ਸਮੇਤ ਰੋਡ

।ਲੀਆਂ ਅਤੇ ਸੀਵਰੇਜ ਨੂੰ ਉਚਾ ਕਰਨ ਲਈ ਟੈਂਡਰ ਦਾ

ਸੱਦਾ। ਚਾਹਵਾਨ ਪਾਰਟੀਆਂ ਨੂੰ ਟੈਂਡਰ ਜਾਰੀ ਹੋਣ ਤੋਂ 15

ਦਨਾਂ ਦੇ ਅੰਦਰ ਸਮੇਤ ਬੋਲੀਆਂ ਜੁਮਾ ਕਰਵਾਉਣ ਦੰ

ਬੇਨਤੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ। ਸਾਈਟ ਦਾ ਨਿਰੀਖਣ ਕਿਸੇ ਵੀ

ਦਿਨ ਸਵੇਰੇ 09:00 ਤੋਂ ਸ਼ਾਮ 05:00 ਵਜੇ ਦਰਮਿਆਨ ਕੀਤਾ

ਜਾ ਸਕਦਾ ਹੈ ਅਤੇ ਪਹਿਲਾਂ ਮਿਲਣ ਦਾ ਸਮਾਂ ਲੈ ਕੇ

ਸੰਧਾਕ ਕਮੇਟੀ ਦੇ ਮੈਂਬਰਾਂ ਨਾਲ ਨਿਯਮ ਅਤੇ ਸ਼ਰਤਾਂ ਦੀ

ਮਿਤੀ: 09.05.2003

ਬਕਾਇਆ ਰਕਮ

ਜਿਵੇਂ ਕਿ ਨਿਮਨ ਹਸਤਾਖਰੀ ਜੋ ਕਿ ਪੰ<mark>ਜਾਬ ਐਂਡ ਸਿੰਧ ਬੈਂਕ</mark> ਦਾ ਅਧਿਕਾਰਤ ਅਫ਼ਸਰ ਹੋਣ ਨਾਤੇ ਸਕਿਉਰਿਟਾਈਜੇਸ਼ਨ ਐਂਡ ਰੀਕੈਸਟਰਕਸ਼ਨ ਆਫ਼ ਫਾਈਨੈਂਸ਼ੀਅਲ ਐਸੇਟਸ ਐਂਡ ਇਨਫੋਰਸਮੈਂਟ ਆਫ਼ ਸਕਿਊਰਿਟੀ ਇੰਟਰਸਟ ਐਕਟ 2002 (2022 ਦਾ 54) ਅਤੇ ਸੈਕਸ਼ਨ 13(2) ਤਹਿਤ ਮਿਲੀਆਂ ਤਾਕਤਾਂ ਦੀ ਵਰਤੋਂ

8 ਨਾਲ ਪੜ੍ਹਿਆ ਜਾਵੇ ਤਹਿਤ ਹੇਠ ਦਰਸ਼ਾਈਆਂ ਮਿਤੀਆਂ ਨੂੰ ਭੌਤਿਕ ਕਬਜ਼ਾ ਲੈ ਲਿਆ ਹੈ। ਕਰਜ਼ਦਾਰ ਨੂੰ ਖਾਸ ਕਰਕੇ ਅਤੇ ਆਮ ਜਨ ਸਧਾਰਨ ਨੂੰ ਸੁਚੇਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਹੇਠ ਦਰਸਾਈ ਜਾਇਦਾਦ ਨਾਲ ਕੋਈ ਲੈਣ-ਦੇਣ ਨਾ ਕੀਤਾ

ਰਜ਼ਦਾਰਾਂ ਨੂੰ ਇਹ ਧਿਆਨ ਦਵਾਇਆ ਜਾਂਦਾ ਹੈ ਕਿ ਐਕਟ ਦੇ ਸੈਕਸ਼ਨ 13 ਦੇ ਸਬ-ਸੈਕਸ਼ਨ 8 ਤਹਿਤ ਅਜੇ ਵੀ ਉਨ੍ਹਾਂ ਕੋਲ ਗਿਰਵੀ ਜਾਇਦਾਦ ਨੂੰ ਛੁਡਵਾਉਣ ਦਾ ਸਮਾਂ ਬਾਕੀ ਹੈ। ਡਿਮਾਂਡ ਨੋਟਿਸ ਕਬਜ਼ੇ

ਵਾਰਸ) ਪੁੱਤਰੀ ਵੇਦ ਪ੍ਕਾਸ਼, ਸ਼੍ਰੀ ਕਾਸ਼, ਸ਼੍ਰੀ ਜਗਦੀਸ਼ ਰਾਏ ਪੁੱਤਰ

ਏਜੰਸੀ ਦੇ ਇੰਪੈਨਲਮੈਂਟ ਲਈ ਇਸ਼ਤਿਹਾਰ

ਰੀਅਲ ਅਸਟੇਟ ਏਜੰਟ/ਪਾਪਰਟੀ ਬਰੋਕਰ ਅਤੇ ਜਾਸਸੀ ਏਜੰਟ/

ਪੰਜਾਬ ਐਂਡ ਸਿੰਧ ਬੈਂਕ

ਕਬਜ਼ਾ ਨੋਟਿਸ (ਅਚੱਲ/ਚੱਲ ਜਾਇਦਾਦ ਲਈ)

ਅਚੱਲ/ਚੱਲ ਜਾਇਦਾਦ ਦਾ ਵੇਰਵਾ ਦੀ ਮਿਤੀ

ਮੈਸ. ਹਰੀ ਕੇਵਲ ਪੀ. ਲਿਮਟਿਡ ਪੁੱਤਰ ਸ਼੍ਰੀ ਹਰੀ ਰਾਮ, ਸ਼੍ਰੀਮਤੀ ਸੰਤੋਸ਼ ਗੋਇਲ ਪਤਨੀ ਸ਼ੀ ਭਗਵਾਨ ਦਾਸ, ਸ਼੍ਰੀ ਰਾਮੇਸ਼ਵਰ ਦਾਸ ਪੁੱਤਰ ਸ਼੍ਰੀ ਵੇਦ ਪ੍ਰਕਾਸ਼, ਸ਼੍ਰੀ ਵੇਦ ਪਕਾਸ਼ ਪੱਤਰ ਸ਼ੀ ਹਰੀ ਰਾਮ, ਸ਼ੀਮਤੀ ਜਾਨਕੀ ਦੇਵੀ ਪਤਨੀ ਸ਼ੀ ਕੇਵਲ ਕਿਸ਼ਨ, ਸ਼੍ਰੀ ਗਿਰਧਾਰੀ ਲਾਲ ਪੱਤਰ ਕੇਵਲ ਕਿਸ਼ਨ, ਸ਼ੀ ਲਛਮਣ ਦਾਸ ਪੱਤਰ ਸ਼ੀ ਹਰੀ ਰਾਮ, ਸ਼ੀਮਤੀ

ਅਚੱਲ ਜਾਇਦਾਦ ਦੀ ਵਿਕਰੀ ਲਈ ਈ-ਨਿਲਾਮੀ ਲਈ ਪਬਲਿਕ ਨੌਟਿਸ ਈਐਮਡੀ ਅਤੇ ਦਸਤਾਵੇਜ਼ (ਆਨਲਾਈਨ) ਜਮਾਂ ਕਰਵਾਉਣ ਦੀ ਆਖਰੀ ਮਿਤੀ ਤੇ ਸਮਾਂ : 04-02-2025 ਸ਼ਾਮ 5:00 ਵਜ਼ੇ ਤੱਕ ਜਾਂ ਇਸ ਤੋਂ ਪਹਿਲਾਂ

ਅਚੱਲ ਜਾਇਦਾਦ ਜੋ ਬੈਂਕ ਕੋਲ ਗਹਿਣੇ ਪਈ ਦੀ ਸਿਕਓਰਟਾਈਜੇਸ਼ਨ ਅਤੇ ਰੀਕੈਸਟਰੇਕਸ਼ਨ ਆਫ਼ ਫਾਈਨੈਨਸ਼ੀਅਲ ਅਸੈਟ ਅਤੇ ਰੀਇਨਫਰੋਸਮੈਂਟ ਆਫ਼ ਸਿਕਓਰਟੀ ਇੰਟਰਸਟ ਐਕਟ 2002 ਤਹਿਤ ਵਿਕਰੀ। ਜਿਵੇਂ ਕਿ

ਕੁਲਦੀਪ ਕੌਰ ਪਤਨੀ ਸ਼੍ਰੀ ਸਤਵਿੰਦਰ ਸਿੰਘ

ਨਨਹੇੜੀਆਂ ਤਹਿਸੀਲ ਖਰੜ ਜ਼ਿਲਾ ਐਸ ਐਸ ਨਗਰ ਨੇ ਆਪਣਾ ਨਾਮ ਬਦਲ ਕੇ ਸਤਵਿੰਦਰ ਕੌਰ ਰੱਖ ਲਿਆ ਹੈ। Village Badhupur Tehsil Mukerian Distt Hoshiarpur

▼ I, Pirthi Chand S/O Kishan Singh Village Badhupur Tehsil Mukerian Distt Hoshiarpur have changed my name to Pirthi. **▼ I,** Bakhsheesh Kaur W/o

Mohali, Punjab, have changed my name from Bakshish Kaur to Bakhsheesh Kaur.

Gurmail Singh R/o 1238

Sector 80, SAS Nagar,

ਆਮ ਸੂਚਨਾ 🖛 ਮੈਂ', ਮਮਤਾ ਰਾਣੀ ਉਰਫ ਬਿੰਦੀਆ ਰਾਣੀ ਪਤਨੀ ਮਲਕੀਤ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਬਖਤੌਰ ਨਗਰ, ਸੁਨਾਮ ਤਹਿਸੀਲ ਸੁਨਾਮ ਜਿਲਾ ਸੰਗਰੂਰ ਬਿਆਨ ਕਰਦੀ ਹਾਂ ਕਿ ਮਮਤਾ ਰਾਣੀ ਉਰਫ ਬਿੰਦੀਆ ਰਾਣੀ ਦੋਵੇਂ ਇਕੋ ਔਰਤ ਦੇ ਯਾਨੀ ਮੇਰੇ

ਨਾਮ ਹਨ। 🖛 ਮੈਂ', ਪਿਊਸ਼ ਗੋਯਲ ਪੁੱਤਰ ਬਲਦੇਵ ਕਮਾਰ ਪੱਤਰ ਘਨਸ਼ਾਮ ਦਾਸ ਵਾਸੀ -ਵਸੰਤ ਵਿਹਾਰ, ਵਿਕਾਸ ਨਗਰ, ਸੈਕਟਰ-। ਸੀ., ਮੰਡੀ ਗੋਬਿੰਦਗੜ ਜਿਲਾ ਫਤਿਹਗੜ ਸਾਹਿਬ (ਪੰਜਾਬ) ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਘਨਸ਼ਾਮ ਦਾਸ ਤੇ ਪਰਸੋਤਮ ਕਮਾਰ ਦੋਨੋਂ ਨਾਮ ਇਕੋ ਵਿਅਕਤੀ ਦੇ ਯਾਨੀ ਮੇਰੇ ਦਾਦਾ ਜੀ ਦੇ ਹੀ ਹਨ ਅਤੇ ਉਹਨਾਂ ਨੂੰ ਦੋਨੋਂ ਨਾਮਾਂ

ਨਾਲ ਜਾਣਿਆ ਜਾਂਦਾ ਹੈ।

🕶 I, Prabhjeevan Singh Dhatt S/o Sh. Manvir Singh R/o VPO Ambala Jattan Tehsil Dasuya, Distt. Hoshiarpur, Pin-144207, Punjab, India declare that my two names Parbjiwan Singh and Prabhjeevan Singh Dhatt appear in my previous passport No. N0948551. That my new passport is going to be in one name that is Prabhjeevan Singh Dhatt due to the change in the

alias rule of the Ministry of

External Affairs Government

of India. That Parbjiwan

Singh and Prabhjeevan

Singh Dhatt is one and the

same person.

ਇਸ਼ਤਿਹਾਰਾਂ ਸਬੰਧੀ ਜ਼ਰੂਰੀ ਬੇਨਤੀ ਦੇਸ਼ ਸੇਵਕ ਦੀ ਮੈਨੇਜਮੈਂਟ ਇਸ ਅਖ਼ਬਾਰ 'ਚ ਛਪੇ ਇਸ਼ਤਿਹਾਰਾਂ (ਡਿਸਪਲੇ/ ਕਲਾਸੀਫਾਈਡ) ਦੇ ਤੱਥਾਂ ਲਈ ਜ਼ਿੰਮੇਵਾਰੀ ਨਹੀਂ ਲੈਂਦੀ। ਸਾਡਾ ਅਖ਼ਬਾਰ ਇਨ੍ਹਾਂ ਨੂੰ ਤਸਦੀਕ ਨਹੀਂ ਕਰਦਾ। ਪਾਠਕਾਂ ਨੂੰ ਬੇਨਤੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਉਹ ਇਨ੍ਹਾਂ ਇਸ਼ਤਿਹਾਰਾਂ 'ਤੇ ਕਾਰਵਾਈ ਤੋਂ ਪਹਿਲਾਂ ਤੱਥਾਂ ਦੀ ਪੁਸ਼ਟੀ ਕਰ ਲੈਣ।

ਜਾਇਦਾਦ ਦਾ

ਮਕਾਨ ਨੰ: 2509, ਸੈਕਟਰ 65, ਫੇਜ਼-11 ਐਸਏਐਸ ਨਗਰ ਮੋਹਾਲੀ ਸ਼੍ਰੀਮਤੀ

ਬਰਦੀਤ ਕੌਰ ਮਤਨੀ ਬਚੇਤ ਸਿੰਘ ਦੇ ਨਾਂ ਹੈ ਰਾਹੀਂ ਰਜਿਸਟਰਡ ਵਿਕਰੀ ਡੀਡ ਨੈ: 1596 ਮਿਤੀ: 10.06.1987 ਸਬ ਸੰਕੇਤਿਕ ਕਬਜਾ

ਸਰਫੇਸੀ ਐਕਟ, 2002 ਦੇ ਰੂਲ 9(1) ਅਤੇ 8(6) ਤਹਿਤ 30 ਦਿਨਾਂ ਦਾ ਸਟੇਚੁਰੀ ਵਿਕਰੀ ਨੋਟਿਸ ਅਧਿਕਾਰਤ ਅਫਸਰ, ਪੰਜਾਬ ਐਂਡ ਸਿੰਧ ਬੈਂਕ

ਬਨੈਕਾਰ ਦਾ ਨਾਮ : ਪਤਾ/ਪਤੀ ਦਾ ਨਾਮ

ਤਿਰ ਦਿੱਤਾ ਹੈ।

ਜ਼ਿਲ੍ਹਾ ਮੈਰਿਜ ਅਫ਼ਸਰ, ਮਾਨਸਾ

ਬਨਾਮ

ਆਮ ਜਨਤਾ

ਉਪਰੋਕਤ ਪਾਰਥੀ ਨੇ ਵਿਆਹ ਯੋਗਤਾ ਸਰਟੀਫਿਕੇਟ ਜਾਰੀ

ਰਨ ਲਈ ਸੌਵਾ ਕੇਂਦਰ ਵਿੱਚ ਆਪਣਾ ਪੁੱਤਰ ਦੇ ਲਈ ਬਿਨੈ

DELGADO NR22 7E 2560-272 COUNTRY

PORTUGAL CITY TORRES VEDRAS/ਏਵੰ

ਸਨਰਲ ਹੰਬਰਟੋ ਡੇਲਗਾਡੋ ਐਨਆਰ22 7 ਈ 2560-272 ਦੇਸ਼

ਨਰੰਗਰ ਕਰਦ ਭਾਗਤਾ ਅਨੁਸਾਰ22 7 ਦੇ 2360-272 ਦੇ ਰੂਤਗਾਲ ਸਿਟੀ ਟੋਰੇਸ ਵੇਡ੍ਰਾਸ ਪ੍ਰੇਮਰ/ਜਨਮ ਮਿਤੀ : 26-(12.01.1998) ਬਨੈਕਾਰ ਨੇ ਕਿਹਾ ਹੈ ਕਿ ਉਸ ਦਾ ਭਾਰਤ ਵਿੱਚ ਕੋਈ ਵਿਆਹੁਤ

ਮਾਮ ਲੋਕਾਂ ਨੂੰ ਨੋਟਿਸ ਦਿੱਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਜੇ ਉਪਰੋਕਤ

ਰਟੀਫ਼ਿਕੇਟ ਜਾਰੀ ਕਰਨ ਬਾਰੇ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ ਨੂੰ ਕੋਈ

ਰਗਵਿਕਣ ਜਾਂਗੇ ਖਰਨ ਕਾਰੇ ਜਿਸ ਵੀ ਦਿਅਖਤੀ ਨੂੰ ਖਰੀ ਭਰਾਜ ਹੈ ਤਾਂ ਉਹ ਵਿਅਕਤੀ ਜਾਂ ਉਸਦੇ ਨੁਮਾਇੰਦੇ ਇਸ ਨੋਟਿਸ ਜਗ੍ਹੀ ਹੋਣ ਤੋਂ 30 ਦਿਨ੍ਹਾਂ ਦੇ ਅੰਦਰ-ਅੰਦਰ ਆਪਣੀ ਇਤਰਾਜ

ਸ਼ੇਕਾਇਤ) ਪੇਸ਼ ਕਰ ਸਕਦੇ ਹਨ।ਉਸ ਤੋਂ ਬਾਅਦ ਕੋਈ ਇਤਰਾਜ਼

ਨਹੀਂ ਮੈਨਿਆ ਜਾਵੇਗਾ। ਇਹ ਇਸ਼ਤਿਹਾਰ ਮੇਰੇ ਦਸਤਖਤਾਂ ਹੇਠ

ਦਾਲਤੀ ਮੋਹਰ ਨਾਲ ਮਿਤੀ : 27.11.2024 ਨੂੰ ਜਾਰੀ ਹੋਇਆ। ਜ਼ਿਲ੍ਹਾ ਮੈਰਿਜ ਅਫ਼ਸਰ, ਮਾਨਸਾ, ਪੰਜਾਬ, ਭਾਰਤ ਬਰ/ਰੀਡਰ 2930 ਮਿਤੀ : 20.12.2024

ਹਰਦਾਵਦਰ ਕੁਸਾਰ ਤਾ: Mansa, Mansa, Mansa, Punjab ਪਤਾ: AV GENERAL HUMBERTO

ਹਰਦਵਿੰਦਰ ਕਮਾਕ

ਸ਼੍ਰੀ ਗਗਨਦੀਪ ਸਿਘ ਪੁੱਤਰ ਸਵ. ਸ਼੍ਰੀ ਇਦਰਜੀਤ ਸਿਘ ਸਥਾਈ ਅਤੇ ਅਸਥਾਈ ਵਾਸੀ 3078, ਸੈਕਟਰ 21–ਡੀ, ਯੂ.ਟੀ.

ਨੇ ਸਪੈਸਨ ਮੈਰਿਜ਼ ਐਕਟ, 1954 ਦੀ ਧਾਰਾ 5 ਤਹਿਤ ਵਿਆਹ ਦੇ ਸਮਾਜੀਕਰਨ ਨੂੰ ਤਿੰਨ ਮਹੀਨਿਆਂ ਦੇ ਅੰਦਰ ਰਜਿ ਕਰਨ ਲਈ ਨੋਟਿਸ ਦਿੱਤਾ ਹੈ।

24.12.24 ਨੂੰ ਜਾਰੀ ਕੀਤਾ ਗਿਆ। ਸਬ-ਡਵੀਜ਼ਨਲ ਮੈਜਿਸਟੇਟ (ਐਸ)-ਕਮ-ਮੈਰਿਜ ਅਫ਼ਸਰ, ਸਪੈਸ਼ਲ ਮੈਰਿਜ਼ ਐਕਟ, 1954 ਤਹਿਤ, ਯੂਟੀ, ਚੰਡੀਗੜ੍ਹ

ਮੇਰੇ ਹਸਤਾਖਰ ਅਤੇ ਅਦਾਲਤ ਦੀ ਮੋਹਰ ਦੇ ਨਾਲ ਮਿਤੰ

ਗੁਰਮੀਤ ਸਿੰਘ ਪੁੱਤਰ ਗੁਰਚਰਨ ਸਿਘ ਵਾਸੀ ਭੋਡੀਪੁਰਾ ਪਬਲਿਕ ਨੋਟਿਸ ਜਸਜੀਤ ਸਿੰਘ ਪੱਤਰ ਗਰਮੀਤ ਸਿੰਘ ਪੁੱਤਰ ਗੁਰਚਰਨ ਸਿੰਘ ਵਾਸੀ ਭੋਡੀਪੁਰਾ ਤਹਿਸੀਲ ਫੂਲ ਜ਼ਿਲ੍ਹਾ ਬਠਿੰਡਾ ਵੱਲੋਂ

ਜਾਵੇਗੀ। ਬਾਅਦ ਗੁਜਰਨੇ ਮਿਆਦ ਕੋਈ ਉਜਰ ਸਮਾਇਤ ਨਹੀਂ ਹੋਵੇਗਾ। ਇਹ ਇਸ਼ਤਿਹਾਰ ਅੱਜ ਮਿਤੀ : 09.12.2024 ਵਿਸ਼ਾ : ਵਿਆਹ ਯੋਗਤਾ ਸਰਟੀਫਿਕੇਟ ਜਾਰੀ ਕਰਨ ਬਾਰੇ

(ਸਿੱਖਿਆ ਸੰਸਥਾ) ਜਾਇਦਾਦ ਸਥਿਤੀ ਮਾਨਸਾ-ਸਿਰਸਾ ਰੋਡ, ਝੁਨੀ ਰਹਿਸੀਲ ਝੁਨੀਰ, ਜ਼ਿਲ੍ਹਾ ਮਾਨਸਾ, ਮਲਕੀਅਤ ਦ ਇਨਲਾਈਟੈਂਡ ਸੁਸਾਇਟੀ, ਝੁਨੀਰ ਜ਼ਿਲ੍ਹਾ ਮਾਨਸਾ, ਖਲਕੀਅਤ ਦ ਇਨਲਾਈਟੈਂਡ ਸੁਸਾਇਟੀ, ਝੁਨੀਰ ਜ਼ਿਲ੍ਹਾ ਮਾਨਸਾ। ਕੁਲਦੀਪ ਸਿੰਗਲਾ, ਐਡਵੈਕੇਟ, ਚੈਂਬਰ ਨੰ: 646, ਜ਼ਿਲ੍ਹਾ ਕੁਲਦੀਪ ਸਿੰਗਲਾ, ਐਡਵੋਕੇਟ, ਚੈਂਬਰ ਨੰ: 646, ਜ਼ਿਲ੍ਹਾ ਅਦਾਲਤ, ਬਠਿੰਡਾ-151001, ਮੋਬਾ : 9356445777

ਇੰਡਸਟਰੀਜ਼ ਲਿਮਟਿਡ, ਡਿਸਟੀਲਰੀ ਡਿਵੀਜ਼ਨ ਨੂੰ ਮੌਜੂਦਾ

C M Y B

https://parivesh.nic.in 'ਤੇ ਉਪਲੱਬੰਧ ਹੈ।



PUNJAB WATER REGULATION AND DEVELOPMENT AUTHORITY

sco 149-152, Sector 17 c, Chandigarh - 160017

PERMISSION FOR EXTRACTION OF GROUNDWATER

(Under The Punjab Groundwater Extraction And Conservation Directions, 2023)

Unit ID:	Permission Number:	Date of Grant of Permission	Valid up to	
0210101104	PWRDA/I/07/2023/L3/80	05.07.2023	04.07.2026	

1	Name of Unit:	BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant By M/S BCL Industries Ltd.		
2	Activity of Unit:	Industrial		
3	Address/Location of Unit:	Village Sangat Kalan and Machhana, Dabwali Road, Distt. Bathinda, Punjab		
		District Bathinda	PIN: 151401	
4	Assessment Area (Block):	Sangat Status: Green		
5	District	Bathinda		
6	Head Office Address:	Hazi Rattan Link Road, Bathinda, Punjab		
			PIN: 151005	
	Email	bel@mittalgroup.co.in	kmg@mittalgroup.co.in	
	Phone/Mobile No.	0164-2240163, 2240443	9915030211	
7	Project Status:	Existing		
8	No. of Existing Tube- Wells	No. of Proposed Tube-Wells	Total Number of Tube-Wells Permitted	
	02	00	02	
9	Volume of Ground Water Permitted to be Extracted(m³/month)	Fresh	Brackish/Saline	
		26700	S-	

Note: This permission is granted in terms of the Punjab Groundwater Extraction and Conservation Directions, 2023 notified on 27th January, 2023 under section 15 of the Punjab Water Resources (Management and Regulation) Act, 2020 and is subject to the conditions given overleaf.

Dated: 05.07.2023 Place: Chandigarh



Terms and Conditions

- User shall comply with the provisions of the Punjab Water Resources (Management and Regulation) Act, 2020, The Punjab Groundwater Extraction and Conservation Directions, 2023 and other Regulations, Directions and instructions issued by the Authority from time to time.
- 2) The User shall install a water meter of required Specifications at each extraction structure and inform PWRDA along with Model approval Certificate from FCRI /NPL, Calibration Certificate, etc. within three months of issue of this Permission. The water meter shall conform to the technical specifications, performance parameters and connectivity standards, etc. as required by the Authority.
- 3) The User (if required to install piezometer as per Directions) shall install the piezometer of the required specifications within three months of issue of this permission. (refer para 5.2 of the Directions).
- Payment Cycle and Schedule shall be as per para 4.8 of the Directions.
- 5) In case of proposed water extraction structure which is yet to be commissioned, the user will intimate the Authority regarding all the details of the structure within 15 days of energizing of structure.
- 6) This Permission does not absolve the Unit of its obligations to obtain other required statutory and administrative clearances from appropriate Authorities.
- 7) The issue of this Permission does not imply that other statutory or administrative clearances shall necessarily be granted to the unit by the concerned Authorities.
- 8) This Permission is being issued without any prejudice to the orders of any court of law in cases related to groundwater or any other related matters.
- 9) The Authority may inspect the Unit and original documents at any time. In case it is found that any material facts have been concealed or misreported or any material difference is found in the information submitted and the site conditions or documents, the Authority may suspend the permission granted immediately and may cancel or alter the permission after giving a notice to the Unit. This will be without prejudice to any other action that may be taken under the law for supply of wrong information.
- 10) The User is advised to keep on checking the website of the Authority for updates on Directions and instructions on matters related to extraction of groundwater.
- 11) The User shall obtain revised/varied/fresh permission as the case may be, in case there is any change in ground water extraction structure, volume etc, before the aforesaid change is affected or within the time permitted under the Directions.
- 12) A user shall apply for renewal of permission in the required format three months prior to the expiry of permission.

- Section of Sec